TUBES

2023_eu.EN

PRICE LIST - TECHNICAL CATALOGUE

2023_eu.EN

Price list
technical catalogue

Functionality and harmony are the distinguishing features of TUBES radiators. The minimalist design of Tubes radiators means they take up only a minimum of space and provide a touch of refinement to all types of interiors. The rounded form of the radiating unit is essential, ensuring the wellbeing and safety of all users.

The compact and ultra-compact elements of TUBES products provide the ultimate in refinement, with less inner space and – as a result – low water content. And low water content means high energy saving, and also enabling the radiator to heat up very quickly. Thanks to these features our products are effective even at low temperature.

The steel pipes - 1.2 mm thick for elements and 1.5 mm thick for manifolds - are high-frequency welded with continuous ultrasonic welding control. Assembly is by means of resistance projection electro-welding. Each individual radiator is controlled twice, hydraulic tightness is tested by filling the item with air at 10 bar pressure then immersing it in a water-filled tank. Maximum operating temperature is set at 120° C, and maximum pressure at 15 bar. The size tolerance indicated in this catalogue is ± 0.3 cm, whereas calculations for all inter axes between connections are based on the valves produced by TUBES. After the painting process each radiator undergoes a second quality control and is then protected with a customized packaging. The entire production cycle is constantly monitored via bar code applied on every product. This way every radiator of every order can be tracked from the sales department, which can then provide customers with information on the order processing situation in real time.

The items are coated with 90/130 micron thick thermoset polyester powder-based paint baked-on at 200° C. The metal treatment process (carried out before the painting) is accomplished inside the closed circuit cleaning plant. The plant does not produce sludge or waste water and is supplied with low temperature water, thus it enables a notable scrubbing of Co2 emissions in the air. This plant is based on the principles used in nanotechnology. The treatment is based on organo-functional silane polymers. These polymers react to ambient temperatures with the metal hydroxides that are deposited on the degreased surface of the metal, forming stable covalent bonds with the metal surface. The treatment is characterized by ease of use, very low toxicity - free from heavy metals - which makes it very eco-friendly. The treatment does not involve hazardous chemicals therefore its use is absolutely safe. Laboratory tests have proved that this new painting treatment withstands more than 400 hours in salt spray fog.

TUBES colour range includes over 160 different finishes including both colours and special finishes. This means that the interiors of even the most discerning customers can be effectively customized. The major part of the powders used in the painting cycle are free from lead, chrome and hexavalent chromium and thus rated eco-friendly.

Every radiator is protected with polyethylene film and is then packed in a very strong, shock and moisture resistant cardboard box with double or triple layer on the points most subject to damage and wear during transport. The company has always paid special attention to environmental protection, and it ensures that the packing components it uses do not contain metal staples and can be easily separated in order to facilitate proper disposal. The packing box of every individual model of radiators includes wall fixing supports and vent valve, whereas the towel warmers include fixing screws and anchors in addition to the supports and vent valve.

The thermal yields indicated in this catalogue have been calculated according to the UNI EN 442-1 standards in force. Every individual product type of the ranges bearing the UNI EN 442 marking has been individually tested. Data authenticity is guaranteed by a testing and certification institute accredited by certified laboratories of excellence at European and international level such as the MRT Laboratory of the Politecnico di Milan and TÜV Rheinland.

The description and indications of the products contained in the TUBES catalogues and price-lists are not binding on the company, which may modify and update them at its sole discretion without notice. The drawings, sizes and weights are approximate. Moreover, the company cannot guarantee that the execution of the radiators and towel warmers will be exactly the same as the samples supplied.

The company’s website www.tubesradiatori.com provides useful information on the company headquarters, the sales network, the product range and the latest news. You can download for free product data sheets including thermal yields and technical drawings, pictures and the 3ds files of every model.

2023 Price List_eu.EN
Applicable from 02.05.2023
The prices contained in this price-list are in EURO (€) and do not include VAT and transport costs

This price list was designed to facilitate the identification of the models firstly by splitting them according to their working mode: hydraulic and electrical. Subsequently, you can move on to the choice of your heating model by choosing among products specifically designed for the “BATHROOM” and products conceived for heating other interiors than the bathroom, better known as “HOME” models. You can find the Elements and the Plug&Play collections models too. This new approach enables buyers to identify the model desired very rapidly.

Furthermore, every model page shows the accessories available, ranging from bathroom accessories to valves and controls for the electric versions. A specific section has been set aside for valves showing all types of valve and the models they are compatible with (see pages 314-325).

Finally, there is more in-depth information on certain technical notions such as connection diagrams and electrical product functioning; GVR valve predisposition and mounting – very important information for various models in both Basics and Elements collections - and the updated range of colours and finishes.

SPECIAL CUSTOMISED PRODUCTS
With the aim of accommodating market needs and backed by the experience accrued in the industry, Tubes is in a position to take into consideration product customisation requests. The engineering department will analyse, assess and prepare a quote for any customisation requests regarding specific shapes or custom-made connectors or any other particular requirements customers may have.

COLOUR VARIANTS, ANODISED AND GALVANIC FINISHES

All the products in this price list are supplied, as standard, with a polyester powder coating in Standard White in the painted versions, in Anodised Silver finish in the anodised versions of the Soho model, in Glossy Chrome finish in the galvanic versions and in Satin Finish Stainless Steel for the I-Ching model.

All the price supplements for colours other than Standard White, Anodised Silver and Glossy Chrome are provided below.
To make it easier to choose the colour and calculate the relate price, check the exact category in the colour chart you'll find at the end of this price list. **This chart remains the only official tool containing the categories combined with the relevant colours and finishes.**

ADDITIONAL COLOUR

Check the exact category of COLOURS in the colour chart you'll find at the end of this price list. This chart is the only official tool containing the categories combined with the relevant colours.
The additional COLOUR charges, for all the models in this price list (except of Valves and Accessories), are calculated on the basis of a starting price corresponding to Standard White, which belongs to Category C0, and are divided up as follows:

- C0 category 0%
- C1 category +15%
- C2 category +15%
- C3 category +25%
- Category FT +35% (in other words RAL colours not in the chart subject to availability request)

Some of the models in the ELEMENTS and PLUG&PLAY collections envisage a single price for a group of finishes. This information can be found in the price table on the page dedicated to the relevant model, and is as follows:

T.B.T.	all the colours in category C1/C2/C3	No additional charge
STEP-BY-STEP	See price table	
I-CHING	See price table (NEW)	
SCALETTA	See price table	
ORIGAMI	See price table	
SOHO Bathroom	Standard colour is Matt 916P White and not Standard White	

ADDITIONAL GALVANIC FINISH CHARGES

Check the exact category of GALVANIC FINISHES in the special finishes table you'll find at the end of this price list. This table is the only official tool containing the categories combined with the relevant finishes.
The additional GALVANIC finish charges, for all the models* in this price list (except of Valves and Accessories), are calculated on the basis of a starting price corresponding to Chrome finish (Satin finish Stainless Steel for I-Ching), which belongs to Category C0, and are divided up as follows:

- G0 Category	0%	code CRO
- G1 Category	+15%	code CRS-NIS
- G2 Category	+25%	code NNE-STL-BRP-NIK-NNS-OSO-SSO-NNO
- G3 Category	+40%	code RMO-OTO
- G5 Category	+50%	code O14

***Caution:** The finishes listed are NOT available for all models. You will need to check feasibility of the desired finish with the chosen model, by consulting the finishes table at the end of this price list (see pages 356-357).

ADDITIONAL ANODISED FINISH CHARGES
Check the exact category of ANODISED FINISHES in the special finishes table you'll find at the end of this price list. This table is the only official tool containing the categories combined with the relevant finishes.

The ANODISED finishes are only available for the SOHO aluminium model.

The additional ANODISED finish charges (except for Valves and Accessories), are calculated on the basis of a starting price corresponding to Anodised Silver Aluminium finish, which belongs to Category A0, and are divided up as follows:

- A0 Category	0%	Anodised Silver Aluminium
- A1 Category	+15%	Anodised Titanium Aluminium
		Anodised Bronze Aluminium
		Anodised Matt Black Aluminium

GENERAL Index

HYDRAULIC functioning products

BASICS Collection BATH hydraulic page. 11
BASICS Collection HOME hydraulic 97
ELEMENTS Collection hydraulic 133

ELECTRIC functioning products

BASICS Collection BATH electric 203
ELEMENTS Collection electric 229
PLUG & PLAY Collection 295

ACCESSORIES, VALVES and SPARE PARTS

BATHROOM accessories 306
VALVES and Lockshields 310
Valves and Lockshields 314
SPARE PARTS 322

Technical notes

BRACKET SUPPORTS 328
ELECTRIC controls 330
Technical notes 334
Certifications 343

Colours and Finishes

Colours 346
ANODISED finishes 351
GALVANIC finishes 352

OVERALL Index

Products with HYDRAULIC system

BASICS COLLECTION BATH HYDRAULIC

BASICS 14 BATHROOM	HW	* MX	page.	12
RITMATO 14 STANDARD	HW			24
BATH CURVO	HW	* MX		26
BASICS 20 BATHROOM	HW	MX		28
BASICS 25 BATHROOM	HW	* MX		36
RITMATO 25 STANDARD	HW			48
COLOR_X BATH	HW	* MX		50
RITMATO COLOR_X STANDARD	HW			54
IXSTEEL BATH	HW	* MX		56
RITMATO IXSTEEL STANDARD	HW			60
KUBIK BATH	HW	MX		62
RITMATO KUBIK STANDARD	HW			70
SMART BATH	HW	MX		72
TOTEM - KEY BATH	HW			88
HOTEL 14 BATHROOM	HW			90
ARKOS ALBATROS BATH	HW			92

BASICS COLLECTION HOME HYDRAULIC

BASICS 14 HOME	HW		page.	98
BASICS 25 HOME	HW			102
COLOR_X HOME	HW			106
IXSTEEL HOME	HW			110
KUBIK HOME	HW			114
PLATFORM HOME	HW			118
PLAIN HOME	HW			120
RITMATO CUSTOM-MADE	HW			124
JOBA	HW			126
HOLA	HW			130

ELEMENTS COLLECTION HYDRAULIC

ADD_ON HYDRAULIC	HW		page.	134
HYDRAULIC MILANO	HW			142
MONTECARLO HYDRAULIC	HW			144
SQUARE HYDRAULIC	HW			146
T.B.T. HYDRAULIC	HW	MX		154
SOHO HYDRAULIC	HW			160
AGORÀ HYDRAULIC	HW			172
TRAME HYDRAULIC	HW	* MX		176
RIFT HYDRAULIC	HW			180
STEP-BY-STEP HYDRAULIC	HW	MX		196

***** AVAILABLE UPON REQUEST AND PRICE ON ESTIMATE

ELECTRIC functioning products

BASICS COLLECTION BATH ELECTRIC

BASICS 14 ELECTRIC BATHROOM	EL	page.	204
BATH CURVO ELECTRIC BATHROOM	EL		206
BASICS 20 ELECTRIC BATHROOM	EL		208
BASICS 25 ELECTRIC BATHROOM	EL		210
COLOR_X BATH ELECTRIC	EL		214
IXSTEEL BATH ELECTRIC	EL		216
KUBIK BATH ELECTRICAL	EL		218
RITMATI 14 - 25 - KUBIK	EL		220
SMART_K BATHROOM ELECTRIC	EL		222
SMART_20 BATHROOM ELECTRIC	EL		224
SMART_25 BATHROOM ELECTRIC	EL		226

ELEMENTS COLLECTION ELECTRIC

ADD_ON ELECTRIC	EL	page.	230
ELECTRICAL MILANO	EL		234
MONTECARLO ELECTRIC	EL		240
SQUARE ELECTRIC	EL		242
T.B.T. ELECTRIC	EL		248
SOHO ELECTRIC	EL		254
TRAME ELECTRIC	EL		256
RIFT ELECTRIC	EL		260
STEP-BY-STEP ELECTRIC	EL		276
I-CHING ELECTRIC	EL		281

PLUG & PLAY COLLECTION

EVE	EL	page.	297
ASTRO	EL		298
SCALETTA	EL		299
ORIGAMI	EL		300
SQUARE BENCH	EL		302
MILANO FREE-STANDING	EL		303

ACCESSORIES, VALVES AND SPARE PARTS

BATHROOM ACCESSORIES	page.	306
VALVES AND LOCKSHIELDS		310
SPARE PARTS		322

TECHNICAL NOTES

BRACKET SUPPORTS AND FIXING DIAGRAMS	page.	328
BATHROOM BASICS BRACKET SUPPORTS		
HOME BASICS BRACKET SUPPORTS		
ELECTRIC CONTROLS		330
ROOM THERMOSTATS, ECODESIGN AND WIRELESS		
INSTALLATION DIAGRAMS		
TECHNICAL NOTES		
BASICS FIXING DIAGRAMS		333
“N” WEIGHTS AND EXPONENTS		334
CORRECTION FACTORS		340
WATER CONTENT		341
CERTIFICATIONS		
ELECTRICAL CERTIFICATIONS		343
HYDRAULIC CERTIFICATIONS		344

COLOURS AND FINISHES

COLOURS (PAINTING ONLY)	page.	346
ANODISED FINISHES		351
GALVANIC FINISHES		352

GENERAL CONDITIONS OF SALE 356

USEFUL TIPS

CORRECT INSTALLATION

The radiators must be assembled perfectly by qualified personnel. Here are some tips for a correct installation:

_ Before installing the new radiator make sure that the pipes of the central heating system are clean. In this case, in a new system, all possible impurities due to the construction of the system must be eliminated while in an old system the pipes must be washed to eliminate all residues, any sludge, calamine, grease, making sure there is no gas in the pipes as well as encrustations that could prevent the new radiator from working or make it deteriorate prematurely. Be careful because impurities can also obstruct the correct passage of water in the valves and lockshields, drastically reducing the heat output.

_ The vent valve supplied must be installed being careful not to force the closure too much, which must take place with a torque not exceeding 10 Nm.

_ The vent valve, the valve and the lockshield must be installed by applying Teflon or hemp to the special connection cable.

_ Fill the radiator SLOWLY to allow the elimination of the air present in it from the appropriate vent valve. For a new system, this operation will have to be done at least three times at a distance of two/three days from each other.

_ It's not recommended to use water or fluids with an acidity (PH) higher than 8.5 to fill the central heating system. In this way, the life of the radiator is preserved longer and the formation of internal corrosion that could puncture the radiator is avoided.

_ The excellent heat transfer of our radiators makes them perfectly suitable for use in low-temperature delivery systems. In this case, we recommend an adequate thermo-technical project for correct sizing. Our heaters are not suitable for use with steam systems.

_ That the operating pressure of the heating bodies is not higher than the guaranteed one, which is 5 bar.

PROBLEMS THAT MAY ARISE IN THE USE OF RADIATORS

COLD room even if the radiator is hot. You can have this problem when the system or the radiator itself have NOT been properly sized, or the calculation of the necessary heat output has been realized with wrong information was made with incorrect information about the insulation, the internal and external design temperature and the characteristics of the boiler. In this case, a check made by a thermo-technical designer is recommended.
The radiator DOES NOT HEAT UP. Although the radiator has been assembled by a professional installer and therefore the installation has been done correctly, it's possible that the radiator will NOT heat up. The most frequent causes that prevent a radiator from heating up are the following:

_ The thermal power is insufficient to heat the environment where it was installed or the water temperature is too low.

_ The pipes of the heating systems have not been sized correctly.

_ The circulation pump of the system must be adjusted correctly in order to avoid a too low efficiency in some areas of the radiator.

_ The radiator may have an accumulation of air inside it that must be vented through the vent valve in the radiator.

_ The thermostat or thermostatic head is not working properly.

_ The main thermostat is exposed to large external heat sources, such as solar radiation, which makes it reach the desired temperature and due to this, the radiators in the other rooms do not heat up.

_ The water temperature is too low.

_ Presence of impurities inside the system that have deposited in the valve body. Impurities considerably reduce the flow of water and consequently the production of heat.

_ The radiator only partially heats up. The radiator is oversized, therefore the environment reaches the set temperature before the same has reached a consistent temperature throughout its surface.

The radiator is NOISY. In some situations the radiator is the edge cap for the diffusion of noises which, most of the time, DO NOT depend on the radiator. In fact the radiator becomes the sounding board for noises coming from the system. Noises that arise from the rubbing of pipes and systems on the walls or inside the floors. Other noises may derive from an incorrect connection of the valve and lockshield (reversed), or from an excessive water flow at the valve level, due to high a pressure, or there may be voltage in the system. Often, the cause may be in the pipes or collectors that come in contact with floors, walls or other materials. Also the lack of an acoustic protection on the collectors may be a cause of noise.

DURABILITY OF THE RADIATOR

In order to enjoy the beauty and functionality of our radiators We recommend to follow these suggestions:

_ The radiator must not be placed above the bathtub, inside the shower, in Turkish baths, saunas, near swimming pools or in any other environment with particularly high humidity, except for stainless steel models.

_ Avoid installing radiators in laboratories where they would be exposed to aggressive acids or acid vapours; plus, it's not recommended to install them near toilets (WC) or urinals.

_ The radiators cannot be installed to the ceiling or outside, such as in greenhouses or verandas, as they would not satisfy the needs.

_ After a first filling, the heating elements must not remain without water and must not be emptied periodically; this avoids the pitting corrosion of your radiator.

_ When using corrosion or antifreeze inhibitors, their compatibility with the materials that make up the heating elements must be taken into account.

_ The surface cleaning operations of the radiator must be carried out with products that are neither abrasive nor acid, but preferably with soft cloths moistened with water.

_ The radiators and heated towel rails can be used to heat the towel, to keep it warm or to warm fabrics, but not to dry the laundry.

RADIATOR MAINTENANCE

It is also recommended to periodically vent the air accumulated inside the radiators or heating systems. The operation must be done periodically at least once or twice a year, preferably before the central heating system is restarted. This operation allow to eliminate all the air that normally forms during the operation of the central heating system to be, avoiding the formation of rust inside the radiators which, in the long run, can cause premature deterioration of the new radiator.

BASICS COLLECTION

KUBIK



KUBIK Model

Kubik is entirely made of steel carbon
- Collector Ø28 mm
- Square elements 15x15 mm

COLOR_X
IXSTEEL



IXSTEEL and COLOR_X Models

IXSTEEL is entirely made of STAINLESS steel while COLOR_X with the same diameter as the elements, is made of carbon steel
- Ø28 mm Collector
- Ø10 mm round elements

BASICS 14



BASICS 14 Model

BASICS 14 models are entirely made in carbon steel
- Collector Ø34 mm
- Round elements Ø14 mm

BASICS 20



BASICS 20 Model

BASICS 20 heated towel rails are entirely made of carbon steel.
- Collector Ø34 mm
- Round elements Ø20 mm

BASICS 25



BASICS 25 Model

BASICS 25 models are entirely made in carbon steel.
- Collector Ø34 mm
- Round elements Ø25 mm

PLAIN



PLAIN Model

The PLAIN plates are entirely made in carbon steel.
- Collector Ø35 mm
- Flat elements dim.10x70

HOW TO WRITE THE CODE OF THE MODELS IN THE BASICS BATH COLLECTION

EXAMPLE:

Towel warmer model	**BA15K HYDRAULIC** Standard
Height	**120** cm
N° Elements	**50** elements
Attack	**0B1**
Fixing support	**ST** Standard wall
Color	**Code 747P** Gray Tele 4 Matt

The above towel warmer has the following code:

BA15K#	120	050	0B1	ST	747P
1	2	3	4	5	6
Heating model: Vertical towel warmer with square elements of **15** mm per side	Height	N° Elements	Connectors type	Fixing support type	Colour

BA15K#... hydraulic (1)

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
											IN STOCK
BA15K#070040	73,0	40,0	36,6	350	186	237	126	551,00	634,00	689,00	1.327,00
BA15K#070050	73,0	50,0	46,6	455	244	296	159	564,00	649,00	705,00	1.340,00
BA15K#070060	73,0	60,0	56,6	562	305	355	193	575,00	661,00	719,00	1.352,00
BA15K#120040	113,0	40,0	36,6	516	276	348	186	645,00	742,00	806,00	1.683,00
BA15K#120050 (2)(3)	113,0	50,0	46,6	657	354	435	234	667,00	767,00	834,00	1.698,00
BA15K#120060	113,0	60,0	56,6	800	435	522	284	683,00	785,00	854,00	1.719,00
BA15K#150040	153,0	40,0	36,6	712	380	454	242	743,00	854,00	929,00	1.940,00
BA15K#150050	153,0	50,0	46,6	893	480	567	305	764,00	879,00	955,00	1.962,00
BA15K#150060	153,0	60,0	56,6	1077	582	681	368	789,00	907,00	986,00	1.988,00
BA15K#190040	193,0	40,0	36,6	859	457	570	304	837,00	963,00	1.046,00	2.482,00
BA15K#190050	193,0	50,0	46,6	1074	579	712	384	866,00	996,00	1.083,00	2.515,00
BA15K#190060	193,0	60,0	56,6	1294	707	855	467	896,00	1.030,00	1.120,00	2.542,00

In the Chrome (Plated) Version, code BA15K becomes BA15KG

CONNECTORS TYPE

STANDARD HYDRAULIC VERSION
(Connectors 0B1)



FIXING SUPPORT TYPE



(cod. ST) STANDARD WALL support (5)

COLOUR

COLORI RAL / NON RAL

CATEGORIE C0 - C1 - C2

(6) **C2_COD. 747P - RAL 7047**

Grigio Tele 4 Opaco / Matt Telegrey 4

BASICS BATHROOM
hydraulic

Products with HYDRAULIC system

BASICS COLLECTION BATH HYDRAULIC				
BASICS 14 BATHROOM	HW	*MX	page.	12
RITMATO 14 STANDARD	HW			24
BATH CURVO	HW	*MX		26
BASICS 20 BATHROOM	HW	MX		28
BASICS 25 BATHROOM	HW	*MX		36
RITMATO 25 STANDARD	HW			48
COLOR_X BATH	HW	*MX		50
RITMATO COLOR_X STANDARD	HW			54
IXSTEEL BATH	HW	*MX		56
RITMATO IXSTEEL STANDARD	HW			60
KUBIK BATH	HW	MX		62
RITMATO KUBIK STANDARD	HW			70
SMART BATH	HW	MX		72
TOTEM - KEY BATH	HW			88
HOTEL 14 BATHROOM	HW			90
ARKOS ALBATROS BATH	HW			92

* AVAILABLE UPON REQUEST AND PRICE ON ESTIMATE



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe



STANDARD HYDRAULIC VERSION
(Connectors B2R)



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA14#1200500B1ST9010**

BA14#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

IN STOCK

available in stock with connectors 0B1, Standard White and/or Chrome colours.
Maximum quantity for item: 5 pcs



BA14#... Hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
								IN STOCK			IN STOCK
BA14#080040	82,6	40,0	36,6	367	204	271	142	369,00	424,00	461,00	900,00
BA14#080050	82,6	50,0	46,6	459	255	345	182	378,00	435,00	473,00	923,00
BA14#080060	82,6	60,0	56,6	550	306	418	222	387,00	445,00	484,00	944,00
BA14#120040	116,2	40,0	36,6	488	270	386	204	516,00	593,00	645,00	1.182,00
BA14#120050	116,2	50,0	46,6	610	338	471	250	526,00	605,00	658,00	1.212,00
BA14#120060	116,2	60,0	56,6	732	405	556	297	536,00	616,00	670,00	1.335,00
BA14#150040	149,8	40,0	36,6	598	331	481	249	597,00	687,00	746,00	1.344,00
BA14#150050	149,8	50,0	46,6	747	413	585	306	614,00	706,00	768,00	1.350,00
BA14#150060	149,8	60,0	56,6	896	496	689	363	631,00	726,00	789,00	1.478,00
BA14#190040	195,4	40,0	36,6	781	429	625	323	675,00	776,00	844,00	1.615,00
BA14#190050	195,4	50,0	46,6	977	536	758	394	704,00	810,00	880,00	1.684,00
BA14#190060	195,4	60,0	56,6	1172	643	891	465	728,00	837,00	910,00	1.809,00

In the Chrome (Plated) Version, code BA14 becomes BA14G

BA14#...hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
BA14#080040B2R	82,6	40,0	36,6	367	204	271	142	449,00	504,00	541,00	980,00
BA14#080050B2R	82,6	50,0	46,6	459	255	345	182	458,00	515,00	553,00	1.003,00
BA14#080060B2R	82,6	60,0	56,6	550	306	418	222	467,00	525,00	564,00	1.024,00
BA14#120040B2R	116,2	40,0	36,6	488	270	386	204	596,00	673,00	725,00	1.262,00
BA14#120050B2R	116,2	50,0	46,6	610	338	471	250	606,00	685,00	738,00	1.292,00
BA14#120060B2R	116,2	60,0	56,6	732	405	556	297	616,00	696,00	750,00	1.415,00
BA14#150040B2R	149,8	40,0	36,6	598	331	481	249	677,00	767,00	826,00	1.424,00
BA14#150050B2R	149,8	50,0	46,6	747	413	585	306	694,00	786,00	848,00	1.430,00
BA14#150060B2R	149,8	60,0	56,6	896	496	689	363	711,00	806,00	869,00	1.558,00
BA14#190040B2R	195,4	40,0	36,6	781	429	625	323	755,00	856,00	924,00	1.695,00
BA14#190050B2R	195,4	50,0	46,6	977	536	758	394	784,00	890,00	960,00	1.764,00
BA14#190060B2R	195,4	60,0	56,6	1172	643	891	465	808,00	917,00	990,00	1.889,00

In the Chrome (Plated) Version, code BA14 becomes BA14G

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



Interaxis
I=L-3,4 cm



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Interaxis
I=L+13,8 cm

Interaxis
I=H-5,8 cm

Interaxis
I=H-5,8 cm

Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA14D#1200500B1ST9010**

BA14D#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA14D#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
BA14D#080040	82,6	40,0	36,6	650	339	718,00	826,00	898,00
BA14D#080050	82,6	50,0	46,6	813	424	723,00	831,00	904,00
BA14D#080060	82,6	60,0	56,6	975	508	799,00	919,00	999,00
BA14D#120040	116,2	40,0	36,6	832	433	966,00	1.111,00	1.208,00
BA14D#120050	116,2	50,0	46,6	1040	542	973,00	1.119,00	1.216,00
BA14D#120060	116,2	60,0	56,6	1249	651	1.072,00	1.233,00	1.340,00
BA14D#150040	149,8	40,0	36,6	995	518	1.087,00	1.250,00	1.359,00
BA14D#150050	149,8	50,0	46,6	1244	648	1.097,00	1.262,00	1.371,00
BA14D#150060	149,8	60,0	56,6	1493	778	1.205,00	1.386,00	1.506,00
BA14D#190040	195,4	40,0	36,6	1249	651	1.284,00	1.477,00	1.605,00
BA14D#190050	195,4	50,0	46,6	1561	813	1.297,00	1.492,00	1.621,00
BA14D#190060	195,4	60,0	56,6	1874	976	1.425,00	1.639,00	1.781,00

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)





(cod. ST) STANDARD
WALL support

Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA14I5#1200500I5ST9010**

BA14I5#120050	Article code specified in the price table
0I5	Connector code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA14I5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
BA14I5#080040	86,6	40,0	5,0	367	204	271	142	530,00	610,00	663,00	1.037,00
BA14I5#080050	86,6	50,0	5,0	459	255	345	182	539,00	620,00	674,00	1.061,00
BA14I5#080060	86,6	60,0	5,0	550	306	418	222	549,00	631,00	686,00	1.080,00
BA14I5#120040	120,2	40,0	5,0	488	270	386	204	677,00	779,00	846,00	1.319,00
BA14I5#120050	120,2	50,0	5,0	610	338	471	250	688,00	791,00	860,00	1.348,00
BA14I5#120060	120,2	60,0	5,0	732	405	556	297	700,00	805,00	875,00	1.470,00
BA14I5#150040	153,8	40,0	5,0	598	331	481	249	760,00	874,00	950,00	1.482,00
BA14I5#150050	153,8	50,0	5,0	747	413	585	306	779,00	896,00	974,00	1.489,00
BA14I5#150060	153,8	60,0	5,0	896	496	689	363	794,00	913,00	993,00	1.618,00
BA14I5#190040	199,4	40,0	5,0	781	429	625	323	842,00	968,00	1.053,00	1.751,00
BA14I5#190050	199,4	50,0	5,0	977	536	758	394	871,00	1.002,00	1.089,00	1.823,00
BA14I5#190060	199,4	60,0	5,0	1172	643	891	465	894,00	1.028,00	1.118,00	1.947,00

In the Chrome (Plated) Version, code BA14i5 becomes BA14i5G

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)



(cod. ST) STANDARD
WALL support

Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA14DI5#1200500I5ST9010**

BA14DI5#120050	Article code specified in the price table
0I5	Connector code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA14DI5#...hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
BA14DI5#080040	86,6	40,0	5,0	650	339	858,00	987,00	1.073,00
BA14DI5#080050	86,6	50,0	5,0	813	424	865,00	995,00	1.081,00
BA14DI5#080060	86,6	60,0	5,0	975	508	940,00	1.081,00	1.175,00
BA14DI5#120040	120,2	40,0	5,0	832	433	1.106,00	1.272,00	1.383,00
BA14DI5#120050	120,2	50,0	5,0	1040	542	1.113,00	1.280,00	1.391,00
BA14DI5#120060	120,2	60,0	5,0	1249	651	1.213,00	1.395,00	1.516,00
BA14DI5#150040	153,8	40,0	5,0	995	518	1.227,00	1.411,00	1.534,00
BA14DI5#150050	153,8	50,0	5,0	1244	648	1.237,00	1.423,00	1.546,00
BA14DI5#150060	153,8	60,0	5,0	1493	778	1.347,00	1.549,00	1.684,00
BA14DI5#190040	199,4	40,0	5,0	1249	651	1.425,00	1.639,00	1.781,00
BA14DI5#190050	199,4	50,0	5,0	1561	813	1.436,00	1.651,00	1.795,00
BA14DI5#190060	199,4	60,0	5,0	1874	976	1.566,00	1.801,00	1.958,00

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



MIXED VERSION B2R WITH STANDARD EDGE CAP* and Remote GVR connection

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







STANDARD MIXED VERSION - B2R - WITH ECODesign THERMOSTAT

Connection via GVR Remote Valve Assembly



Connection to the electricity mains

ECODesign Room Thermostat





MIXED VERSION B2R WITH WIRELESS ECODesign CONTROLS

Connection via GVR Remote Valve Assembly



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ECODesign digital wireless chronothermostat + Receiver

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

STANDARD B2R MIXED VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version connectable to the GVR via rear connectors.	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	CHROMED version Watt DT50°C	CHROMED version Watt DT30°C	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome													
BA14MSX#080040	U1	V1	Z1	T6	82,6	40,0	36,6	367	204	271	142	300 W	542,00	623,00	678,00	1.038,00
BA14MSX#080050	U1	V1	Z1	T6	82,6	50,0	46,6	459	255	345	182	300 W	553,00	636,00	691,00	1.062,00
BA14MSX#080060	U2	V2	Z2	T8	82,6	60,0	56,6	550	306	418	222	600 W	578,00	665,00	723,00	1.096,00
BA14MSX#120040	U2	V2	Z2	T8	116,2	40,0	36,6	488	270	386	204	600 W	725,00	834,00	906,00	1.336,00
BA14MSX#120050	U2	V2	Z2	T8	116,2	50,0	46,6	610	338	471	250	600 W	737,00	848,00	921,00	1.362,00
BA14MSX#120060	U3	V3	Z3	T9	116,2	60,0	56,6	732	405	556	297	900 W	753,00	866,00	941,00	1.492,00
BA14MSX#150040	U2	V2	Z2	T8	149,8	40,0	36,6	598	331	481	249	600 W	818,00	941,00	1.023,00	1.497,00
BA14MSX#150050	U3	V3	Z3	T9	149,8	50,0	46,6	747	413	585	306	900 W	838,00	964,00	1.048,00	1.509,00
BA14MSX#150060	U3	V3	Z3	T9	149,8	60,0	56,6	896	496	689	363	900 W	858,00	987,00	1.073,00	1.636,00
BA14MSX#190040	U3	V3	Z3	T9	195,4	40,0	36,6	781	429	625	323	900 W	905,00	1.041,00	1.131,00	1.770,00
BA14MSX#190050	U3	V3	Z3	T9	195,4	50,0	46,6	977	536	758	394	900 W	938,00	1.079,00	1.173,00	1.843,00
BA14MSX#190060	U4	V4	Z4	T0	195,4	60,0	56,6	1172	643	891	465	1200 W	971,00	1.117,00	1.214,00	1.973,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

STANDARD B2R MIXED VERSION WITH ECODesign THERMOSTAT

Version connectable to the GVR via rear connectors.	Thermostat code					H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	CHROMED version Watt DT50°C	CHROMED version Watt DT30°C	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	ROOM*			RADIATOR**													
	White	Chrome	Matt Black	White	Chrome												
BA14MST#080040	F5	F7	JO	N1	N5	82,6	40,0	36,6	367	204	271	142	300 W	652,00	750,00	815,00	1.179,00
BA14MST#080050	F5	F7	JO	N1	N5	82,6	50,0	46,6	459	255	345	182	300 W	662,00	761,00	828,00	1.200,00
BA14MST#080060	G5	G7	JQ	N2	N6	82,6	60,0	56,6	550	306	418	222	600 W	685,00	788,00	856,00	1.235,00
BA14MST#120040	G5	G7	JQ	N2	N6	116,2	40,0	36,6	488	270	386	204	600 W	808,00	929,00	1.010,00	1.474,00
BA14MST#120050	G5	G7	JQ	N2	N6	116,2	50,0	46,6	610	338	471	250	600 W	819,00	942,00	1.024,00	1.503,00
BA14MST#120060	H5	H7	JR	N3	N7	116,2	60,0	56,6	732	405	556	297	900 W	834,00	959,00	1.043,00	1.631,00
BA14MST#150040	G5	G7	JQ	N2	N6	149,8	40,0	36,6	598	331	481	249	600 W	891,00	1.025,00	1.114,00	1.636,00
BA14MST#150050	H5	H7	JR	N3	N7	149,8	50,0	46,6	747	413	585	306	900 W	911,00	1.048,00	1.139,00	1.649,00
BA14MST#150060	H5	H7	JR	N3	N7	149,8	60,0	56,6	896	496	689	363	900 W	928,00	1.067,00	1.160,00	1.776,00
BA14MST#190040	H5	H7	JR	N3	N7	195,4	40,0	36,6	781	429	625	323	900 W	972,00	1.118,00	1.215,00	1.910,00
BA14MST#190050	H5	H7	JR	N3	N7	195,4	50,0	46,6	977	536	758	394	900 W	1.002,00	1.152,00	1.253,00	1.983,00
BA14MST#190060	I5	I7	JS	N4	N8	195,4	60,0	56,6	1172	643	891	465	1200 W	1.028,00	1.182,00	1.285,00	2.113,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

STANDARD B2R MIXED VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version connectable to the GVR via rear connectors.	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	CHROMED version Watt DT50°C	CHROMED version Watt DT30°C	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome													
BA14MSW#080040	U1	V1	Z1	T6	82,6	40,0	36,6	367	204	271	142	300 W	773,00	889,00	966,00	1.299,00
BA14MSW#080050	U1	V1	Z1	T6	82,6	50,0	46,6	459	255	345	182	300 W	782,00	899,00	978,00	1.323,00
BA14MSW#080060	U2	V2	Z2	T8	82,6	60,0	56,6	550	306	418	222	600 W	807,00	928,00	1.009,00	1.360,00
BA14MSW#120040	U2	V2	Z2	T8	116,2	40,0	36,6	488	270	386	204	600 W	956,00	1.099,00	1.195,00	1.610,00
BA14MSW#120050	U2	V2	Z2	T8	116,2	50,0	46,6	610	338	471	250	600 W	968,00	1.113,00	1.210,00	1.638,00
BA14MSW#120060	U3	V3	Z3	T9	116,2	60,0	56,6	732	405	556	297	900 W	983,00	1.130,00	1.229,00	1.774,00
BA14MSW#150040	U2	V2	Z2	T8	149,8	40,0	36,6	598	331	481	249	600 W	1.048,00	1.205,00	1.310,00	1.780,00
BA14MSW#150050	U3	V3	Z3	T9	149,8	50,0	46,6	747	413	585	306	900 W	1.067,00	1.227,00	1.334,00	1.792,00
BA14MSW#150060	U3	V3	Z3	T9	149,8	60,0	56,6	896	496	689	363	900 W	1.088,00	1.251,00	1.360,00	1.925,00
BA14MSW#190040	U3	V3	Z3	T9	195,4	40,0	36,6	781	429	625	323	900 W	1.136,00	1.306,00	1.420,00	2.067,00
BA14MSW#190050	U3	V3	Z3	T9	195,4	50,0	46,6	977	536	758	394	900 W	1.168,00	1.343,00	1.460,00	2.143,00
BA14MSW#190060	U4	V4	Z4	T0	195,4	60,0	56,6	1172	643	891	465	1200 W	1.199,00	1.379,00	1.499,00	2.278,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



TRADITIONAL MIXED VERSION WITH EDGE CAP

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)





Connection with traditional Valves



TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT

Connection with traditional Valves





Connection with traditional Valves



ECODesign Room Thermostat







TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS

Connection with traditional Valves



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

TRADITIONAL MIXED VERSION WITH EDGE CAP (connectable version via kit and traditional valves)

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
BA14MX#080040	KU1	KV1	KZ1	KT6	82,6	40,0	29,4	367	204	271	142	300 W	508,00	584,00	635,00	1.038,00
BA14MX#080050	KU1	KV1	KZ1	KT6	82,6	50,0	39,4	459	255	345	182	300 W	518,00	596,00	648,00	1.062,00
BA14MX#080060	KU2	KV2	KZ2	KT8	82,6	60,0	49,4	550	306	418	222	600 W	542,00	623,00	678,00	1.096,00
BA14MX#120040	KU2	KV2	KZ2	KT8	116,2	40,0	29,4	488	270	386	204	600 W	680,00	782,00	850,00	1.336,00
BA14MX#120050	KU2	KV2	KZ2	KT8	116,2	50,0	39,4	610	338	471	250	600 W	692,00	796,00	865,00	1.362,00
BA14MX#120060	KU3	KV3	KZ3	KT9	116,2	60,0	49,4	732	405	556	297	900 W	706,00	812,00	883,00	1.492,00
BA14MX#150040	KU2	KV2	KZ2	KT8	149,8	40,0	29,4	598	331	481	249	600 W	766,00	881,00	958,00	1.497,00
BA14MX#150050	KU3	KV3	KZ3	KT9	149,8	50,0	39,4	747	413	585	306	900 W	802,00	922,00	1.003,00	1.509,00
BA14MX#150060	KU3	KV3	KZ3	KT9	149,8	60,0	49,4	896	496	689	363	900 W	805,00	926,00	1.006,00	1.636,00
BA14MX#190040	KU3	KV3	KZ3	KT9	195,4	40,0	29,4	781	429	625	323	900 W	848,00	975,00	1.060,00	1.770,00
BA14MX#190050	KU3	KV3	KZ3	KT9	195,4	50,0	39,4	977	536	758	394	900 W	881,00	1.013,00	1.101,00	1.843,00
BA14MX#190060	KU4	KV4	KZ4	KT0	195,4	60,0	49,4	1172	643	891	465	1200 W	910,00	1.047,00	1.138,00	1.973,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT (connectable version via kit and traditional valves)

Version for connection with traditional connectors	Thermostat code ROOM*			H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Chrome	Matt Black				Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
BA14MT#080040	KF5	KF7	KJO	82,6	40,0	29,4	367	204	271	142	300 W	640,00	736,00	800,00	1.179,00
BA14MT#080050	KF5	KF7	KJO	82,6	50,0	39,4	459	255	345	182	300 W	649,00	746,00	811,00	1.200,00
BA14MT#080060	KG5	KG7	KJQ	82,6	60,0	49,4	550	306	418	222	600 W	672,00	773,00	840,00	1.235,00
BA14MT#120040	KG5	KG7	KJQ	116,2	40,0	29,4	488	270	386	204	600 W	808,00	929,00	1.010,00	1.474,00
BA14MT#120050	KG5	KG7	KJQ	116,2	50,0	39,4	610	338	471	250	600 W	819,00	942,00	1.024,00	1.503,00
BA14MT#120060	KH5	KH7	KJR	116,2	60,0	49,4	732	405	556	297	900 W	834,00	959,00	1.043,00	1.631,00
BA14MT#150040	KG5	KG7	KJQ	149,8	40,0	29,4	598	331	481	249	600 W	891,00	1.025,00	1.114,00	1.636,00
BA14MT#150050	KH5	KH7	KJR	149,8	50,0	39,4	747	413	585	306	900 W	911,00	1.048,00	1.139,00	1.649,00
BA14MT#150060	KH5	KH7	KJR	149,8	60,0	49,4	896	496	689	363	900 W	928,00	1.067,00	1.160,00	1.776,00
BA14MT#190040	KH5	KH7	KJR	195,4	40,0	29,4	781	429	625	323	900 W	972,00	1.118,00	1.215,00	1.910,00
BA14MT#190050	KH5	KH7	KJR	195,4	50,0	39,4	977	536	758	394	900 W	1.002,00	1.152,00	1.253,00	1.983,00
BA14MT#190060	KI5	KI7	KJS	195,4	60,0	49,4	1172	643	891	465	1200 W	1.028,00	1.182,00	1.285,00	2.113,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.

TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS (connectable version via kit and traditional valves)

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
BA14MW#080040	KU1	KV1	KZ1	KT6	82,6	40,0	29,4	367	204	271	142	300 W	773,00	889,00	966,00	1.299,00
BA14MW#080050	KU1	KV1	KZ1	KT6	82,6	50,0	39,4	459	255	345	182	300 W	782,00	899,00	978,00	1.323,00
BA14MW#080060	KU2	KV2	KZ2	KT8	82,6	60,0	49,4	550	306	418	222	600 W	807,00	928,00	1.009,00	1.360,00
BA14MW#120040	KU2	KV2	KZ2	KT8	116,2	40,0	29,4	488	270	386	204	600 W	956,00	1.099,00	1.195,00	1.610,00
BA14MW#120050	KU2	KV2	KZ2	KT8	116,2	50,0	39,4	610	338	471	250	600 W	968,00	1.113,00	1.210,00	1.638,00
BA14MW#120060	KU3	KV3	KZ3	KT9	116,2	60,0	49,4	732	405	556	297	900 W	983,00	1.130,00	1.229,00	1.774,00
BA14MW#150040	KU2	KV2	KZ2	KT8	149,8	40,0	29,4	598	331	481	249	600 W	1.048,00	1.205,00	1.310,00	1.780,00
BA14MW#150050	KU3	KV3	KZ3	KT9	149,8	50,0	39,4	747	413	585	306	900 W	1.067,00	1.227,00	1.334,00	1.792,00
BA14MW#150060	KU3	KV3	KZ3	KT9	149,8	60,0	49,4	896	496	689	363	900 W	1.088,00	1.251,00	1.360,00	1.925,00
BA14MW#190040	KU3	KV3	KZ3	KT9	195,4	40,0	29,4	781	429	625	323	900 W	1.136,00	1.306,00	1.420,00	2.067,00
BA14MW#190050	KU3	KV3	KZ3	KT9	195,4	50,0	39,4	977	536	758	394	900 W	1.168,00	1.343,00	1.460,00	2.143,00
BA14MW#190060	KU4	KV4	KZ4	KT0	195,4	60,0	49,4	1172	643	891	465	1200 W	1.199,00	1.379,00	1.499,00	2.278,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



REAR CONNECTORS VERSION
(Connectors B2R)



CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”.

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Standard connectors
Supplied unless otherwise specified in the order.



Connectors on request
Available upon request AT NO additional charge.



Special connectors
Provided upon request WITH an additional charge of € 70,00



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Product code **RO14S#1000150B1ST9010212**

RO14S#100015	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
212	Spacing code

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

RO14S#... standard hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
RO14S#100015	37,0	100,0	96,6	397	207	366	191	307,00	353,00	384,00	1.178,00
RO14S#100024	58,6	100,0	96,6	615	320	564	294	391,00	450,00	489,00	1.303,00
RO14S#120015	37,0	120,0	116,6	476	248	438	228	336,00	386,00	420,00	1.347,00
RO14S#120024	58,6	120,0	116,6	736	383	677	353	442,00	508,00	553,00	1.545,00
RO14S#140015	37,0	140,0	136,6	556	290	511	266	401,00	461,00	501,00	1.483,00
RO14S#140024	58,6	140,0	136,6	854	445	789	411	529,00	608,00	661,00	1.702,00
RO14S#160015	37,0	160,0	156,6	635	331	584	304	409,00	470,00	511,00	1.681,00
RO14S#160024	58,6	160,0	156,6	982	512	903	470	546,00	628,00	683,00	1.931,00

In the Chrome (Plated) Version, code RO14S becomes RO14SG

RO14S#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
RO14S#100015B2R	37,0	100,0	96,6	397	207	366	191	387,00	433,00	464,00	1.258,00
RO14S#100024B2R	58,6	100,0	96,6	615	320	564	294	471,00	530,00	569,00	1.383,00
RO14S#120015B2R	37,0	120,0	116,6	476	248	438	228	416,00	466,00	500,00	1.427,00
RO14S#120024B2R	58,6	120,0	116,6	736	383	677	353	522,00	588,00	633,00	1.625,00
RO14S#140015B2R	37,0	140,0	136,6	556	290	511	266	481,00	541,00	581,00	1.563,00
RO14S#140024B2R	58,6	140,0	136,6	854	445	789	411	609,00	688,00	741,00	1.782,00
RO14S#160015B2R	37,0	160,0	156,6	635	331	584	304	489,00	550,00	591,00	1.761,00
RO14S#160024B2R	58,6	160,0	156,6	982	512	903	470	626,00	708,00	763,00	2.011,00

In the Chrome (Plated) Version, code RO14S becomes RO14SG

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF3#9010	Hole-covering washer kit for Heated towel rail	Standard White	30,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)



STANDARD HYDRAULIC VERSION
Connectors 0B1



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe



STANDARD HYDRAULIC VERSION
Connectors B2R



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BACU#1204850B1ST9010**

BACU#120485	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BACU#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
BACU#080485	82,6	48,5	44,0	459	241	345	181	507,00	583,00	634,00	1.169,00
BACU#080585	82,6	58,5	54,0	550	291	418	221	512,00	589,00	640,00	1.177,00
BACU#120485	116,2	48,5	44,0	610	326	471	252	668,00	768,00	835,00	1.429,00
BACU#120585	116,2	58,5	54,0	732	392	556	298	677,00	779,00	846,00	1.440,00
BACU#150485	149,8	48,5	44,0	747	402	585	315	760,00	874,00	950,00	1.596,00
BACU#150585	149,8	58,5	54,0	896	474	689	364	798,00	918,00	998,00	1.609,00
BACU#190485	195,4	48,5	44,0	977	519	758	403	920,00	1.058,00	1.150,00	2.071,00
BACU#190585	195,4	58,5	54,0	1172	626	891	476	942,00	1.083,00	1.178,00	2.088,00

In the Chrome (Plated) Version, code BACU becomes BACUG

BACU#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
BACU#080485B2R	82,6	48,5	44,0	459	241	345	181	587,00	663,00	714,00	1.249,00
BACU#080585B2R	82,6	58,5	54,0	550	291	418	221	592,00	669,00	720,00	1.257,00
BACU#120485B2R	116,2	48,5	44,0	610	326	471	252	748,00	848,00	915,00	1.509,00
BACU#120585B2R	116,2	58,5	54,0	732	392	556	298	757,00	859,00	926,00	1.520,00
BACU#150485B2R	149,8	48,5	44,0	747	402	585	315	840,00	954,00	1.030,00	1.676,00
BACU#150585B2R	149,8	58,5	54,0	896	474	689	364	878,00	998,00	1.078,00	1.689,00
BACU#190485B2R	195,4	48,5	44,0	977	519	758	403	1.000,00	1.138,00	1.230,00	2.151,00
BACU#190585B2R	195,4	58,5	54,0	1172	626	891	476	1.022,00	1.163,00	1.258,00	2.168,00

In the Chrome (Plated) Version, code BACU becomes BACUG

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe



STANDARD HYDRAULIC VERSION
(Connectors B2R)



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

BA20#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
						IN STOCK		
BA20#080040	80,5	40,0	36,6	374	203	296,00	340,00	370,00
BA20#080050	80,5	50,0	46,6	454	247	302,00	347,00	378,00
BA20#080060	80,5	60,0	56,6	535	291	315,00	362,00	394,00
BA20#080435	80,5	43,5	40,0	402	219	296,00	340,00	370,00
BA20#080535	80,5	53,5	50,0	483	263	302,00	347,00	378,00
BA20#080635	80,5	63,5	60,0	563	307	315,00	362,00	394,00
BA20#120040	115,5	40,0	36,6	512	274	386,00	444,00	483,00
BA20#120050	115,5	50,0	46,6	616	324	393,00	452,00	491,00
BA20#120060	115,5	60,0	56,6	719	388	407,00	468,00	509,00
BA20#120435	115,5	43,5	40,0	548	295	386,00	444,00	483,00
BA20#120535	115,5	53,5	50,0	652	350	393,00	452,00	491,00
BA20#120635	115,5	63,5	60,0	755	410	407,00	468,00	509,00
BA20#150040	150,5	40,0	36,6	656	350	451,00	519,00	564,00
BA20#150050	150,5	50,0	46,6	786	424	467,00	537,00	584,00
BA20#150060	150,5	60,0	56,6	916	493	485,00	558,00	606,00
BA20#150435	150,5	43,5	40,0	702	377	451,00	519,00	564,00
BA20#150535	150,5	53,5	50,0	832	444	467,00	537,00	584,00
BA20#150635	150,5	63,5	60,0	962	521	485,00	558,00	606,00
BA20#170040	171,5	40,0	36,6	793	419	481,00	553,00	601,00
BA20#170050	171,5	50,0	46,6	942	501	498,00	573,00	623,00
BA20#170060	171,5	60,0	56,6	1092	585	522,00	600,00	653,00
BA20#170435	171,5	43,5	40,0	844	447	481,00	553,00	601,00
BA20#170535	171,5	53,5	50,0	994	530	498,00	573,00	623,00
BA20#170635	171,5	63,5	60,0	1143	614	522,00	600,00	653,00
BA20#190040	196,0	40,0	36,6	872	460	509,00	585,00	636,00
BA20#190050	196,0	50,0	46,6	1036	555	530,00	610,00	663,00
BA20#190060	196,0	60,0	56,6	1201	641	557,00	641,00	696,00
BA20#190435	196,0	43,5	40,0	929	494	509,00	585,00	636,00
BA20#190535	196,0	53,5	50,0	1094	579	530,00	610,00	663,00
BA20#190635	196,0	63,5	60,0	1258	676	557,00	641,00	696,00

BA20#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
BA20#080040B2R	80,5	40,0	36,6	374	203	376,00	420,00	450,00
BA20#080050B2R	80,5	50,0	46,6	454	247	382,00	427,00	458,00
BA20#080060B2R	80,5	60,0	56,6	535	291	395,00	442,00	474,00
BA20#120040B2R	115,5	40,0	36,6	512	274	466,00	524,00	563,00
BA20#120050B2R	115,5	50,0	46,6	616	324	473,00	532,00	571,00
BA20#120060B2R	115,5	60,0	56,6	719	388	487,00	548,00	589,00
BA20#150040B2R	150,5	40,0	36,6	656	350	531,00	599,00	644,00
BA20#150050B2R	150,5	50,0	46,6	786	424	547,00	617,00	664,00
BA20#150060B2R	150,5	60,0	56,6	916	493	565,00	638,00	686,00
BA20#170040B2R	171,5	40,0	36,6	793	419	561,00	633,00	681,00
BA20#170050B2R	171,5	50,0	46,6	942	501	578,00	653,00	703,00
BA20#170060B2R	171,5	60,0	56,6	1092	585	602,00	680,00	733,00
BA20#190040B2R	196,0	40,0	36,6	872	460	589,00	665,00	716,00
BA20#190050B2R	196,0	50,0	46,6	1036	555	610,00	690,00	743,00
BA20#190060B2R	196,0	60,0	56,6	1201	641	637,00	721,00	776,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

IN STOCK

available in stock with connectors 0B1, Standard White and/or Chrome colours. Maximum quantity for item: 5 pcs



STANDARD HYDRAULIC VERSION
(Connectors 0i5)





Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Compiling Code BA20i5#120050 i5 ST 9010

BA20i5#120051	Model Code, see price list.
0i5	Connector code, see type of connectors.
ST	Standard Support Code*
9010	Colour code, see TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA20I5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
BA20I5#080040	84,5	40,0	5,0	374	203	452,00	520,00	565,00
BA20I5#080050	84,5	50,0	5,0	454	247	463,00	532,00	579,00
BA20I5#080060	84,5	60,0	5,0	535	291	472,00	543,00	590,00
BA20I5#120040	119,5	40,0	5,0	512	274	542,00	623,00	678,00
BA20I5#120050	119,5	50,0	5,0	616	324	551,00	634,00	689,00
BA20I5#120060	119,5	60,0	5,0	719	388	566,00	651,00	708,00
BA20I5#150040	154,5	40,0	5,0	656	350	610,00	702,00	763,00
BA20I5#150050	154,5	50,0	5,0	786	424	623,00	716,00	779,00
BA20I5#150060	154,5	60,0	5,0	916	493	645,00	742,00	806,00
BA20I5#170040	175,5	40,0	5,0	793	419	638,00	734,00	798,00
BA20I5#170050	175,5	50,0	5,0	942	501	655,00	753,00	819,00
BA20I5#170060	175,5	60,0	5,0	1092	585	681,00	783,00	851,00
BA20I5#190040	200,0	40,0	5,0	872	460	668,00	768,00	835,00
BA20I5#190050	200,0	50,0	5,0	1036	555	688,00	791,00	860,00
BA20I5#190060	200,0	60,0	5,0	1201	641	716,00	823,00	895,00

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



MIXED VERSION B2R WITH STANDARD EDGE CAP* and Remote GVR connection

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







STANDARD MIXED VERSION - B2R - WITH ECODesign THERMOSTAT

Connection via GVR Remote Valve Assembly



Connection to the electricity mains



ECODesign Room Thermostat







MIXED VERSION B2R WITH WIRELESS ECODesign CONTROLS

Connection via GVR Remote Valve Assembly



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ECODesign digital wireless chronothermostat + Receiver

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

STANDARD B2R MIXED VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version connectable to the GVR via rear connectors.	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	White	Anthracite Grey	Chrome										
BA20MSX#080040	U1	V1	Z1	T6	80,5	40,0	36,6	374	203	300 W	460,00	529,00	575,00
BA20MSX#080050	U1	V1	Z1	T6	80,5	50,0	46,6	454	247	300 W	468,00	538,00	585,00
BA20MSX#080060	U2	V2	Z2	T8	80,5	60,0	56,6	535	291	600 W	496,00	570,00	620,00
BA20MSX#120040	U1	V1	Z1	T6	115,5	40,0	36,6	512	274	300 W	552,00	635,00	690,00
BA20MSX#120050	U2	V2	Z2	T8	115,5	50,0	46,6	616	324	600 W	576,00	662,00	720,00
BA20MSX#120060	U2	V2	Z2	T8	115,5	60,0	56,6	719	388	600 W	593,00	682,00	741,00
BA20MSX#150040	U2	V2	Z2	T8	150,5	40,0	36,6	656	350	600 W	636,00	731,00	795,00
BA20MSX#150050	U2	V2	Z2	T8	150,5	50,0	46,6	786	424	600 W	652,00	750,00	815,00
BA20MSX#150060	U3	V3	Z3	T9	150,5	60,0	56,6	916	493	900 W	679,00	781,00	849,00
BA20MSX#170040	U3	V3	Z3	T9	171,5	40,0	36,6	793	419	900 W	670,00	771,00	838,00
BA20MSX#170050	U3	V3	Z3	T9	171,5	50,0	46,6	942	501	900 W	685,00	788,00	856,00
BA20MSX#170060	U4	V4	Z4	T0	171,5	60,0	56,6	1092	585	1200 W	718,00	826,00	898,00
BA20MSX#190040	U3	V3	Z3	T9	196,0	40,0	36,6	872	460	900 W	705,00	811,00	881,00
BA20MSX#190050	U3	V3	Z3	T9	196,0	50,0	46,6	1036	555	900 W	720,00	828,00	900,00
BA20MSX#190060	U4	V4	Z4	T0	196,0	60,0	56,6	1201	641	1200 W	756,00	869,00	945,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

STANDARD B2R MIXED VERSION WITH ECODesign THERMOSTAT

Version connectable to the GVR via rear connectors.	Thermostat code ROOM*			Thermostat code RADIATOR**		H (cm)	L* (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	White	Chrome	Matt Black	White	Chrome									
BA20MST#080040	F5	F7	JO	N1	N5	80,5	40,0	36,6	374	203	300 W	608,00	699,00	760,00
BA20MST#080050	F5	F7	JO	N1	N5	80,5	50,0	46,6	454	247	300 W	616,00	708,00	770,00
BA20MST#080060	G5	G7	JQ	N2	N6	80,5	60,0	56,6	535	291	600 W	643,00	739,00	804,00
BA20MST#120040	F5	F7	JO	N1	N5	115,5	40,0	36,6	512	274	300 W	698,00	803,00	873,00
BA20MST#120050	G5	G7	JQ	N2	N6	115,5	50,0	46,6	616	324	600 W	719,00	827,00	899,00
BA20MST#120060	F5	G7	JQ	N2	N6	115,5	60,0	56,6	719	388	600 W	736,00	846,00	920,00
BA20MST#150040	G5	G7	JQ	N2	N6	150,5	40,0	36,6	656	350	600 W	780,00	897,00	975,00
BA20MST#150050	G5	G7	JQ	N2	N6	150,5	50,0	46,6	786	424	600 W	793,00	912,00	991,00
BA20MST#150060	H5	H7	JR	N3	N7	150,5	60,0	56,6	916	493	900 W	818,00	941,00	1.023,00
BA20MST#170040	H5	H7	JR	N3	N7	171,5	40,0	36,6	793	419	900 W	813,00	935,00	1.016,00
BA20MST#170050	H5	H7	JR	N3	N7	171,5	50,0	46,6	942	501	900 W	828,00	952,00	1.035,00
BA20MST#170060	I5	I7	JS	N4	N8	171,5	60,0	56,6	1092	585	1200 W	858,00	987,00	1.073,00
BA20MST#190040	H5	H7	JR	N3	N7	196,0	40,0	36,6	872	460	900 W	846,00	973,00	1.058,00
BA20MST#190050	H5	H7	JR	N3	N7	196,0	50,0	46,6	1036	555	900 W	861,00	990,00	1.076,00
BA20MST#190060	I5	I7	JS	N4	N8	196,0	60,0	56,6	1201	641	1200 W	896,00	1.030,00	1.120,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

STANDARD B2R MIXED VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version connectable to the GVR via rear connectors.	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L* (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	White	Anthracite Grey	Chrome										
BA20MSW#080040	U1	V1	Z1	T6	80,5	40,0	36,6	374	203	300 W	704,00	810,00	880,00
BA20MSW#080050	U1	V1	Z1	T6	80,5	50,0	46,6	454	247	300 W	713,00	820,00	891,00
BA20MSW#080060	U2	V2	Z2	T8	80,5	60,0	56,6	535	291	600 W	741,00	852,00	926,00
BA20MSW#120040	U1	V1	Z1	T6	115,5	40,0	36,6	512	274	300 W	797,00	917,00	996,00
BA20MSW#120050	U2	V2	Z2	T8	115,5	50,0	46,6	616	324	600 W	820,00	943,00	1.025,00
BA20MSW#120060	U2	V2	Z2	T8	115,5	60,0	56,6	719	388	600 W	837,00	963,00	1.046,00
BA20MSW#150040	U2	V2	Z2	T8	150,5	40,0	36,6	656	350	600 W	883,00	1.015,00	1.104,00
BA20MSW#150050	U2	V2	Z2	T8	150,5	50,0	46,6	786	424	600 W	896,00	1.030,00	1.120,00
BA20MSW#150060	U3	V3	Z3	T9	150,5	60,0	56,6	916	493	900 W	922,00	1.060,00	1.153,00
BA20MSW#170040	U3	V3	Z3	T9	171,5	40,0	36,6	793	419	900 W	918,00	1.056,00	1.148,00
BA20MSW#170050	U3	V3	Z3	T9	171,5	50,0	46,6	942	501	900 W	933,00	1.073,00	1.166,00
BA20MSW#170060	U4	V4	Z4	T0	171,5	60,0	56,6	1092	585	1200 W	963,00	1.107,00	1.204,00
BA20MSW#190040	U3	V3	Z3	T9	196,0	40,0	36,6	872	460	900 W	950,00	1.093,00	1.188,00
BA20MSW#190050	U3	V3	Z3	T9	196,0	50,0	46,6	1036	555	900 W	966,00	1.111,00	1.208,00
BA20MSW#190060	U4	V4	Z4	T0	196,0	60,0	56,6	1201	641	1200 W	1.003,00	1.153,00	1.254,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

*** Width 43.5, 53.5 and 63.5 only on request.**



TRADITIONAL MIXED VERSION WITH EDGE CAP

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







Connection with traditional Valves



TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT

Connection with traditional Valves





Connection with traditional Valves



ECODesign Room Thermostat







TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS

Connection with traditional Valves



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

TRADITIONAL MIXED VERSION WITH EDGE CAP (connectable version via kit and traditional valves)

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	White	Anthracite Grey	Chrome										
BA20MX#080040	KU1	KV1	KZ1	KT6	80,5	40,0	29,4	374	203	300 W	448,00	515,00	560,00
BA20MX#080050	KU1	KV1	KZ1	KT6	80,5	50,0	39,4	454	247	300 W	456,00	524,00	570,00
BA20MX#080060	KU2	KV2	KZ2	KT8	80,5	60,0	49,4	535	291	600 W	483,00	555,00	604,00
BA20MX#120040	KU1	KV1	KZ1	KT6	115,5	40,0	29,4	512	274	300 W	538,00	619,00	673,00
BA20MX#120050	KU2	KV2	KZ2	KT8	115,5	50,0	39,4	616	324	600 W	561,00	645,00	701,00
BA20MX#120060	KU2	KV2	KZ2	KT8	115,5	60,0	49,4	719	388	600 W	578,00	665,00	723,00
BA20MX#150040	KU2	KV2	KZ2	KT8	150,5	40,0	29,4	656	350	600 W	619,00	712,00	774,00
BA20MX#150050	KU2	KV2	KZ2	KT8	150,5	50,0	39,4	786	424	600 W	635,00	730,00	794,00
BA20MX#150060	KU3	KV3	KZ3	KT9	150,5	60,0	49,4	916	493	900 W	661,00	760,00	826,00
BA20MX#170040	KU3	KV3	KZ3	KT9	171,5	40,0	29,4	793	419	900 W	653,00	751,00	816,00
BA20MX#170050	KU3	KV3	KZ3	KT9	171,5	50,0	39,4	942	501	900 W	668,00	768,00	835,00
BA20MX#170060	KU4	KV4	KZ4	KT0	171,5	60,0	49,4	1092	585	1200 W	699,00	804,00	874,00
BA20MX#190040	KU3	KV3	KZ3	KT9	196,0	40,0	29,4	872	460	900 W	687,00	790,00	859,00
BA20MX#190050	KU3	KV3	KZ3	KT9	196,0	50,0	39,4	1036	555	900 W	701,00	806,00	876,00
BA20MX#190060	KU4	KV4	KZ4	KT0	196,0	60,0	49,4	1201	641	1200 W	736,00	846,00	920,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT (connectable version via kit and traditional valves)

Version for connection with traditional connectors	Thermostat code ROOM*			H (cm)	L* (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	White	Chrome	Matt Black									
BA20MT#080040	KF5	KF7	KJO	80,5	40,0	29,4	374	203	300 W	581,00	668,00	726,00
BA20MT#080050	KF5	KF7	KJO	80,5	50,0	39,4	454	247	300 W	589,00	677,00	736,00
BA20MT#080060	KG5	KG7	KJQ	80,5	60,0	49,4	535	291	600 W	614,00	706,00	768,00
BA20MT#120040	KF5	KF7	KJO	115,5	40,0	29,4	512	274	300 W	666,00	766,00	833,00
BA20MT#120050	KG5	KG7	KJQ	115,5	50,0	39,4	616	324	600 W	688,00	791,00	860,00
BA20MT#120060	KG5	KG7	KJQ	115,5	60,0	49,4	719	288	600 W	703,00	808,00	879,00
BA20MT#150040	KG5	KG7	KJQ	150,5	40,0	29,4	656	350	600 W	745,00	857,00	931,00
BA20MT#150050	KG5	KG7	KJQ	150,5	50,0	39,4	786	424	600 W	758,00	872,00	948,00
BA20MT#150060	KH5	KH7	KJR	150,5	60,0	49,4	916	493	900 W	782,00	899,00	978,00
BA20MT#170040	KH5	KH7	KJR	171,5	40,0	29,4	793	419	900 W	777,00	894,00	971,00
BA20MT#170050	KH6	KH7	KJR	171,5	50,0	39,4	942	501	900 W	790,00	909,00	988,00
BA20MT#170060	KI5	KI7	KJS	171,5	60,0	49,4	1092	585	1200 W	818,00	941,00	1.023,00
BA20MT#190040	KH5	KH7	KJR	196,0	40,0	29,4	872	460	900 W	807,00	928,00	1.009,00
BA20MT#190050	KH5	KH7	KJR	196,0	50,0	39,4	1036	555	900 W	822,00	945,00	1.028,00
BA20MT#190060	KI5	KI7	KJS	196,0	60,0	49,4	1201	641	1200 W	856,00	984,00	1.070,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.

TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS (connectable version via kit and traditional valves)

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L* (cm)	Interaxis (cm)	COLOURED version Watt DT50°C	COLOURED version Watt DT30°C	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	White	Anthracite Grey	Chrome										
BA20MW#080040	KU1	KV1	KZ1	KT6	80,5	40,0	29,4	374	203	300 W	704,00	810,00	880,00
BA20MW#080050	KU1	KV1	KZ1	KT6	80,5	50,0	39,4	454	247	300 W	713,00	820,00	891,00
BA20MW#080060	KU2	KV2	KZ2	KT8	80,5	60,0	49,4	535	291	600 W	741,00	852,00	926,00
BA20MW#120040	KU1	KV1	KZ1	KT9	115,5	40,0	29,4	512	274	300 W	797,00	917,00	996,00
BA20MW#120050	KU2	KV2	KZ2	KT9	115,5	50,0	39,4	616	324	600 W	820,00	943,00	1.025,00
BA20MW#120060	KU2	KV2	KZ2	KT0	115,5	60,0	49,4	719	388	600 W	837,00	963,00	1.046,00
BA20MW#150040	KU2	KV2	KZ2	KT9	150,5	40,0	29,4	656	350	600 W	883,00	1.015,00	1.104,00
BA20MW#150050	KU2	KV2	KZ2	KT9	150,5	50,0	39,4	786	424	600 W	896,00	1.030,00	1.120,00
BA20MW#150060	KU3	KV3	KZ3	KT0	150,5	60,0	49,4	916	493	900 W	922,00	1.060,00	1.153,00
BA20MW#170040	KU3	KV3	KZ3	KT6	171,5	40,0	29,4	793	419	900 W	918,00	1.056,00	1.148,00
BA20MW#170050	KU3	KV3	KZ3	KT8	171,5	50,0	39,4	942	501	900 W	933,00	1.073,00	1.166,00
BA20MW#170060	KU4	KV4	KZ4	KT8	171,5	60,0	49,4	1092	585	1200 W	963,00	1.107,00	1.204,00
BA20MW#190040	KU3	KV3	KZ3	KT8	196,0	40,0	29,4	872	460	900 W	950,00	1.093,00	1.188,00
BA20MW#190050	KU3	KV3	KZ3	KT8	196,0	50,0	39,4	1036	555	900 W	966,00	1.111,00	1.208,00
BA20MW#190060	KU4	KV4	KZ4	KT9	196,0	60,0	49,4	1201	641	1200 W	1.003,00	1.153,00	1.254,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

*** Width 43.5, 53.5 and 63.5 only on request.**



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.





STANDARD HYDRAULIC VERSION
(Connectors B2R)



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA25#1200500B1ST9010**

BA25#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA25#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
BA25#070040	70,5	40,0	36,6	352	189	333,00	383,00	416,00
BA25#070050	70,5	50,0	46,6	441	238	343,00	394,00	429,00
BA25#070060	70,5	60,0	56,6	529	287	362,00	416,00	453,00
BA25#120040	119,5	40,0	36,6	536	284	444,00	511,00	555,00
BA25#120050	119,5	50,0	46,6	670	357	454,00	522,00	568,00
BA25#120060	119,5	60,0	56,6	803	431	482,00	554,00	603,00
BA25#150040	144,5	40,0	36,6	614	328	526,00	605,00	658,00
BA25#150050	144,5	50,0	46,6	768	412	544,00	626,00	680,00
BA25#150060	144,5	60,0	56,6	922	497	579,00	666,00	724,00
BA25#190040	193,5	40,0	36,6	792	423	596,00	685,00	745,00
BA25#190050	193,5	50,0	46,6	990	530	610,00	702,00	763,00
BA25#190060	193,5	60,0	56,6	1188	636	661,00	760,00	826,00

BA25#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
BA25#070040B2R	70,5	40,0	36,6	352	189	413,00	463,00	496,00
BA25#070050B2R	70,5	50,0	46,6	441	238	423,00	474,00	509,00
BA25#070060B2R	70,5	60,0	56,6	529	287	442,00	496,00	533,00
BA25#120040B2R	119,5	40,0	36,6	536	284	524,00	591,00	635,00
BA25#120050B2R	119,5	50,0	46,6	670	357	534,00	602,00	648,00
BA25#120060B2R	119,5	60,0	56,6	803	431	562,00	634,00	683,00
BA25#150040B2R	144,5	40,0	36,6	614	328	606,00	685,00	738,00
BA25#150050B2R	144,5	50,0	46,6	768	412	624,00	706,00	760,00
BA25#150060B2R	144,5	60,0	56,6	922	497	659,00	746,00	804,00
BA25#190040B2R	193,5	40,0	36,6	792	423	676,00	765,00	825,00
BA25#190050B2R	193,5	50,0	46,6	990	530	690,00	782,00	843,00
BA25#190060B2R	193,5	60,0	56,6	1188	636	741,00	840,00	906,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA25D#1200500B1ST9010**

BA25D#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA25D#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
BA25D#070040	70,5	40,0	36,6	552	286	530,00	610,00	663,00
BA25D#070050	70,5	50,0	46,6	690	357	539,00	620,00	674,00
BA25D#070060	70,5	60,0	56,6	828	429	592,00	681,00	740,00
BA25D#120040	119,5	40,0	36,6	832	431	739,00	850,00	924,00
BA25D#120050	119,5	50,0	46,6	1039	538	747,00	859,00	934,00
BA25D#120060	119,5	60,0	56,6	1247	646	821,00	944,00	1.026,00
BA25D#150040	144,5	40,0	36,6	962	498	814,00	936,00	1.018,00
BA25D#150050	144,5	50,0	46,6	1203	623	820,00	943,00	1.025,00
BA25D#150060	144,5	60,0	56,6	1443	747	906,00	1.042,00	1.133,00
BA25D#190040	193,5	40,0	36,6	1205	624	966,00	1.111,00	1.208,00
BA25D#190050	193,5	50,0	46,6	1507	781	975,00	1.121,00	1.219,00
BA25D#190060	193,5	60,0	56,6	1809	937	1.074,00	1.235,00	1.343,00

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)





(cod. ST) STANDARD
WALL support

Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA25I5#1200500I5ST9010**

BA25I5#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA25I5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
BA25I5#070040	74,5	40,0	5,0	352	189	492,00	566,00	615,00
BA25I5#070050	74,5	50,0	5,0	441	238	499,00	574,00	624,00
BA25I5#070060	74,5	60,0	5,0	529	287	521,00	599,00	651,00
BA25I5#120040	123,5	40,0	5,0	536	284	603,00	693,00	754,00
BA25I5#120050	123,5	50,0	5,0	670	357	612,00	704,00	765,00
BA25I5#120060	123,5	60,0	5,0	803	431	639,00	735,00	799,00
BA25I5#150040	148,5	40,0	5,0	614	328	686,00	789,00	858,00
BA25I5#150050	148,5	50,0	5,0	768	412	705,00	811,00	881,00
BA25I5#150060	148,5	60,0	5,0	922	497	740,00	851,00	925,00
BA25I5#190040	197,5	40,0	5,0	792	423	757,00	871,00	946,00
BA25I5#190050	197,5	50,0	5,0	990	530	771,00	887,00	964,00
BA25I5#190060	197,5	60,0	5,0	1188	636	821,00	944,00	1.026,00

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)



Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA25DI5#1200500I5ST9010**

BA25DI5#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA25DI5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
BA25DI5#070040	74,5	40,0	5,0	552	286	665,00	765,00	831,00
BA25DI5#070050	74,5	50,0	5,0	690	357	672,00	773,00	840,00
BA25DI5#070060	74,5	60,0	5,0	828	429	726,00	835,00	908,00
BA25DI5#120040	123,5	40,0	5,0	832	431	869,00	999,00	1.086,00
BA25DI5#120050	123,5	50,0	5,0	1039	538	877,00	1.009,00	1.096,00
BA25DI5#120060	123,5	60,0	5,0	1247	646	949,00	1.091,00	1.186,00
BA25DI5#150040	148,5	40,0	5,0	962	498	944,00	1.086,00	1.180,00
BA25DI5#150050	148,5	50,0	5,0	1203	623	948,00	1.090,00	1.185,00
BA25DI5#150060	148,5	60,0	5,0	1443	747	1.032,00	1.187,00	1.290,00
BA25DI5#190040	197,5	40,0	5,0	1205	624	1.094,00	1.258,00	1.368,00
BA25DI5#190050	197,5	50,0	5,0	1507	781	1.101,00	1.266,00	1.376,00
BA25DI5#190060	197,5	60,0	5,0	1809	937	1.198,00	1.378,00	1.498,00

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Interaxis
I=L+13,8 cm

Interaxis I=H-
7 cm

Interaxis I=H-
7 cm

Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3G#CRO	Hole-covering washer kit for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA25G#1200500B1STCRO**

BA25G#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code
CRO	Colour/finish code specified in the Official TUBES COLOUR CHART



ADDITIONAL COLOUR

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

IN STOCK

available in stock with 0B1 connections, in the Polished Chrome finish.

Maximum quantity for item: 5 pcs

BA25G#... hydraulic

Model	**H** (cm)	**L** (cm)	Interaxis (cm)	Heat output in Watts CHROMED version ΔT. 50°C	ΔT. 30°C	Price Chrome G0 (€)
						IN STOCK
BA25G#070040	75,8	40,0	36,6	239	127	836,00
BA25G#070050	75,8	50,0	46,6	299	158	899,00
BA25G#070060	75,8	60,0	56,6	359	189	975,00
BA25G#120040	120,3	40,0	36,6	355	180	1.106,00
BA25G#120050	120,3	50,0	46,6	444	227	1.219,00
BA25G#120060	120,3	60,0	56,6	533	274	1.296,00
BA25G#150040	148,2	40,0	36,6	440	237	1.316,00
BA25G#150050	148,2	50,0	46,6	550	299	1.471,00
BA25G#150060	148,2	60,0	56,6	660	362	1.561,00
BA25G#190040	188,0	40,0	36,6	551	298	1.608,00
BA25G#190050	188,0	50,0	46,6	689	373	1.764,00
BA25G#190060	188,0	60,0	56,6	827	449	1.907,00

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)





(cod. ST) STANDARD
WALL support

Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3G#CRO	Hole-covering washer kit for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA25I5G#1200500I5STCRO**

BA25I5G#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Standard support code
CRO	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA25I5G#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts CHROMED version ΔT. 50°C	ΔT. 30°C	Price Chrome G0 (€)
BA25I5G#070040	79,8	40,0	5,0	239	127	1.008,00
BA25I5G#070050	79,8	50,0	5,0	299	158	1.074,00
BA25I5G#070060	79,8	60,0	5,0	359	189	1.151,00
BA25I5G#120040	124,3	40,0	5,0	355	180	1.286,00
BA25I5G#120050	124,3	50,0	5,0	444	227	1.401,00
BA25I5G#120060	124,3	60,0	5,0	533	274	1.479,00
BA25I5G#150040	152,2	40,0	5,0	440	237	1.502,00
BA25I5G#150050	152,2	50,0	5,0	550	299	1.660,00
BA25I5G#150060	152,2	60,0	5,0	660	362	1.752,00
BA25I5G#190040	192,0	40,0	5,0	551	298	1.801,00
BA25I5G#190050	192,0	50,0	5,0	689	373	1.964,00
BA25I5G#190060	192,0	60,0	5,0	827	449	2.109,00

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



REAR CONNECTORS VERSION
(Connectors B2R)



CONNECTORS The heated towel rails are supplied as standard with connectors "0B1"

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Standard connectors
Supplied unless otherwise specified in the order.



Connectors on request
Available upon request AT NO additional charge.



Special connectors
Provided upon request WITH an additional charge of € 70,00



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Product code **RO25S#1000100B1ST9010152**

RO25S#100010	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
152	Spacing code

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

RO25S#... standard hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
RO25S#100010	35,5	100,0	96,6	426	221	292,00	336,00	365,00
RO25S#100016	56,5	100,0	96,6	642	333	356,00	409,00	445,00
RO25S#120010	35,5	120,0	116,6	512	265	308,00	354,00	385,00
RO25S#120016	56,5	120,0	116,6	771	399	388,00	446,00	485,00
RO25S#140010	35,5	140,0	136,6	597	309	368,00	423,00	460,00
RO25S#140016	56,5	140,0	136,6	899	466	469,00	539,00	586,00
RO25S#160010	35,5	160,0	156,6	682	353	400,00	460,00	500,00
RO25S#160016	56,5	160,0	156,6	1027	532	524,00	603,00	655,00

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
RO25S#100010B2R	35,5	100,0	96,6	426	221	372,00	416,00	445,00
RO25S#100016B2R	56,5	100,0	96,6	642	333	436,00	489,00	525,00
RO25S#120010B2R	35,5	120,0	116,6	512	265	388,00	434,00	465,00
RO25S#120016B2R	56,5	120,0	116,6	771	399	468,00	526,00	565,00
RO25S#140010B2R	35,5	140,0	136,6	597	309	448,00	503,00	540,00
RO25S#140016B2R	56,5	140,0	136,6	899	466	549,00	619,00	666,00
RO25S#160010B2R	35,5	160,0	156,6	682	353	480,00	540,00	580,00
RO25S#160016B2R	56,5	160,0	156,6	1027	532	604,00	683,00	735,00

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe



STANDARD HYDRAULIC VERSION
(Connectors B2R)



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA10#1200500B1ST9010 - BA10G#1200500B1STCRO**

BA10#120050 - BA10G#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010/CRO	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page



ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

IN STOCK

available in stock with 0B1 connections, in the Polished CHROME galvanic finish.

Maximum quantity for item: 5 pcs

BA10#... Hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
											IN STOCK
BA10#080040	80,5	40,0	36,6	392	205	288	150	776,00	892,00	970,00	1.175,00
BA10#080050	80,5	50,0	46,6	506	267	371	195	786,00	904,00	983,00	1.184,00
BA10#080060	80,5	60,0	56,6	623	332	475	250	797,00	917,00	996,00	1.196,00
BA10#120040	119,5	40,0	36,6	588	312	430	223	922,00	1.060,00	1.153,00	1.473,00
BA10#120050	119,5	50,0	46,6	755	406	533	278	935,00	1.075,00	1.169,00	1.488,00
BA10#120060	119,5	60,0	56,6	925	504	636	334	948,00	1.090,00	1.185,00	1.502,00
BA10#150040	149,5	40,0	36,6	731	382	535	274	1.025,00	1.179,00	1.281,00	1.675,00
BA10#150050	149,5	50,0	46,6	902	476	661	341	1.043,00	1.199,00	1.304,00	1.693,00
BA10#150060	149,5	60,0	56,6	1076	573	777	405	1.058,00	1.217,00	1.323,00	1.709,00
BA10#180040	181,0	40,0	36,6	881	466	664	343	1.170,00	1.346,00	1.463,00	2.153,00
BA10#180050	181,0	50,0	46,6	1097	586	804	417	1.190,00	1.369,00	1.488,00	2.179,00
BA10#180060	181,0	60,0	56,6	1318	712	970	503	1.210,00	1.392,00	1.513,00	2.198,00

BA10#...hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
BA10#080040B2R	80,5	40,0	36,6	392	205	288	150	856,00	972,00	1.050,00	1.255,00
BA10#080050B2R	80,5	50,0	46,6	506	267	371	195	866,00	984,00	1.063,00	1.264,00
BA10#080060B2R	80,5	60,0	56,6	623	332	475	250	877,00	997,00	1.076,00	1.276,00
BA10#120040B2R	119,5	40,0	36,6	588	312	430	223	1.002,00	1.140,00	1.233,00	1.553,00
BA10#120050B2R	119,5	50,0	46,6	755	406	533	278	1.015,00	1.155,00	1.249,00	1.568,00
BA10#120060B2R	119,5	60,0	56,6	925	504	636	334	1.028,00	1.170,00	1.265,00	1.582,00
BA10#150040B2R	149,5	40,0	36,6	731	382	535	274	1.105,00	1.259,00	1.361,00	1.755,00
BA10#150050B2R	149,5	50,0	46,6	902	476	661	341	1.123,00	1.279,00	1.384,00	1.773,00
BA10#150060B2R	149,5	60,0	56,6	1076	573	777	405	1.138,00	1.297,00	1.403,00	1.789,00
BA10#180040B2R	181,0	40,0	36,6	881	466	664	343	1.250,00	1.426,00	1.543,00	1.949,00
BA10#180050B2R	181,0	50,0	46,6	1097	586	804	417	1.270,00	1.449,00	1.568,00	2.259,00
BA10#180060B2R	181,0	60,0	56,6	1318	712	970	503	1.290,00	1.472,00	1.593,00	2.278,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)



(cod. ST) STANDARD
WALL support

Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA10I5#1200500I5ST9010-BA10I5G#1200500I5STCRO**

BA10I5#120050-BA10I5G#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Standard support code*
9010/CRO	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA10I5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
BA10I5#080040	84,5	40,0	5,0	392	205	288	150	950,00	1.093,00	1.188,00	1.410,00
BA10I5#080050	84,5	50,0	5,0	506	267	371	195	963,00	1.107,00	1.204,00	1.422,00
BA10I5#080060	84,5	60,0	5,0	623	332	475	250	972,00	1.118,00	1.215,00	1.432,00
BA10I5#120040	123,5	40,0	5,0	588	312	430	223	1.105,00	1.271,00	1.381,00	1.733,00
BA10I5#120050	123,5	50,0	5,0	755	406	533	278	1.117,00	1.285,00	1.396,00	1.748,00
BA10I5#120060	123,5	60,0	5,0	925	504	636	334	1.132,00	1.302,00	1.415,00	1.764,00
BA10I5#150040	153,5	40,0	5,0	731	382	535	274	1.212,00	1.394,00	1.515,00	1.951,00
BA10I5#150050	153,5	50,0	5,0	902	476	661	341	1.232,00	1.417,00	1.540,00	1.972,00
BA10I5#150060	153,5	60,0	5,0	1076	573	777	405	1.247,00	1.434,00	1.559,00	1.989,00
BA10I5#180040	185,0	40,0	5,0	881	466	664	343	1.364,00	1.569,00	1.705,00	2.469,00
BA10I5#180050	185,0	50,0	5,0	1097	586	804	417	1.385,00	1.593,00	1.731,00	2.496,00
BA10I5#180060	185,0	60,0	5,0	1318	712	970	503	1.407,00	1.618,00	1.759,00	2.519,00

In the Chrome (Plated) Version, code BA10I5 becomes BA10I5G

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0B1)

REAR CONNECTORS VERSION
(Connectors B2R)



CONNECTORS The heated towel rails are supplied as standard with connectors "0B1"

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Standard connectors
Supplied unless otherwise specified in the order.



Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify "i" and "d"
i min = 5 cm d min = 2 cm

Code **RO10S#100024 0B1 ST 9010 046**

RO10S#100024 Model Code, see price list.
0B1 Connector code, see type of connectors.
* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

RO10S#... standard hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
RO10S#100024	36,9	100,0	96,6	517	277	413	221	712,00	819,00	890,00	1.605,00
RO10S#100038	57,9	100,0	96,6	768	387	579	310	801,00	921,00	1.001,00	1.947,00
RO10S#120024	36,9	120,0	116,6	620	405	615	324	722,00	830,00	903,00	1.626,00
RO10S#120038	57,9	120,0	116,6	922	566	860	453	818,00	941,00	1.023,00	1.985,00
RO10S#140024	36,9	140,0	136,6	723	332	496	266	734,00	844,00	918,00	1.766,00
RO10S#140038	57,9	140,0	136,6	1075	443	661	354	834,00	959,00	1.043,00	2.139,00
RO10S#160024	36,9	160,0	156,6	827	486	737	388	773,00	889,00	966,00	1.789,00
RO10S#160038	57,9	160,0	156,6	1229	647	983	518	897,00	1.032,00	1.121,00	2.179,00

RO10S # ... hydraulic with B2R rear connectors

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
RO10S#100024B2R	36,9	100,0	96,6	517	277	413	221	792,00	899,00	970,00	1.685,00
RO10S#100038B2R	57,9	100,0	96,6	768	387	579	310	881,00	1.001,00	1.081,00	2.027,00
RO10S#120024B2R	36,9	120,0	116,6	620	405	615	324	802,00	910,00	983,00	1.706,00
RO10S#120038B2R	57,9	120,0	116,6	922	566	860	453	898,00	1.021,00	1.103,00	2.065,00
RO10S#140024B2R	36,9	140,0	136,6	723	332	496	266	814,00	924,00	998,00	1.846,00
RO10S#140038B2R	57,9	140,0	136,6	1075	443	661	354	914,00	1.039,00	1.123,00	2.219,00
RO10S#160024B2R	36,9	160,0	156,6	827	486	737	388	853,00	969,00	1.046,00	1.869,00
RO10S#160038B2R	57,9	160,0	156,6	1229	647	983	518	977,00	1.112,00	1.201,00	2.259,00

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe



STANDARD HYDRAULIC VERSION
(Connectors B2R)



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and
“d” i min = 5cm
d min = 2cm

Standard convertible valves - Z1TMNR -
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TCXNR#ANR12...	Valve (that can be fitted with thermostat) and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	151,00 €
Z1TMNR#ANR12SPA	Manual valve and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	158,00 €
2 x Z1RACX#M03SPA	STAINLESS STEEL pipe unions for Multi-layer MM24x19x12 - 16x2	Brushed	18,00 €

Product code **BA10X#1200500B1STSPA**

BA10X#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
SPA	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page



IN STOCK

available in stock with 0B1 connections, in the Satin Stainless STEEL finish.
Maximum quantity for item: 5 pcs

BA10X#... Hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts STAINLESS STEEL version ΔT. 50°C	ΔT. 30°C	Price Inox(€)
						IN STOCK
BA10X#080040	80,5	40,0	36,6	297	155	909,00
BA10X#080050	80,5	50,0	46,6	398	208	980,00
BA10X#080060	80,5	60,0	56,6	500	262	1.049,00
BA10X#120040	119,5	40,0	36,6	434	225	1.179,00
BA10X#120050	119,5	50,0	46,6	552	289	1.280,00
BA10X#120060	119,5	60,0	56,6	670	353	1.378,00
BA10X#150040	149,5	40,0	36,6	546	282	1.370,00
BA10X#150050	149,5	50,0	46,6	678	354	1.491,00
BA10X#150060	149,5	60,0	56,6	811	429	1.612,00
BA10X#180040	181,0	40,0	36,6	665	343	1.643,00
BA10X#180050	181,0	50,0	46,6	829	432	1.797,00
BA10X#180060	181,0	60,0	56,6	993	523	1.949,00

BA10X#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts STAINLESS STEEL version ΔT. 50°C	ΔT. 30°C	Price Inox(€)
BA10X#080040B2R	80,5	40,0	36,6	297	155	1.004,00
BA10X#080050B2R	80,5	50,0	46,6	398	208	1.075,00
BA10X#080060B2R	80,5	60,0	56,6	500	262	1.144,00
BA10X#120040B2R	119,5	40,0	36,6	434	225	1.274,00
BA10X#120050B2R	119,5	50,0	46,6	552	289	1.375,00
BA10X#120060B2R	119,5	60,0	56,6	670	353	1.473,00
BA10X#150040B2R	149,5	40,0	36,6	546	282	1.465,00
BA10X#150050B2R	149,5	50,0	46,6	678	354	1.586,00
BA10X#150060B2R	149,5	60,0	56,6	811	429	1.707,00
BA10X#180040B2R	181,0	40,0	36,6	665	343	1.738,00
BA10X#180050B2R	181,0	50,0	46,6	829	432	1.892,00
BA10X#180060B2R	181,0	60,0	56,6	993	523	2.044,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVRG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Nickel Brushed	246,00 €
GVRTG#1...	Thermostatic valve* and lockshield assembly for recessed remote connection		248,00 €

* The price does NOT include the cost of the thermostatic head (see page 320)

*= Add the thermostatic control head from page xxx

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)





(cod. ST) STANDARD
WALL support

Standard convertible valves - Z1TMNR -
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TCXNR#ANR12...	Valve (that can be fitted with thermostat) and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	151,00 €
Z1TMNR#ANR12SPA	Manual valve and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	158,00 €
2 x Z1RACX#M03SPA	STAINLESS STEEL pipe unions for Multi-layer MM24x19x12 - 16x2	Brushed	18,00 €

Product code **BA10XI5#1200500I5STSPA**

BA10XI5#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Standard support code*
SPA	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page



BA10XI5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts STAINLESS STEEL version ΔT. 50°C	ΔT. 30°C	Price Inox(€)
BA10XI5#080040	84,5	40,0	5,0	297	155	1.127,00
BA10XI5#080050	84,5	50,0	5,0	398	208	1.201,00
BA10XI5#080060	84,5	60,0	5,0	500	262	1.278,00
BA10XI5#120040	123,5	40,0	5,0	434	225	1.416,00
BA10XI5#120050	123,5	50,0	5,0	552	289	1.525,00
BA10XI5#120060	123,5	60,0	5,0	670	353	1.628,00
BA10XI5#150040	154,5	40,0	5,0	546	282	1.620,00
BA10XI5#150050	154,5	50,0	5,0	678	354	1.750,00
BA10XI5#150060	154,5	60,0	5,0	811	429	1.878,00
BA10XI5#180040	185,0	40,0	5,0	665	343	1.914,00
BA10XI5#180050	185,0	50,0	5,0	829	432	2.078,00
BA10XI5#180060	185,0	60,0	5,0	993	523	2.240,00

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0B1)

REAR CONNECTORS VERSION
(Connectors B2R)



CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”.

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Standard connectors
Supplied unless otherwise specified in the order.



Connectors on request
Available upon request AT NO additional charge.



Special connectors
Provided upon request WITH an additional charge of € 70,00



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Product code **RXO10S#1000240B1STSPA006**

RX010S#100024	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*

RXO10S#... standard hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts Brushed stainless steel version ΔT. 50°C	ΔT. 30°C	Price Inox(€)
RXO10S#100024	36,9	100,0	96,6	348	186	983,00
RXO10S#100038	57,9	100,0	96,6	537	261	1.450,00
RXO10S#120024	36,9	120,0	116,6	417	283	1.024,00
RXO10S#120038	57,9	120,0	116,6	645	396	1.503,00
RXO10S#140024	36,9	140,0	136,6	487	224	1.065,00
RXO10S#140038	57,9	140,0	136,6	752	299	1.556,00
RXO10S#160024	36,9	160,0	156,6	557	340	1.181,00
RXO10S#160038	57,9	160,0	156,6	859	452	1.751,00

RXO10S#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts Brushed stainless steel version ΔT. 50°C	ΔT. 30°C	Price Inox(€)
RXO10S#100024B2R	36,9	100,0	96,6	348	186	1.078,00
RXO10S#100038B2R	57,9	100,0	96,6	537	261	1.545,00
RXO10S#120024B2R	36,9	120,0	116,6	417	283	1.119,00
RXO10S#120038B2R	57,9	120,0	116,6	645	396	1.598,00
RXO10S#140024B2R	36,9	140,0	136,6	487	224	1.160,00
RXO10S#140038B2R	57,9	140,0	136,6	752	299	1.651,00
RXO10S#160024B2R	36,9	160,0	156,6	557	340	1.276,00
RXO10S#160038B2R	57,9	160,0	156,6	859	452	1.846,00

Standard convertible valves - Z1TMNR -

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TCXNR#ANR12...	Valve (that can be fitted with thermostat) and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	151,00 €
Z1TMNR#ANR12SPA	Manual valve and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	158,00 €
2 x Z1RACX#M03SPA	STAINLESS STEEL pipe unions for Multi-layer MM24x19x12 - 16x2	Brushed	18,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVRG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Nickel	246,00 €
GVRTG#1...	Thermostatic valve* and lockshield assembly for recessed remote connection	Brushed	248,00 €

* The price does NOT include the cost of the thermostatic head (see page 320)

*= Add the thermostatic control head from page xxx



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Interaxis
I=L+13,8 cm

Interaxis I=H-
5,5 cm

Interaxis I=H-
5,5 cm

Connectors on request
Available upon request AT NO additional charge.



Single pipe



STANDARD HYDRAULIC VERSION
(Connectors B2R)



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and
“d” i min = 5cm
d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA15K#1200500B1ST9010-BA15KG#1200500B1STCRO**

BA15K#120050-BA15KG#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Support code
9010/CRO	Colour/finish code specified in the Official TUBES COLOUR CHART



ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

IN STOCK

available in stock with 0B1 connections, in the Polished CHROME finish.
Maximum quantity for item: 5 pcs

BA15K#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
											IN STOCK
BA15K#070040	73,0	40,0	36,6	350	186	237	126	551,00	634,00	689,00	1.327,00
BA15K#070050	73,0	50,0	46,6	455	244	296	159	564,00	649,00	705,00	1.340,00
BA15K#070060	73,0	60,0	56,6	562	305	355	193	575,00	661,00	719,00	1.352,00
BA15K#120040	113,0	40,0	36,6	516	276	348	186	645,00	742,00	806,00	1.683,00
BA15K#120050	113,0	50,0	46,6	657	354	435	234	667,00	767,00	834,00	1.698,00
BA15K#120060	113,0	60,0	56,6	800	435	522	284	683,00	785,00	854,00	1.719,00
BA15K#150040	153,0	40,0	36,6	712	380	454	242	743,00	854,00	929,00	1.940,00
BA15K#150050	153,0	50,0	46,6	893	480	567	305	764,00	879,00	955,00	1.962,00
BA15K#150060	153,0	60,0	56,6	1077	582	681	368	789,00	907,00	986,00	1.988,00
BA15K#190040	193,0	40,0	36,6	859	457	570	304	837,00	963,00	1.046,00	2.482,00
BA15K#190050	193,0	50,0	46,6	1074	579	712	384	866,00	996,00	1.083,00	2.515,00
BA15K#190060	193,0	60,0	56,6	1294	707	855	467	896,00	1.030,00	1.120,00	2.542,00

In the Chrome (Plated) Version, code BA15K becomes BA15KG

BA15K#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
BA15K#070040B2R	73,0	40,0	36,6	350	186	237	126	631,00	714,00	769,00	1.407,00
BA15K#070050B2R	73,0	50,0	46,6	455	244	296	159	644,00	729,00	785,00	1.420,00
BA15K#070060B2R	73,0	60,0	56,6	562	305	355	193	655,00	741,00	799,00	1.432,00
BA15K#120040B2R	113,0	40,0	36,6	516	276	348	186	725,00	822,00	886,00	1.763,00
BA15K#120050B2R	113,0	50,0	46,6	657	354	435	234	747,00	847,00	914,00	1.778,00
BA15K#120060B2R	113,0	60,0	56,6	800	435	522	284	763,00	865,00	934,00	1.799,00
BA15K#150040B2R	153,0	40,0	36,6	712	380	454	242	823,00	934,00	1.009,00	2.020,00
BA15K#150050B2R	153,0	50,0	46,6	893	480	567	305	844,00	959,00	1.035,00	2.042,00
BA15K#150060B2R	153,0	60,0	56,6	1077	582	681	368	869,00	987,00	1.066,00	2.068,00
BA15K#190040B2R	193,0	40,0	36,6	859	457	570	304	917,00	1.043,00	1.126,00	2.562,00
BA15K#190050B2R	193,0	50,0	46,6	1074	579	712	384	946,00	1.076,00	1.163,00	2.595,00
BA15K#190060B2R	193,0	60,0	56,6	1294	707	855	467	976,00	1.110,00	1.200,00	2.622,00

In the Chrome (Plated) Version, code BA15K becomes BA15KG

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



STANDARD HYDRAULIC VERSION
(Connectors 0i5)



(cod. ST) STANDARD
WALL support

Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **BA15KI5#1200500I5ST9010-BA15KI5G#1200500I5STCRO**

BA15KI5#120050-BA15KI5G#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Support code
9010/CRO	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



BA15KI5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
BA15KI5#070040	77,0	40,0	5,0	350	186	237	126	745,00	857,00	931,00	1.392,00
BA15KI5#070050	77,0	50,0	5,0	455	244	296	159	758,00	872,00	948,00	1.405,00
BA15KI5#070060	77,0	60,0	5,0	562	305	355	193	771,00	887,00	964,00	1.416,00
BA15KI5#120040	117,0	40,0	5,0	516	276	348	186	845,00	972,00	1.056,00	1.733,00
BA15KI5#120050	117,0	50,0	5,0	657	354	435	234	868,00	998,00	1.085,00	1.747,00
BA15KI5#120060	117,0	60,0	5,0	800	435	522	284	886,00	1.019,00	1.108,00	1.767,00
BA15KI5#150040	157,0	40,0	5,0	712	380	454	242	950,00	1.093,00	1.188,00	1.978,00
BA15KI5#150050	157,0	50,0	5,0	893	480	567	305	974,00	1.120,00	1.218,00	1.999,00
BA15KI5#150060	157,0	60,0	5,0	1077	582	681	368	1.001,00	1.151,00	1.251,00	2.023,00
BA15KI5#190040	197,0	40,0	5,0	859	457	570	304	1.052,00	1.210,00	1.315,00	2.495,00
BA15KI5#190050	197,0	50,0	5,0	1074	579	712	384	1.083,00	1.245,00	1.354,00	2.526,00
BA15KI5#190060	197,0	60,0	5,0	1294	707	855	467	1.114,00	1.281,00	1.393,00	2.553,00

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



MIXED VERSION B2R WITH STANDARD EDGE CAP* and Remote GVR connection

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







STANDARD MIXED VERSION - B2R - WITH ECODesign THERMOSTAT

Connection via GVR Remote Valve Assembly



Connection to the electricity mains



ECODesign Room Thermostat







MIXED VERSION B2R WITH WIRELESS ECODesign CONTROLS

Connection via GVR Remote Valve Assembly



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ECODesign digital wireless chronothermostat + Receiver

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

STANDARD B2R MIXED VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version connectable to the GVR via rear connectors.	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
BA15KMSX#070040	U1	V1	Z1	T6	73,0	40,0	36,6	350	186	237	126	300 W	737,00	848,00	921,00	1.397,00
BA15KMSX#070050	U1	V1	Z1	T0	73,0	50,0	46,6	455	244	296	159	300 W	749,00	861,00	936,00	1.408,00
BA15KMSX#070060	U2	V2	Z2	T6	73,0	60,0	56,6	562	305	355	193	600 W	779,00	896,00	974,00	1.431,00
BA15KMSX#120040	U2	V2	Z2	T8	113,0	40,0	36,6	516	276	348	186	600 W	852,00	980,00	1.065,00	1.748,00
BA15KMSX#120050	U2	V2	Z2	T8	113,0	50,0	46,6	657	354	435	234	600 W	874,00	1.005,00	1.093,00	1.765,00
BA15KMSX#120060	U3	V3	Z3	T8	113,0	60,0	56,6	800	435	522	284	900 W	898,00	1.033,00	1.123,00	1.788,00
BA15KMSX#150040	U2	V2	Z2	T9	153,0	40,0	36,6	712	380	454	242	600 W	957,00	1.101,00	1.196,00	1.995,00
BA15KMSX#150050	U3	V3	Z3	T8	153,0	50,0	46,6	893	480	567	305	900 W	986,00	1.134,00	1.233,00	2.021,00
BA15KMSX#150060	U3	V3	Z3	T9	153,0	60,0	56,6	1077	582	681	368	900 W	1.013,00	1.165,00	1.266,00	2.044,00
BA15KMSX#190040	U3	V3	Z3	T9	193,0	40,0	36,6	859	457	570	304	900 W	1.064,00	1.224,00	1.330,00	2.518,00
BA15KMSX#190050	U3	V3	Z3	T9	193,0	50,0	46,6	1074	579	712	384	900 W	1.096,00	1.260,00	1.370,00	2.547,00
BA15KMSX#190060	U4	V4	Z4	T9	193,0	60,0	56,6	1294	707	855	467	1200 W	1.134,00	1.304,00	1.418,00	2.580,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

STANDARD B2R MIXED VERSION WITH ECODesign THERMOSTAT

Version connectable to the GVR via rear connectors.	Thermostat code					H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	ROOM*			RADIATOR**					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
	White	Chrome	Matt Black	White	Chrome												
BA15KMST#070040	F5	F7	JO	N1	N5	73,0	40,0	36,6	350	186	237	126	300 W	874,00	1.005,00	1.093,00	1.528,00
BA15KMST#070050	F5	F7	JO	N1	N5	73,0	50,0	46,6	455	244	296	159	300 W	885,00	1.018,00	1.106,00	1.539,00
BA15KMST#070060	G5	G7	JQ	N2	N6	73,0	60,0	56,6	562	305	355	193	600 W	913,00	1.050,00	1.141,00	1.562,00
BA15KMST#120040	G5	G7	JQ	N2	N6	113,0	40,0	36,6	516	276	348	186	600 W	984,00	1.132,00	1.230,00	1.881,00
BA15KMST#120050	G5	G7	JQ	N2	N6	113,0	50,0	46,6	657	354	435	234	600 W	1.007,00	1.158,00	1.259,00	1.896,00
BA15KMST#120060	H5	H7	JR	N3	N7	113,0	60,0	56,6	800	435	522	284	900 W	1.030,00	1.185,00	1.288,00	1.919,00
BA15KMST#150040	G5	G7	JQ	N2	N6	153,0	40,0	36,6	712	380	454	242	600 W	1.086,00	1.249,00	1.358,00	2.126,00
BA15KMST#150050	H5	H7	JR	N3	N7	153,0	50,0	46,6	893	480	567	305	900 W	1.116,00	1.283,00	1.395,00	2.153,00
BA15KMST#150060	H5	H7	JR	N3	N7	153,0	60,0	56,6	1077	582	681	368	900 W	1.142,00	1.313,00	1.428,00	2.176,00
BA15KMST#190040	H5	H7	JR	N3	N7	193,0	40,0	36,6	859	457	570	304	900 W	1.192,00	1.371,00	1.490,00	2.649,00
BA15KMST#190050	H5	H7	JR	N3	N7	193,0	50,0	46,6	1074	579	712	384	900 W	1.222,00	1.405,00	1.528,00	2.679,00
BA15KMST#190060	I5	I7	JS	N4	N8	193,0	60,0	56,6	1294	707	855	467	1200 W	1.258,00	1.447,00	1.573,00	2.712,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

STANDARD B2R MIXED VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version connectable to the GVR via rear connectors.	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
BA15KMSW#070040	U1	V1	Z1	T6	73,0	40,0	36,6	350	186	237	126	300 W	968,00	1.113,00	1.210,00	1.662,00
BA15KMSW#070050	U1	V1	Z1	T0	73,0	50,0	46,6	455	244	296	159	300 W	979,00	1.126,00	1.224,00	1.674,00
BA15KMSW#070060	U2	V2	Z2	T6	73,0	60,0	56,6	562	305	355	193	600 W	1.009,00	1.160,00	1.261,00	1.698,00
BA15KMSW#120040	U2	V2	Z2	T8	113,0	40,0	36,6	516	276	348	186	600 W	1.083,00	1.245,00	1.354,00	2.032,00
BA15KMSW#120050	U2	V2	Z2	T8	113,0	50,0	46,6	657	354	435	234	600 W	1.105,00	1.271,00	1.381,00	2.048,00
BA15KMSW#120060	U3	V3	Z3	T8	113,0	60,0	56,6	800	435	522	284	900 W	1.127,00	1.296,00	1.409,00	2.072,00
BA15KMSW#150040	U2	V2	Z2	T9	153,0	40,0	36,6	712	380	454	242	600 W	1.188,00	1.366,00	1.485,00	2.289,00
BA15KMSW#150050	U3	V3	Z3	T8	153,0	50,0	46,6	893	480	567	305	900 W	1.217,00	1.400,00	1.521,00	2.318,00
BA15KMSW#150060	U3	V3	Z3	T9	153,0	60,0	56,6	1077	582	681	368	900 W	1.244,00	1.431,00	1.555,00	2.342,00
BA15KMSW#190040	U3	V3	Z3	T9	193,0	40,0	36,6	859	457	570	304	900 W	1.294,00	1.488,00	1.618,00	2.838,00
BA15KMSW#190050	U3	V3	Z3	T9	193,0	50,0	46,6	1074	579	712	384	900 W	1.327,00	1.526,00	1.659,00	2.868,00
BA15KMSW#190060	U4	V4	Z4	T9	193,0	60,0	56,6	1294	707	855	467	1200 W	1.363,00	1.567,00	1.704,00	2.903,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



TRADITIONAL MIXED VERSION WITH EDGE CAP

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)





Connection with traditional Valves



TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT

Connection with traditional Valves





Connection with traditional Valves



ECODesign Room Thermostat







TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS

Connection with traditional Valves



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

TRADITIONAL MIXED VERSION WITH EDGE CAP (connectable version via kit and traditional valves)

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
BA15KMX#070040	KU1	KV1	KZ1	KT6	73,0	40,0	29,4	350	186	237	126	300 W	718,00	826,00	898,00	1.397,00
BA15KMX#070050	KU1	KV1	KZ1	KT6	73,0	50,0	39,4	455	244	296	159	300 W	729,00	838,00	911,00	1.408,00
BA15KMX#070060	KU2	KV2	KZ2	KT8	73,0	60,0	49,4	562	305	355	193	600 W	758,00	872,00	948,00	1.431,00
BA15KMX#120040	KU2	KV2	KZ2	KT8	113,0	40,0	29,4	516	276	348	186	600 W	830,00	955,00	1.038,00	1.748,00
BA15KMX#120050	KU2	KV2	KZ2	KT8	113,0	50,0	39,4	657	354	435	234	600 W	851,00	979,00	1.064,00	1.765,00
BA15KMX#120060	KU3	KV3	KZ3	KT9	113,0	60,0	49,4	800	435	522	284	900 W	875,00	1.006,00	1.094,00	1.788,00
BA15KMX#150040	KU2	KV2	KZ2	KT8	153,0	40,0	29,4	712	380	454	242	600 W	932,00	1.072,00	1.165,00	1.995,00
BA15KMX#150050	KU3	KV3	KZ3	KT9	153,0	50,0	39,4	893	480	567	305	900 W	960,00	1.104,00	1.200,00	2.021,00
BA15KMX#150060	KU3	KV3	KZ3	KT9	153,0	60,0	49,4	1077	582	681	368	900 W	987,00	1.135,00	1.234,00	2.044,00
BA15KMX#190040	KU3	KV3	KZ3	KT9	193,0	40,0	29,4	859	457	570	304	900 W	1.036,00	1.191,00	1.295,00	2.518,00
BA15KMX#190050	KU3	KV3	KZ3	KT9	193,0	50,0	39,4	1074	579	712	384	900 W	1.067,00	1.227,00	1.334,00	2.547,00
BA15KMX#190060	KU4	KV4	KZ4	KT0	193,0	60,0	49,4	1294	707	855	467	1200 W	1.104,00	1.270,00	1.380,00	2.580,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT (connectable version via kit and traditional valves)

Version for connection with traditional connectors	Thermostat code ROOM*			H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Chrome	Matt Black				Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
BA15KMT#070040	KF5	KF7	KJO	73,0	40,0	29,4	350	186	237	126	300 W	874,00	1.005,00	1.093,00	1.528,00
BA15KMT#070050	KF5	KF7	KJO	73,0	50,0	39,4	455	244	296	159	300 W	885,00	1.018,00	1.106,00	1.539,00
BA15KMT#070060	KG5	KG7	KJQ	73,0	60,0	49,4	562	305	355	193	600 W	913,00	1.050,00	1.141,00	1.562,00
BA15KMT#120040	KG5	KG7	KJQ	113,0	40,0	29,4	516	276	348	186	600 W	984,00	1.132,00	1.230,00	1.881,00
BA15KMT#120050	KG5	KG7	KJQ	113,0	50,0	39,4	657	354	435	234	600 W	1.007,00	1.158,00	1.259,00	1.896,00
BA15KMT#120060	KH5	KH7	KJR	113,0	60,0	49,4	800	435	522	284	900 W	1.030,00	1.185,00	1.288,00	1.919,00
BA15KMT#150040	KG5	KG7	KJQ	153,0	40,0	29,4	712	380	454	242	600 W	1.086,00	1.249,00	1.358,00	2.126,00
BA15KMT#150050	KH5	KH7	KJR	153,0	50,0	39,4	893	480	567	305	900 W	1.116,00	1.283,00	1.395,00	2.153,00
BA15KMT#150060	KH5	KH7	KJR	153,0	60,0	49,4	1077	582	681	368	900 W	1.142,00	1.313,00	1.428,00	2.176,00
BA15KMT#190040	KH5	KH7	KJR	193,0	40,0	29,4	859	457	570	304	900 W	1.192,00	1.371,00	1.490,00	2.649,00
BA15KMT#190050	KH5	KH7	KJR	193,0	50,0	39,4	1074	579	712	384	900 W	1.222,00	1.405,00	1.528,00	2.679,00
BA15KMT#190060	KI5	KI7	KJS	193,0	60,0	49,4	1294	707	855	467	1200 W	1.258,00	1.447,00	1.573,00	2.712,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.

TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS (connectable version via kit and traditional valves)

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
BA15KMW#070040	KU1	KV1	KZ1	KT6	73,0	40,0	29,4	350	186	237	126	300 W	968,00	1.113,00	1.210,00	1.662,00
BA15KMW#070050	KU1	KV1	KZ1	KT6	73,0	50,0	39,4	455	244	296	159	300 W	979,00	1.126,00	1.224,00	1.674,00
BA15KMW#070060	KU2	KV2	KZ2	KT8	73,0	60,0	49,4	562	305	355	193	600 W	1.009,00	1.160,00	1.261,00	1.698,00
BA15KMW#120040	KU2	KV2	KZ2	KT8	113,0	40,0	29,4	516	276	348	186	600 W	1.083,00	1.245,00	1.354,00	2.032,00
BA15KMW#120050	KU2	KV2	KZ2	KT8	113,0	50,0	39,4	657	354	435	234	600 W	1.105,00	1.271,00	1.381,00	2.048,00
BA15KMW#120060	KU3	KV3	KZ3	KT9	113,0	60,0	49,4	800	435	522	284	900 W	1.127,00	1.296,00	1.409,00	2.072,00
BA15KMW#150040	KU2	KV2	KZ2	KT8	153,0	40,0	29,4	712	380	454	242	600 W	1.188,00	1.366,00	1.485,00	2.289,00
BA15KMW#150050	KU3	KV3	KZ3	KT9	153,0	50,0	39,4	893	480	567	305	900 W	1.217,00	1.400,00	1.521,00	2.318,00
BA15KMW#150060	KU3	KV3	KZ3	KT9	153,0	60,0	49,4	1077	582	681	368	900 W	1.244,00	1.431,00	1.555,00	2.342,00
BA15KMW#190040	KU3	KV3	KZ3	KT9	193,0	40,0	29,4	859	457	570	304	900 W	1.294,00	1.488,00	1.618,00	2.838,00
BA15KMW#190050	KU3	KV3	KZ3	KT9	193,0	50,0	39,4	1074	579	712	384	900 W	1.327,00	1.526,00	1.659,00	2.868,00
BA15KMW#190060	KU4	KV4	KZ4	KT0	193,0	60,0	49,4	1294	707	855	467	1200 W	1.363,00	1.567,00	1.704,00	2.903,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



STANDARD HYDRAULIC VERSION
(Connectors B2R)



CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Standard connectors
Supplied unless otherwise specified in the order.



Connectors on request
Available upon request AT NO additional charge.



Special connectors
Provided upon request WITH an additional charge of € 70,00



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Product code **RKO15S#1000150B1ST9010212**

RK015S#100015	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

RKO15S#... standard hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
RKO15S#100015	37,9	100,0	96,6	502	266	452	239	522,00	600,00	653,00	1.598,00
RKO15S#100024	60,4	100,0	96,6	754	400	679	360	632,00	727,00	790,00	1.919,00
RKO15S#120015	37,9	120,0	116,6	603	319	543	288	539,00	620,00	674,00	1.667,00
RKO15S#120024	60,4	120,0	116,6	904	479	814	432	658,00	757,00	823,00	2.019,00
RKO15S#140015	37,9	140,0	136,6	703	372	633	335	568,00	653,00	710,00	1.833,00
RKO15S#140024	60,4	140,0	136,6	1055	560	950	504	748,00	860,00	935,00	2.450,00
RKO15S#160015	37,9	160,0	156,6	804	426	724	383	598,00	688,00	748,00	1.998,00
RKO15S#160024	60,4	160,0	156,6	1206	640	1085	575	754,00	867,00	943,00	2.483,00

In the Chrome (Plated) Version, code RKO15S becomes RKO15SG

RKO15S#... hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
RKO15S#100015B2R	37,9	100,0	96,6	502	266	452	239	602,00	680,00	733,00	1.678,00
RKO15S#100024B2R	60,4	100,0	96,6	754	400	679	360	712,00	807,00	870,00	1.999,00
RKO15S#120015B2R	37,9	120,0	116,6	603	319	543	288	619,00	700,00	754,00	1.747,00
RKO15S#120024B2R	60,4	120,0	116,6	904	479	814	432	738,00	837,00	903,00	2.099,00
RKO15S#140015B2R	37,9	140,0	136,6	703	372	633	335	648,00	733,00	790,00	1.913,00
RKO15S#140024B2R	60,4	140,0	136,6	1055	560	950	504	828,00	940,00	1.015,00	2.530,00
RKO15S#160015B2R	37,9	160,0	156,6	804	426	724	383	678,00	768,00	828,00	2.078,00
RKO15S#160024B2R	60,4	160,0	156,6	1206	640	1085	575	834,00	947,00	1.023,00	2.563,00

In the Chrome (Plated) Version, code RKO15S becomes RKO15SG

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	210,00 € 228,00 €
GVRC#1... GVRTC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	210,00 € 213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.





STANDARD HYDRAULIC VERSION
(Connectors B2R)



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **SM15K#1200500B1ST9010-SM15KG#1200500B1STCRO**

SM15K#120050-SM15KG#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Support code
9010/CRO	Colour/finish code specified in the Official TUBES COLOUR CHART



ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

IN STOCK

available in stock with 0B1 connections, in the Polished CHROME finish.

Maximum quantity for item: 5 pcs

SM15K#... Hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
											IN STOCK
SM15K#080040	77,9	40,0	36,6	173	92	138	74	473,00	544,00	591,00	927,00
SM15K#080050	77,9	50,0	46,6	217	116	172	92	488,00	561,00	610,00	947,00
SM15K#080060	77,9	60,0	56,6	260	139	206	110	498,00	573,00	623,00	959,00
SM15K#120040	122,9	40,0	36,6	267	143	214	111	520,00	598,00	650,00	1.158,00
SM15K#120050	122,9	50,0	46,6	335	181	266	139	534,00	614,00	668,00	1.176,00
SM15K#120060	122,9	60,0	56,6	402	217	319	167	545,00	627,00	681,00	1.190,00
SM15K#150040	153,0	40,0	36,6	330	176	264	138	566,00	651,00	708,00	1.386,00
SM15K#150050	153,0	50,0	46,6	414	222	329	174	581,00	668,00	726,00	1.406,00
SM15K#150060	153,0	60,0	56,6	497	266	395	209	591,00	680,00	739,00	1.419,00
SM15K#175040	175,4	40,0	36,6	377	201	302	158	612,00	704,00	765,00	1.619,00
SM15K#175050	175,4	50,0	46,6	473	255	376	197	628,00	722,00	785,00	1.639,00
SM15K#175060	175,4	60,0	56,6	568	306	451	236	637,00	733,00	796,00	1.651,00

In the Chrome (Plated) Version, code SM15K becomes SM15KG

SM15K#...hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
SM15K#080040B2R	77,9	40,0	36,6	173	92	138	74	553,00	624,00	671,00	1.007,00
SM15K#080050B2R	77,9	50,0	46,6	217	116	172	92	568,00	641,00	690,00	1.731,00
SM15K#080060B2R	77,9	60,0	56,6	260	139	206	110	578,00	653,00	703,00	1.027,00
SM15K#120040B2R	122,9	40,0	36,6	267	143	214	111	600,00	678,00	730,00	1.039,00
SM15K#120050B2R	122,9	50,0	46,6	335	181	266	139	614,00	694,00	748,00	1.238,00
SM15K#120060B2R	122,9	60,0	56,6	402	217	319	167	625,00	707,00	761,00	1.256,00
SM15K#150040B2R	153,0	40,0	36,6	330	176	264	138	646,00	731,00	788,00	1.270,00
SM15K#150050B2R	153,0	50,0	46,6	414	222	329	174	661,00	748,00	806,00	1.466,00
SM15K#150060B2R	153,0	60,0	56,6	497	266	395	209	671,00	760,00	819,00	1.486,00
SM15K#175040B2R	175,4	40,0	36,6	377	201	302	158	692,00	784,00	845,00	1.499,00
SM15K#175050B2R	175,4	50,0	46,6	473	255	376	197	708,00	802,00	865,00	1.699,00
SM15K#175060B2R	175,4	60,0	56,6	568	306	451	236	717,00	813,00	876,00	1.719,00

In the Chrome (Plated) Version, code SM15K becomes SM15KG

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



CONNECTOR AT 5 cm VERSION
(Connectors 0i5)



Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **SM15KI5#1200500I5ST9010-SM15KI5G#1200500I5STCRO**

SM15KI5#120050-SM15KI5G#120050 Article code specified in the price table
0I5 Connector code see technical datasheet
ST Standard support code*
9010/CRO Colour/finish code specified in the Official TUBES COLOUR CHART
* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SM15KI5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
SM15KI5#080040	81,9	40,0	5,0	173	92	138	74	614,00	706,00	768,00	1.098,00
SM15KI5#080050	81,9	50,0	5,0	217	116	172	92	628,00	722,00	785,00	1.118,00
SM15KI5#080060	81,9	60,0	5,0	260	139	206	110	638,00	734,00	798,00	1.132,00
SM15KI5#120040	126,9	40,0	5,0	267	143	214	111	658,00	757,00	823,00	1.335,00
SM15KI5#120050	126,9	50,0	5,0	335	181	266	139	672,00	773,00	840,00	1.353,00
SM15KI5#120060	126,9	60,0	5,0	402	217	319	167	682,00	784,00	853,00	1.366,00
SM15KI5#150040	157,0	40,0	5,0	330	176	264	138	703,00	808,00	879,00	1.569,00
SM15KI5#150050	157,0	50,0	5,0	414	222	329	174	716,00	823,00	895,00	1.587,00
SM15KI5#150060	157,0	60,0	5,0	497	266	395	209	727,00	836,00	909,00	1.601,00
SM15KI5#175040	179,4	40,0	5,0	377	201	302	158	747,00	859,00	934,00	1.804,00
SM15KI5#175050	179,4	50,0	5,0	473	255	376	197	761,00	875,00	951,00	1.824,00
SM15KI5#175060	179,4	60,0	5,0	568	306	451	236	771,00	887,00	964,00	1.838,00

In the Chrome (Plated) Version, code SM15KI5 becomes SM15KI5G



MIXED VERSION B2R WITH STANDARD EDGE CAP* and Remote GVR connection

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







STANDARD MIXED VERSION - B2R - WITH ECODesign THERMOSTAT

Connection via GVR Remote Valve Assembly



Connection to the electricity mains

ECODesign Room Thermostat





MIXED VERSION B2R WITH WIRELESS ECODesign CONTROLS

Connection via GVR Remote Valve Assembly



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)



ECODesign digital wireless chronothermostat + Receiver

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

STANDARD B2R MIXED VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version connectable to the GVR via rear connectors.	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
SM15KMSX#080040	U5	V5	Z5	T5	77,9	40,0	36,6	173	92	138	74	200 W	761,00	875,00	951,00	1.258,00
SM15KMSX#080050	U5	V5	Z5	T5	77,9	50,0	46,6	217	116	172	92	200 W	777,00	894,00	971,00	1.261,00
SM15KMSX#080060	U1	V1	Z1	T6	77,9	60,0	56,6	260	139	206	110	300 W	789,00	907,00	986,00	1.265,00
SM15KMSX#120040	U1	V1	Z1	T6	122,9	40,0	36,6	267	143	214	111	300 W	840,00	966,00	1.050,00	1.434,00
SM15KMSX#120050	U1	V1	Z1	T6	122,9	50,0	46,6	335	181	266	139	300 W	853,00	981,00	1.066,00	1.500,00
SM15KMSX#120060	U1	V1	Z1	T7	122,9	60,0	56,6	402	217	319	167	400 W	862,00	991,00	1.078,00	1.514,00
SM15KMSX#150040	U6	V6	Z6	T7	153,0	40,0	36,6	330	176	264	138	400 W	933,00	1.073,00	1.166,00	1.672,00
SM15KMSX#150050	U6	V6	Z6	T7	153,0	50,0	46,6	414	222	329	174	400 W	947,00	1.089,00	1.184,00	1.741,00
SM15KMSX#150060	U6	V6	Z6	T7	153,0	60,0	56,6	497	266	395	209	400 W	958,00	1.102,00	1.198,00	1.755,00
SM15KMSX#175040	U6	V6	Z6	T7	175,4	40,0	36,6	377	201	302	158	400 W	1.011,00	1.163,00	1.264,00	1.932,00
SM15KMSX#175050	U2	V2	Z2	T8	175,4	50,0	46,6	473	255	376	197	600 W	1.026,00	1.180,00	1.283,00	1.971,00
SM15KMSX#175060	U2	V2	Z2	T8	175,4	60,0	56,6	568	306	451	236	600 W	1.036,00	1.191,00	1.295,00	1.984,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

STANDARD B2R MIXED VERSION WITH ECODesign THERMOSTAT

Version connectable to the GVR via rear connectors.	Thermostat code					H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	ROOM*			RADIATOR**					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
	White	Chrome	Matt Black	White	Chrome												
SM15KMST#080040	J5	J7	JN	N0	N9	77,9	40,0	36,6	173	92	138	74	200 W	907,00	1.043,00	1.134,00	1.395,00
SM15KMST#080050	J5	J7	JN	N0	N9	77,9	50,0	46,6	217	116	172	92	200 W	922,00	1.060,00	1.153,00	1.398,00
SM15KMST#080060	F5	F7	JO	N1	N5	77,9	60,0	56,6	260	139	206	110	300 W	935,00	1.075,00	1.169,00	1.402,00
SM15KMST#120040	F5	F7	JO	N1	N5	122,9	40,0	36,6	267	143	214	111	300 W	985,00	1.133,00	1.231,00	1.570,00
SM15KMST#120050	F5	F7	JO	N1	N5	122,9	50,0	46,6	335	181	266	139	300 W	998,00	1.148,00	1.248,00	1.638,00
SM15KMST#120060	J6	J8	JP	N1	N5	122,9	60,0	56,6	402	217	319	167	400 W	1.006,00	1.157,00	1.258,00	1.650,00
SM15KMST#150040	J6	J8	JP	NB	NA	153,0	40,0	36,6	330	176	264	138	400 W	1.077,00	1.239,00	1.346,00	1.806,00
SM15KMST#150050	J6	J8	JP	NB	NA	153,0	50,0	46,6	414	222	329	174	400 W	1.091,00	1.255,00	1.364,00	1.878,00
SM15KMST#150060	J6	J8	JP	NB	NA	153,0	60,0	56,6	497	266	395	209	400 W	1.102,00	1.267,00	1.378,00	1.890,00
SM15KMST#175040	J6	J8	JP	NB	NA	175,4	40,0	36,6	377	201	302	158	400 W	1.154,00	1.327,00	1.443,00	2.068,00
SM15KMST#175050	G5	G7	JQ	N2	N6	175,4	50,0	46,6	473	255	376	197	600 W	1.167,00	1.342,00	1.459,00	2.107,00
SM15KMST#175060	G5	G7	JQ	N2	N6	175,4	60,0	56,6	568	306	451	236	600 W	1.177,00	1.354,00	1.471,00	2.121,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

STANDARD B2R MIXED VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version connectable to the GVR via rear connectors.	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
SM15KMSW#080040	U5	V5	Z5	T5	77,9	40,0	36,6	173	92	138	74	200 W	1.023,00	1.176,00	1.279,00	1.494,00
SM15KMSW#080050	U5	V5	Z5	T5	77,9	50,0	46,6	217	116	172	92	200 W	1.037,00	1.193,00	1.296,00	1.498,00
SM15KMSW#080060	U1	V1	Z1	T6	77,9	60,0	56,6	260	139	206	110	300 W	1.051,00	1.209,00	1.314,00	1.499,00
SM15KMSW#120040	U1	V1	Z1	T6	122,9	40,0	36,6	267	143	214	111	300 W	1.102,00	1.267,00	1.378,00	1.675,00
SM15KMSW#120050	U1	V1	Z1	T6	122,9	50,0	46,6	335	181	266	139	300 W	1.115,00	1.282,00	1.394,00	1.742,00
SM15KMSW#120060	U1	V1	Z1	T7	122,9	60,0	56,6	402	217	319	167	400 W	1.125,00	1.294,00	1.406,00	1.751,00
SM15KMSW#150040	U6	V6	Z6	T7	153,0	40,0	36,6	330	176	264	138	400 W	1.199,00	1.379,00	1.499,00	1.917,00
SM15KMSW#150050	U6	V6	Z6	T7	153,0	50,0	46,6	414	222	329	174	400 W	1.213,00	1.395,00	1.516,00	1.987,00
SM15KMSW#150060	U6	V6	Z6	T7	153,0	60,0	56,6	497	266	395	209	400 W	1.223,00	1.406,00	1.529,00	1.997,00
SM15KMSW#175040	U6	V6	Z6	T7	175,4	40,0	36,6	377	201	302	158	400 W	1.278,00	1.470,00	1.598,00	2.183,00
SM15KMSW#175050	U2	V2	Z2	T8	175,4	50,0	46,6	473	255	376	197	600 W	1.293,00	1.487,00	1.616,00	2.222,00
SM15KMSW#175060	U2	V2	Z2	T8	175,4	60,0	56,6	568	306	451	236	600 W	1.302,00	1.497,00	1.628,00	2.232,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	210,00 € 228,00 €
GVRC#1... GVRTC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	210,00 € 213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



TRADITIONAL MIXED VERSION WITH EDGE CAP

(Available only for Extra_CEE market and/or connected to a domotic system with features compliant with the ECODesign standard)



Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







Connection with traditional Valves



TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT

Connection with traditional Valves





Connection with traditional Valves



ECODesign Room Thermostat







TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS

Connection with traditional Valves



Wireless connection with Standard Edge Cap



Digital Chronothermostat (code ZRF007)



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

TRADITIONAL MIXED VERSION WITH EDGE CAP (connectable version via kit and traditional valves)

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
SM15KMX#080040	KU5	KV5	KZ5	KT5	77,9	40,0	29,4	173	92	138	74	200 W	623,00	716,00	779,00	1.170,00
SM15KMX#080050	KU5	KV5	KZ5	KT5	77,9	50,0	39,4	217	116	172	92	200 W	636,00	731,00	795,00	1.189,00
SM15KMX#080060	KU1	KV1	KZ1	KT6	77,9	60,0	49,4	260	139	206	110	300 W	644,00	741,00	805,00	1.190,00
SM15KMX#120040	KU1	KV1	KZ1	KT6	122,9	40,0	29,4	267	143	214	111	300 W	679,00	781,00	849,00	1.400,00
SM15KMX#120050	KU1	KV1	KZ1	KT6	122,9	50,0	39,4	335	181	266	139	300 W	691,00	795,00	864,00	1.418,00
SM15KMX#120060	KU1	KV1	KZ1	KT7	122,9	60,0	49,4	402	217	319	167	400 W	702,00	807,00	878,00	1.430,00
SM15KMX#150040	KU6	KV6	KZ6	KT7	153,0	40,0	29,4	330	176	264	138	400 W	739,00	850,00	924,00	1.626,00
SM15KMX#150050	KU6	KV6	KZ6	KT7	153,0	50,0	39,4	414	222	329	174	400 W	751,00	864,00	939,00	1.646,00
SM15KMX#150060	KU6	KV6	KZ6	KT7	153,0	60,0	49,4	497	266	395	209	400 W	761,00	875,00	951,00	1.658,00
SM15KMX#175040	KU6	KV6	KZ6	KT7	175,4	40,0	29,4	377	201	302	158	400 W	799,00	919,00	999,00	1.862,00
SM15KMX#175050	KU2	KV2	KZ2	KT8	175,4	50,0	39,4	473	255	376	197	600 W	811,00	933,00	1.014,00	1.882,00
SM15KMX#175060	KU2	KV2	KZ2	KT8	175,4	60,0	49,4	568	306	451	236	600 W	821,00	944,00	1.026,00	1.893,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

TRADITIONAL MIXED VERSION WITH ECODesign THERMOSTAT (connectable version via kit and traditional valves)

Version for connection with traditional connectors	Thermostat code ROOM*			H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Chrome	Matt Black				Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
SM15KMT#080040	KJ5	KJ7	KJN	77,9	40,0	29,4	173	92	138	74	200 W	758,00	872,00	948,00	1.316,00
SM15KMT#080050	KJ5	KJ7	KJN	77,9	50,0	39,4	217	116	172	92	200 W	769,00	884,00	961,00	1.336,00
SM15KMT#080060	KF5	KF7	KJO	77,9	60,0	49,4	260	139	206	110	300 W	779,00	896,00	974,00	1.336,00
SM15KMT#120040	KF5	KF7	KJO	122,9	40,0	29,4	267	143	214	111	300 W	813,00	935,00	1.016,00	1.546,00
SM15KMT#120050	KF5	KF7	KJO	122,9	50,0	39,4	335	181	266	139	300 W	824,00	948,00	1.030,00	1.566,00
SM15KMT#120060	KJ6	KJ8	KJP	122,9	60,0	49,4	402	217	319	167	400 W	835,00	960,00	1.044,00	1.577,00
SM15KMT#150040	KJ6	KJ8	KJP	153,0	40,0	29,4	330	176	264	138	400 W	871,00	1.002,00	1.089,00	1.773,00
SM15KMT#150050	KJ6	KJ8	KJP	153,0	50,0	39,4	414	222	329	174	400 W	884,00	1.017,00	1.105,00	1.791,00
SM15KMT#150060	KJ6	KJ8	KJP	153,0	60,0	49,4	497	266	395	209	400 W	892,00	1.026,00	1.115,00	1.803,00
SM15KMT#175040	KJ6	KJ8	KJP	175,4	40,0	29,4	377	201	302	158	400 W	931,00	1.071,00	1.164,00	2.009,00
SM15KMT#175050	KG5	KG7	KJQ	175,4	50,0	39,4	473	255	376	197	600 W	942,00	1.083,00	1.178,00	2.029,00
SM15KMT#175060	KG5	KG7	KJQ	175,4	60,0	49,4	568	306	451	236	600 W	950,00	1.093,00	1.188,00	2.039,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.

TRADITIONAL MIXED VERSION WITH WIRELESS ECODesign CONTROLS (connectable version via kit and traditional valves)

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Version for connection with traditional connectors	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Interaxis (cm)	COLOURED version		CHROMED version		Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome					Watt DT50°C	Watt DT30°C	Watt DT50°C	Watt DT30°C					
SM15KMW#080040	KU5	KV5	KZ5	KT5	77,9	40,0	29,4	173	92	138	74	200 W	906,00	1.042,00	1.133,00	1.434,00
SM15KMW#080050	KU2	KV2	KZ2	KT8	77,9	50,0	39,4	217	116	172	92	200 W	920,00	1.058,00	1.150,00	1.451,00
SM15KMW#080060	KU5	KV5	KZ5	KT5	77,9	60,0	49,4	260	139	206	110	300 W	930,00	1.070,00	1.163,00	1.454,00
SM15KMW#120040	KU1	KV1	KZ1	KT6	122,9	40,0	29,4	267	143	214	111	300 W	968,00	1.113,00	1.210,00	1.669,00
SM15KMW#120050	KU1	KV1	KZ1	KT6	122,9	50,0	39,4	335	181	266	139	300 W	981,00	1.128,00	1.226,00	1.687,00
SM15KMW#120060	KU1	KV1	KZ1	KT6	122,9	60,0	49,4	402	217	319	167	400 W	990,00	1.139,00	1.238,00	1.697,00
SM15KMW#150040	KU1	KV1	KZ1	KT7	153,0	40,0	29,4	330	176	264	138	400 W	1.033,00	1.188,00	1.291,00	1.902,00
SM15KMW#150050	KU6	KV6	KZ6	KT7	153,0	50,0	39,4	414	222	329	174	400 W	1.045,00	1.202,00	1.306,00	1.921,00
SM15KMW#150060	KU6	KV6	KZ6	KT7	153,0	60,0	49,4	497	266	395	209	400 W	1.057,00	1.216,00	1.321,00	1.929,00
SM15KMW#175040	KU6	KV6	KZ6	KT7	175,4	40,0	29,4	377	201	302	158	400 W	1.098,00	1.263,00	1.373,00	2.141,00
SM15KMW#175050	KU6	KV6	KZ6	KT7	175,4	50,0	39,4	473	255	376	197	600 W	1.110,00	1.277,00	1.388,00	2.158,00
SM15KMW#175060	KU2	KV2	KZ2	KT8	175,4	60,0	49,4	568	306	451	236	600 W	1.121,00	1.289,00	1.401,00	2.169,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe



STANDARD HYDRAULIC VERSION
(Connectors B2R)



Connection to the Remote
Valve Assembly (GVR) with
rear B2R connectors

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **SM20#1200500B1ST9010**

SM20#120050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



SM20#... Hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
SM20#120040	119,5	40,0	36,6	197	102	351,00	404,00	439,00
SM20#120050	119,5	50,0	46,6	248	128	353,00	406,00	441,00
SM20#120060	119,5	60,0	56,6	297	154	357,00	411,00	446,00
SM20#150040	150,5	40,0	36,6	247	128	393,00	452,00	491,00
SM20#150050	150,5	50,0	46,6	310	161	399,00	459,00	499,00
SM20#150060	150,5	60,0	56,6	372	193	403,00	463,00	504,00
SM20#170040	171,5	40,0	36,6	280	145	431,00	496,00	539,00
SM20#170050	171,5	50,0	46,6	351	182	437,00	503,00	546,00
SM20#170060	171,5	60,0	56,6	421	218	443,00	509,00	554,00

SM20#...hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
SM20#120040B2R	119,5	40,0	36,6	197	102	431,00	484,00	519,00
SM20#120050B2R	119,5	50,0	46,6	248	128	433,00	486,00	521,00
SM20#120060B2R	119,5	60,0	56,6	297	154	437,00	491,00	526,00
SM20#150040B2R	150,5	40,0	36,6	247	128	473,00	532,00	571,00
SM20#150050B2R	150,5	50,0	46,6	310	161	479,00	539,00	579,00
SM20#150060B2R	150,5	60,0	56,6	372	193	483,00	543,00	584,00
SM20#170040B2R	171,5	40,0	36,6	280	145	511,00	576,00	619,00
SM20#170050B2R	171,5	50,0	46,6	351	182	517,00	583,00	626,00
SM20#170060B2R	171,5	60,0	56,6	421	218	523,00	589,00	634,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



CONNECTOR AT 5 cm VERSION
(Connectors 0i5)



Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **SM20I5#1200500I5ST9010**

SM20I5#120050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SM20I5#... hydraulic

Model	**H** (cm)	**L** (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
SM20I5#120040	123,5	40,0	5,0	197	102	522,00	600,00	653,00
SM20I5#120050	123,5	50,0	5,0	248	128	526,00	605,00	658,00
SM20I5#120060	123,5	60,0	5,0	297	154	528,00	607,00	660,00
SM20I5#150040	154,5	40,0	5,0	247	128	572,00	658,00	715,00
SM20I5#150050	154,5	50,0	5,0	310	161	576,00	662,00	720,00
SM20I5#150060	154,5	60,0	5,0	372	193	580,00	667,00	725,00
SM20I5#170040	175,5	40,0	5,0	280	145	616,00	708,00	770,00
SM20I5#170050	175,5	50,0	5,0	351	182	620,00	713,00	775,00
SM20I5#170060	175,5	60,0	5,0	421	218	624,00	718,00	780,00



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe



STANDARD HYDRAULIC VERSION
(Connectors B2R)



Connection to the Remote
Valve Assembly (GVR) with
rear B2R connectors

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and
“d” i min = 5cm
d min = 2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **SM25#1200500B1ST9010**

SM25#125050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



SM25#... Hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
SM25#120040	119,5	40,0	36,6	247	128	198	102	408,00	469,00	510,00	1.022,00
SM25#120050	119,5	50,0	46,6	309	160	247	128	415,00	477,00	519,00	1.039,00
SM25#120060	119,5	60,0	56,6	371	192	297	154	419,00	482,00	524,00	1.042,00
SM25#150040	150,5	40,0	36,6	308	160	246	128	446,00	513,00	558,00	1.212,00
SM25#150050	150,5	50,0	46,6	387	200	310	160	453,00	521,00	566,00	1.218,00
SM25#150060	150,5	60,0	56,6	464	240	371	192	458,00	527,00	573,00	1.223,00
SM25#170040	171,5	40,0	36,6	349	181	279	145	473,00	544,00	591,00	1.337,00
SM25#170050	171,5	50,0	46,6	438	227	350	182	481,00	553,00	601,00	1.336,00
SM25#170060	171,5	60,0	56,6	526	272	421	218	488,00	561,00	610,00	1.341,00

In the Chrome (Plated) Version, code SM25 becomes SM25G

SM25#...hydraulic with rear connectors B2R

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
SM25#120040B2R	119,5	40,0	36,6	247	128	198	102	488,00	549,00	590,00	1.102,00
SM25#120050B2R	119,5	50,0	46,6	309	160	247	128	495,00	557,00	599,00	1.119,00
SM25#120060B2R	119,5	60,0	56,6	371	192	297	154	499,00	562,00	604,00	1.122,00
SM25#150040B2R	150,5	40,0	36,6	308	160	246	128	526,00	593,00	638,00	1.292,00
SM25#150050B2R	150,5	50,0	46,6	387	200	310	160	533,00	601,00	646,00	1.298,00
SM25#150060B2R	150,5	60,0	56,6	464	240	371	192	538,00	607,00	653,00	1.303,00
SM25#170040B2R	171,5	40,0	36,6	349	181	279	145	553,00	624,00	671,00	1.417,00
SM25#170050B2R	171,5	50,0	46,6	438	227	350	182	561,00	633,00	681,00	1.416,00
SM25#170060B2R	171,5	60,0	56,6	526	272	421	218	568,00	641,00	690,00	1.421,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.



CONNECTOR AT 5 cm VERSION
(Connectors 0i5)



Standard convertible valves – Z1TLNR
For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1TLNRG#ANR12..	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Glossy Chrome	95,00 €
Z1KITRAC#001	Union KIT with 6 pieces for Paired valves - 2 Z1RAC#R12CRO 12 mm copper system O-Rings - 2 Z1RAC#R14CRO 14 mm copper system O-Rings - 2 Z1AC#M03CRO Multi-layer 24x19x11.5/12-16x2/2.25 mm	Glossy Chrome	26,00 €
ZRCF3#9010	Couple pipe washer for Heated towel rail	Standard White	30,00 €
ZRCF3G#CRO	Couple pipe washer for Heated towel rail	Glossy Chrome	36,00 €

Product code **SM25I5#1200500I5ST9010**

SM25I5#125050	Article code specified in the price table
0I5	Connector code see technical datasheet
ST	Support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SM25I5#... hydraulic

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
SM25I5#120040	123,5	40,0	5,0	247	128	198	102	557,00	641,00	696,00	1.187,00
SM25I5#120050	123,5	50,0	5,0	309	160	247	128	561,00	645,00	701,00	1.204,00
SM25I5#120060	123,5	60,0	5,0	371	192	297	154	566,00	651,00	708,00	1.207,00
SM25I5#150040	154,5	40,0	5,0	308	160	246	128	589,00	677,00	736,00	1.352,00
SM25I5#150050	154,5	50,0	5,0	387	200	310	160	593,00	682,00	741,00	1.356,00
SM25I5#150060	154,5	60,0	5,0	464	240	371	192	598,00	688,00	748,00	1.363,00
SM25I5#170040	175,5	40,0	5,0	349	181	279	145	610,00	702,00	763,00	1.453,00
SM25I5#170050	175,5	50,0	5,0	438	227	350	182	615,00	707,00	769,00	1.452,00
SM25I5#170060	175,5	60,0	5,0	526	272	421	218	620,00	713,00	775,00	1.456,00

In the Chrome (Plated) Version, code SM25I5 becomes SM25I5G



STANDARD HYDRAULIC VERSION
(Connectors 0T1)



Connector interaxis with dimensions
referring to Tubes valves

Product code **TOTEM#1200T1ST9010**

TOTEM#120	Article code specified in the price table
0T1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Model	H (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
TOTEM#080	83,0	17,5	536	296	701,00	806,00	876,00
TOTEM#120	114,0	17,5	696	382	827,00	951,00	1.034,00
TOTEM#150	144,5	17,5	851	482	977,00	1.124,00	1.221,00
TOTEM#170	175,0	17,5	1005	588	1.122,00	1.290,00	1.403,00



STANDARD HYDRAULIC VERSION
(Connectors 0K1)



Connector interaxis with dimensions referring to Tubes valves

Product code **KEY#1100K1ST9010**

KEY#110	Article code specified in the price table
OK1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



KEY#070 KEY#110 KEY#140 KEY#180

Model	H (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
KEY#070	74,0	15,0	452	255	772,00	888,00	965,00
KEY#110	108,0	15,0	671	367	1.005,00	1.156,00	1.256,00
KEY#140	142,0	15,0	901	484	1.332,00	1.532,00	1.665,00
KEY#180	176,0	15,0	1092	611	1.539,00	1.770,00	1.924,00



STANDARD HYDRAULIC VERSION
(Connectors 0B1)



(cod. ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Interaxis
I=L+13,8 cm

Interaxis
I=H-5,8 cm

Interaxis
I=H-5,8 cm

Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Product code **HL14#1300500B1ST9010**

HL14#130050	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



HL14#090050 HL14#130050 HL14#160050 HL14#195050

Model	H (cm)	L (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
HL14#090040	94,6	40,0	36,6	529	282	629,00	723,00	786,00
HL14#090050	94,6	50,0	46,6	661	355	635,00	730,00	794,00
HL14#090060	94,6	60,0	56,6	793	428	644,00	741,00	805,00
HL14#130040	128,2	40,0	36,6	664	359	728,00	837,00	910,00
HL14#130050	128,2	50,0	46,6	830	452	740,00	851,00	925,00
HL14#130060	128,2	60,0	56,6	996	545	754,00	867,00	943,00
HL14#160040	161,8	40,0	36,6	813	430	827,00	951,00	1.034,00
HL14#160050	161,8	50,0	46,6	1016	540	805,00	926,00	1.006,00
HL14#160060	161,8	60,0	56,6	1219	652	820,00	943,00	1.025,00
HL14#195040	195,4	40,0	36,6	951	502	938,00	1.079,00	1.173,00
HL14#195050	195,4	50,0	46,6	1189	631	959,00	1.103,00	1.199,00
HL14#195060	195,4	60,0	56,6	1427	762	974,00	1.120,00	1.218,00

NOTE

The height of the shelf from the floor must be greater than 180 cm.

The horizontal shelf is heating.



STANDARD HYDRAULIC AK - VERSION
(Connectors 0C1)





STANDARD HYDRAULIC AK2 - VERSION WITH DOUBLE HANDLE
(Connectors 0C1)



CONNECTORS The heated towel rails are supplied as standard with connectors “0C1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8” are present at the head of the collectors.

Special connectors
Provided upon request WITH an additional charge of € 70,00



B2R connection NOT available in the double column version

Connectors on request
available upon request AT NO additional charge.



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Product code **AK#1800200C1ST9010**

AK#180020	Article code specified in the price table
0C1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Single ARKOS with ONE HANDLE (code AK)

Height (cm)		100		120		140		150		170		180		200	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
12	42,5	576	510,00	678	533,00	776	553,00	824	566,00	918	587,00	966	597,00	1057	615,00
13	46,0	624	519,00	735	544,00	841	568,00	893	579,00	995	605,00	1047	613,00	1145	637,00
14	49,5	672	533,00	791	558,00	906	580,00	962	597,00	1071	620,00	1127	633,00	1233	659,00
15	53,0	720	549,00	848	570,00	971	600,00	1031	612,00	1148	642,00	1208	654,00	1322	680,00
16	56,5	768	558,00	904	587,00	1035	615,00	1099	631,00	1224	659,00	1288	672,00	1410	701,00
17	60,0	816	570,00	861	602,00	1100	632,00	1168	647,00	1301	678,00	1369	693,00	1498	723,00
18	63,5	864	580,00	1017	615,00	1165	647,00	1237	666,00	1377	699,00	1449	709,00	1586	748,00
19	67,0	912	597,00	1074	631,00	1229	666,00	1305	680,00	1454	716,00	1530	730,00	1674	765,00
20	70,5	960	609,00	1130	644,00	1294	680,00	1374	699,00	1530	730,00	1610	754,00	1762	786,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,264	25,10	1,260	29,50	1,255	33,76	1,254	36,00	1,250	40,43	1,269	42,10	1,279	45,80

Single ARKOS with ONE HANDLE (code AK2)

Height (cm)		170		180		200	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
12	42,5	918	679,00	966	688,00	1057	707,00
13	46,0	995	696,00	1047	705,00	1145	729,00
14	49,5	1071	709,00	1127	725,00	1233	750,00
15	53,0	1148	731,00	1208	747,00	1322	772,00
16	56,5	1224	750,00	1288	764,00	1410	793,00
17	60,0	1301	769,00	1369	782,00	1498	815,00
18	63,5	1377	786,00	1449	801,00	1586	839,00
19	67,0	1454	807,00	1530	821,00	1674	855,00
20	70,5	1530	821,00	1610	845,00	1762	879,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,250	40,43	1,269	42,10	1,279	45,80



STANDARD HYDRAULIC VERSION
(Connectors 0B1)





Product code **AL#1500140B1ST9010**

AL#150014	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* see page --- for special supports

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Model	No of El.	**H** (cm)	**L** (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
AL#150010	10	31,5	149,0	103,5	467	243	420	219	622,00	715,00	778,00	1.470,00
AL#150012	12	36,3	149,0	103,5	565	294	509	265	632,00	727,00	790,00	1.492,00
AL#150014	14	41,1	149,0	103,5	668	348	602	314	634,00	729,00	793,00	1.499,00
AL#150016	16	45,9	149,0	103,5	772	402	695	362	656,00	754,00	820,00	1.619,00
AL#150018	18	50,7	149,0	103,5	874	455	786	410	683,00	785,00	854,00	1.678,00
AL#150020	20	55,5	149,0	103,5	974	507	877	457	699,00	804,00	874,00	1.793,00
AL#150022	22	60,3	149,0	103,5	1075	560	967	504	735,00	845,00	919,00	1.882,00
AL#150024	24	65,1	149,0	103,5	1173	611	1055	550	794,00	913,00	993,00	2.072,00

Width 200 cm only upon request.

HOW TO WRITE THE CODE OF THE MODELS IN THE BASICS HOME COLLECTION

EXAMPLE :

Radiator model	**CV14** vertical single
Height	**200** cm
N° Elements	**18** elements
Attack	**0B2**
Fixing support	**ST** Standard wall
Color	**Code 9010** Standard white

The above towel warmer has the following code:

CV14# (1) Heating model: Vertical radiator with **14** mm diameter round elements

200 (2) Height

018 (3) N° Elements

0B2 (4) Connectors type

ST (5) Fixing support type

9010 (6) Colour

CV 14 Vertical SINGLE (1)

(2)

Height (cm)		60		70		80		120		150		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	15,4	115	192,00	133	207,00	151	205,00	220	238,00	270	275,00	287	296,00	320	323,00	353	340,00	384	394,00
8	20,2	153	238,00	177	254,00	201	243,00	293	288,00	360	321,00	382	340,00	426	368,00	471	389,00	512	443,00
10	25,0	191	261,00	221	274,00	251	255,00	366	294,00	450	334,00	478	365,00	533	392,00	589	413,00	640	485,00
12	29,8	229	263,00	265	274,00	301	254,00	439	285,00	540	314,00	574	339,00	640	369,00	707	389,00	768	473,00
14	34,6	267	266,00	309	279,00	351	256,00	512	294,00	630	329,00	669	359,00	746	388,00	825	408,00	896	497,00
16	39,4	306	282,00	354	304,00	402	279,00	586	317,00	720	359,00	765	390,00	853	422,00	942	450,00	1024	551,00
(3) 18	44,2	344	294,00	398	315,00	452	293,00	659	337,00	810	386,00	860	413,00	959	450,00	1060	481,00	1152	576,00
20	49,0	382	313,00	442	327,00	502	304,00	732	361,00	900	403,00	956	440,00	1066	480,00	1178	511,00	1280	606,00
22	53,8	420	334,00	486	355,00	552	329,00	805	391,00	990	444,00	1052	481,00	1173	526,00	1296	557,00	1408	669,00
24	58,6	458	357,00	530	380,00	602	357,00	878	419,00	1080	475,00	1147	520,00	1279	559,00	1414	606,00	1536	726,00
26	63,4	497	380,00	575	405,00	653	382,00	952	445,00	1170	501,00	1243	552,00	1386	603,00	1531	642,00	1664	774,00
28	68,2	535	404,00	619	429,00	703	399,00	1025	468,00	1260	531,00	1338	580,00	1492	631,00	1649	680,00	1792	823,00
30	73,0	573	419,00	663	442,00	753	414,00	1098	489,00	1350	557,00	1434	610,00	1599	662,00	1767	713,00	1920	859,00
32	77,8	611	429,00	707	462,00	803	432,00	1171	511,00	1440	581,00	1530	634,00	1706	695,00	1885	748,00	2048	909,00
34	82,6	649	442,00	751	476,00	853	447,00	1244	529,00	1530	608,00	1625	662,00	1812	762,00	2003	781,00	2176	952,00
36	87,4	688	484,00	796	523,00	904	493,00	1318	591,00	1620	675,00	1721	735,00	1919	807,00	2120	867,00	2304	1.028,00
38	92,2	726	506,00	840	543,00	954	514,00	1391	614,00	1710	706,00	1816	772,00	2025	846,00	2238	910,00	2432	1.067,00
40	97,0	764	539,00	884	581,00	1004	539,00	1464	647,00	1800	749,00	1912	813,00	2132	890,00	2356	963,00	2560	1.133,00
42	101,8	802	564,00	928	608,00	1054	573,00	1537	688,00	1890	792,00	2008	864,00	2239	949,00	2474	1.021,00	2688	1.211,00
44	106,6	840	589,00	972	630,00	1104	595,00	1610	719,00	1980	830,00	2103	910,00	2345	995,00	2592	1.071,00	2816	1.272,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,273	9,90	1,272	11,50	1,272	13,00	1,269	19,10	1,268	23,50	1,267	24,90	1,266	27,80	1,269	30,60	1,264	33,50

CONNECTORS TYPE

Special connectors
Provided upon request WITH an additional charge of € 70,00

(4)



B2R connection
NOT available in the double colun version

FIXING SUPPORT TYPE

SINGLE COLUMN VERSION
(Connectors 0C1)

Supplied unless otherwise specified in the order.



(code ST) STANDARD WALL support (5)

COLOUR

COLORI RAL / NON RAL

CATEGORIE C0 - C1 - C2

C0_COD. 9010 (6)

Bianco Standard Tubes / Tubes Standard White

BASICS HOME
hydraulic

Products with HYDRAULIC system

BASICS COLLECTION HOME HYDRAULIC

BASICS 14 HOME	HW	page. 98
BASICS 25 HOME	HW	102
COLOR_X HOME	HW	106
IXSTEEL HOME	HW	110
KUBIK HOME	HW	114
PLATFORM HOME	HW	118
PLAIN HOME	HW	120
RITMATO CUSTOM-MADE	HW	124
JOBA	HW	126
HOLA	HW	130



SINGLE COLUMN VERSION
(Connectors 0C1)

Supplied unless otherwise specified in the order.



(code ST) STANDARD WALL support



DOUBLE COLUMN VERSION
(Connectors 0C1)



(code ST) STANDARD WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0C1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8” are present at the head of the collectors.

Special connectors
Provided upon request WITH an additional charge of € 70,00



i = L - 5,8 cm i = 5,0 cm i = L - 5,8 cm

B2R connection
NOT available in the double column version

Connectors on request
available upon request AT NO additional charge.



i = H-3,4 cm Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Standard convertible valves and GVR - (color)

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF2#...CRO	Hole-covering washer kit for Radiators	Glossy Chrome	18,00 €
GVRC#...	Assembly for VALVE with THERMOSTATIC OPTION for B2R connection (only for single column version)	Coloured*	210,00 €

* Coloured Finishes:See TUBES colour chart categories C0, C1, C2 and C3.

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

CV 14 Vertical SINGLE

Height (cm)		60		70		80		120		150		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	15,4	115	192,00	133	207,00	151	205,00	220	238,00	270	275,00	287	296,00	320	323,00	353	340,00	384	394,00
8	20,2	153	238,00	177	254,00	201	243,00	293	288,00	360	321,00	382	340,00	426	368,00	471	389,00	512	443,00
10	25,0	191	261,00	221	274,00	251	255,00	366	294,00	450	334,00	478	365,00	533	392,00	589	413,00	640	485,00
12	29,8	229	263,00	265	274,00	301	254,00	439	285,00	540	314,00	574	339,00	640	369,00	707	389,00	768	473,00
14	34,6	267	266,00	309	279,00	351	256,00	512	294,00	630	329,00	669	359,00	746	388,00	825	408,00	896	497,00
16	39,4	306	282,00	354	304,00	402	279,00	586	317,00	720	359,00	765	390,00	853	422,00	942	450,00	1024	551,00
18	44,2	344	294,00	398	315,00	452	293,00	659	337,00	810	386,00	860	413,00	959	450,00	1060	481,00	1152	576,00
20	49,0	382	313,00	442	327,00	502	304,00	732	361,00	900	403,00	956	440,00	1066	480,00	1178	511,00	1280	606,00
22	53,8	420	334,00	486	355,00	552	329,00	805	391,00	990	444,00	1052	481,00	1173	526,00	1296	557,00	1408	669,00
24	58,6	458	357,00	530	380,00	602	357,00	878	419,00	1080	475,00	1147	520,00	1279	559,00	1414	606,00	1536	726,00
26	63,4	497	380,00	575	405,00	653	382,00	952	445,00	1170	501,00	1243	552,00	1386	603,00	1531	642,00	1664	774,00
28	68,2	535	404,00	619	429,00	703	399,00	1025	468,00	1260	531,00	1338	580,00	1492	631,00	1649	680,00	1792	823,00
30	73,0	573	419,00	663	442,00	753	414,00	1098	489,00	1350	557,00	1434	610,00	1599	662,00	1767	713,00	1920	859,00
32	77,8	611	429,00	707	462,00	803	432,00	1171	511,00	1440	581,00	1530	634,00	1706	695,00	1885	748,00	2048	909,00
34	82,6	649	442,00	751	476,00	853	447,00	1244	529,00	1530	608,00	1625	662,00	1812	762,00	2003	781,00	2176	952,00
36	87,4	688	484,00	796	523,00	904	493,00	1318	591,00	1620	675,00	1721	735,00	1919	807,00	2120	867,00	2304	1.028,00
38	92,2	726	506,00	840	543,00	954	514,00	1391	614,00	1710	706,00	1816	772,00	2025	846,00	2238	910,00	2432	1.067,00
40	97,0	764	539,00	884	581,00	1004	539,00	1464	647,00	1800	749,00	1912	813,00	2132	890,00	2356	963,00	2560	1.133,00
42	101,8	802	564,00	928	608,00	1054	573,00	1537	688,00	1890	792,00	2008	864,00	2239	949,00	2474	1.021,00	2688	1.211,00
44	106,6	840	589,00	972	630,00	1104	595,00	1610	719,00	1980	830,00	2103	910,00	2345	995,00	2592	1.071,00	2816	1.272,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,273	9,90	1,272	11,50	1,272	13,00	1,269	19,10	1,268	23,50	1,267	24,90	1,266	27,80	1,269	30,60	1,264	33,50

CV 14D Vertical DOUBLE

Height (cm)		60		70		80		120		150		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	15,4	173	292,00	199	316,00	224	335,00	318	392,00	382	453,00	402	486,00	440	530,00	496	566,00	536	621,00
8	20,2	230	359,00	265	385,00	298	404,00	424	477,00	509	528,00	536	566,00	587	605,00	661	638,00	715	699,00
10	25,0	288	392,00	331	416,00	373	423,00	530	484,00	636	553,00	670	601,00	734	650,00	826	680,00	894	747,00
12	29,8	346	397,00	397	416,00	448	418,00	636	470,00	763	522,00	804	564,00	881	607,00	991	638,00	1073	704,00
14	34,6	403	402,00	463	423,00	522	425,00	742	483,00	890	543,00	938	590,00	1028	634,00	1156	679,00	1252	747,00
16	39,4	461	427,00	530	457,00	597	460,00	848	526,00	1018	590,00	1072	644,00	1174	695,00	1322	743,00	1430	813,00
18	44,2	518	447,00	596	476,00	671	481,00	954	557,00	1145	631,00	1206	681,00	1321	743,00	1487	796,00	1609	870,00
20	49,0	576	470,00	662	494,00	746	501,00	1060	592,00	1272	669,00	1340	726,00	1468	793,00	1652	842,00	1788	927,00
22	53,8	634	503,00	728	534,00	821	546,00	1166	648,00	1399	730,00	1474	796,00	1615	866,00	1817	922,00	1967	1.013,00
24	58,6	691	538,00	794	579,00	895	588,00	1272	693,00	1526	786,00	1608	855,00	1762	931,00	1982	998,00	2146	1.092,00
26	63,4	749	579,00	861	608,00	970	626,00	1378	736,00	1654	831,00	1742	910,00	1908	989,00	2148	1.063,00	2324	1.162,00
28	68,2	806	604,00	927	650,00	1044	660,00	1484	772,00	1781	881,00	1876	959,00	2055	1.040,00	2313	1.122,00	2503	1.231,00
30	73,0	864	627,00	993	670,00	1119	685,00	1590	809,00	1908	922,00	2010	1.008,00	2202	1.093,00	2478	1.174,00	2682	1.286,00
32	77,8	922	651,00	1059	695,00	1194	714,00	1696	842,00	2035	961,00	2144	1.050,00	2349	1.146,00	2643	1.231,00	2861	1.351,00
34	82,6	979	669,00	1125	717,00	1268	740,00	1802	873,00	2162	1.005,00	2278	1.093,00	2496	1.261,00	2808	1.290,00	3040	1.422,00
36	87,4	1037	700,00	1192	762,00	1343	789,00	1908	944,00	2290	1.080,00	2412	1.177,00	2642	1.294,00	2974	1.387,00	3218	1.487,00
38	92,2	1094	742,00	1258	796,00	1417	821,00	2014	984,00	2417	1.131,00	2546	1.235,00	2789	1.351,00	3139	1.455,00	3397	1.555,00
40	97,0	1152	816,00	1324	874,00	1492	889,00	2120	1.073,00	2544	1.234,00	2680	1.347,00	2936	1.476,00	3304	1.591,00	3576	1.691,00
42	101,8	1210	849,00	1390	920,00	1567	945,00	2226	1.135,00	2671	1.306,00	2814	1.428,00	3083	1.570,00	3469	1.688,00		
44	106,6	1267	884,00	1456	951,00	1641	983,00	2332	1.187,00	2798	1.367,00	2948	1.500,00	3230	1.641,00	3634	1.767,00		
Coefficient «n» / Watt ΔT 30°C x Elem.		1,332	14,50	1,329	16,50	1,326	18,90	1,314	27,00	1,305	32,60	1,302	34,40	1,326	37,20	1,342	41,40	1,335	45,00

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.

SIZES AVAILABLE TO ORDER: All the sizes in INTERMEDIATE HEIGHT every 10 cm starting from 40 cm up to 280 cm are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 116



SINGLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise
specified in the order.



DOUBLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise
specified in the order.



STANDARD WALL
Support (code ST)



Interaxis I=L-3,4 cm



STANDARD WALL
Support (code ST)

CONNECTORS The radiators are supplied as standard with 0B1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

CO 14 Horizontal SINGLE

Width (cm)		40		50		60		70		80		100		110		120		150	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	15,4	76	198,00	97	192,00	114	198,00	133	212,00	152	222,00	190	230,00	210	249,00	228	255,00	285	297,00
8	20,2	103	243,00	129	241,00	155	244,00	178	262,00	205	264,00	258	275,00	280	299,00	308	312,00	380	346,00
10	25,0	131	275,00	161	262,00	197	268,00	222	283,00	260	275,00	329	300,00	350	308,00	390	316,00	475	360,00
12	29,8	159	281,00	199	269,00	238	270,00	278	283,00	317	274,00	397	281,00	437	297,00	476	308,00	595	339,00
14	34,6	188	287,00	235	270,00	281	275,00	328	289,00	375	280,00	470	283,00	516	306,00	563	316,00	704	355,00
16	39,4	217	299,00	271	287,00	322	293,00	380	314,00	434	301,00	543	315,00	597	329,00	643	342,00	804	387,00
18	44,2	246	314,00	305	299,00	368	309,00	430	326,00	488	315,00	615	329,00	672	350,00	736	362,00	920	415,00
20	49,0	273	326,00	342	314,00	409	322,00	478	337,00	547	328,00	684	348,00	753	368,00	818	388,00	1022	435,00
22	53,8	302	353,00	376	337,00	450	345,00	528	366,00	602	355,00	755	374,00	828	404,00	899	420,00	1124	479,00
24	58,6	329	376,00	411	363,00	491	368,00	576	398,00	657	386,00	824	401,00	903	431,00	981	453,00	1226	514,00
26	63,4	356	404,00	445	385,00	531	398,00	623	417,00	712	413,00	891	426,00	979	464,00	1063	480,00	1329	545,00
28	68,2	384	417,00	455	406,00	572	415,00	671	441,00	728	431,00	960	453,00	1001	480,00	1145	505,00	1431	578,00
30	73,0	409	431,00	512	417,00	614	431,00	716	455,00	819	445,00	1025	472,00	1126	503,00	1230	527,00	1538	601,00
32	77,8	436	440,00	546	432,00	655	441,00	763	479,00	873	466,00	1092	491,00	1201	522,00	1312	552,00	1641	630,00
34	82,6	462	451,00	577	440,00	696	455,00	808	490,00	921	484,00	1156	509,00	1267	542,00	1394	571,00	1743	657,00
36	87,4	487	474,00	611	463,00	737	484,00	853	522,00	976	516,00	1221	545,00	1342	583,00	1476	617,00	1846	706,00
38	92,2	512	502,00	641	490,00	769	506,00	897	544,00	1024	536,00	1283	569,00	1408	609,00	1540	645,00	1925	740,00
40	97,0	538	540,00	675	523,00	808	540,00	942	578,00	1078	563,00	1347	597,00	1483	645,00	1617	679,00	2021	780,00
42	101,8	563	576,00	704	545,00	848	561,00	985	609,00	1124	597,00	1410	635,00	1546	686,00	1698	717,00	2123	827,00
44	106,6	588	597,00	737	581,00	844	604,00	1029	647,00	1178	641,00	1472	677,00	1619	735,00	1691	773,00	2114	893,00
Watt ΔT 30°C x Elem.		6,00		8,00		9,50		11,20		12,70		16,00		17,50		19,20		24,00	

CO 14D Horizontal DOUBLE

Width (cm)		40		50		60		70		80		100		110		120		150	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	15,4	143	296,00	178	289,00	213	299,00	249	325,00	285	342,00	356	360,00	392	389,00	428	402,00	534	462,00
8	20,2	190	363,00	238	355,00	285	367,00	332	395,00	381	413,00	475	431,00	522	465,00	571	487,00	713	540,00
10	25,0	235	413,00	294	395,00	353	402,00	412	426,00	471	433,00	589	469,00	648	480,00	706	495,00	883	566,00
12	29,8	280	421,00	350	404,00	418	407,00	489	426,00	559	428,00	700	438,00	769	462,00	837	480,00	1047	533,00
14	34,6	324	428,00	404	409,00	485	412,00	567	433,00	646	435,00	810	442,00	889	478,00	969	494,00	1212	556,00
16	39,4	367	449,00	458	428,00	554	437,00	642	469,00	733	471,00	918	493,00	1008	518,00	1108	538,00	1386	607,00
18	44,2	409	470,00	515	449,00	613	458,00	716	486,00	824	492,00	1024	518,00	1134	548,00	1227	569,00	1534	645,00
20	49,0	452	486,00	564	469,00	682	480,00	790	504,00	902	514,00	1130	542,00	1241	583,00	1363	609,00	1705	684,00
22	53,8	492	528,00	615	504,00	739	515,00	861	548,00	985	560,00	1231	589,00	1354	632,00	1477	663,00	1847	749,00
24	58,6	533	567,00	667	542,00	799	550,00	934	592,00	1067	600,00	1335	628,00	1468	675,00	1599	708,00	1999	805,00
26	63,4	573	599,00	716	578,00	859	592,00	1003	623,00	1146	640,00	1434	669,00	1577	718,00	1718	752,00	2149	850,00
28	68,2	612	623,00	765	609,00	918	618,00	1070	666,00	1224	675,00	1530	707,00	1684	752,00	1836	793,00	2296	903,00
30	73,0	650	640,00	813	623,00	975	642,00	1138	685,00	1301	702,00	1627	739,00	1789	786,00	1950	826,00	2439	944,00
32	77,8	688	662,00	860	644,00	1032	667,00	1204	710,00	1376	731,00	1721	765,00	1893	815,00	2064	863,00	2581	984,00
34	82,6	725	675,00	906	662,00	1088	684,00	1268	733,00	1450	758,00	1814	799,00	1994	846,00	2176	893,00	2722	1.028,00
36	87,4	762	710,00	952	696,00	1142	718,00	1333	780,00	1523	807,00	1906	854,00	2095	911,00	2285	965,00	2857	1.105,00
38	92,2	797	774,00	997	752,00	1196	780,00	1396	837,00	1595	867,00	1995	913,00	2194	979,00	2391	1.034,00	2991	1.189,00
40	97,0	832	830,00	1040	807,00	1249	831,00	1457	890,00	1664	906,00	2083	963,00	2289	1.034,00	2498	1.094,00	3124	1.257,00
42	101,8	866	887,00	1083	838,00	1301	866,00	1516	937,00	1734	963,00	2168	1.022,00	2384	1.102,00	2601	1.157,00	3253	1.331,00
44	106,6	900	895,00	1125	869,00	1350	901,00	1576	969,00	1800	1.002,00	2253	1.061,00	2476	1.151,00	2700	1.209,00	3377	1.393,00
Watt ΔT 30°C x Elem.		9,00		11,20		13,50		15,70		18,00		22,50		28,50		31,10		38,90	

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.

SIZES AVAILABLE TO ORDER:All the sizes in INTERMEDIATE WIDTH every 10 cm starting from 40 cm up to 280 cm are AVAILABLE TO ORDER and the price is calculated upon request.MAX NUMBER OF ELEMENTS 116

Standard convertible valves

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF2#...CRO	Hole-covering washer kit for Radiators	Glossy Chrome	18,00 €



SINGLE COLUMN VERSION
(Connectors 0C1)

Supplied unless otherwise specified in the order.



(code ST) STANDARD WALL support



DOUBLE COLUMN VERSION
(Connectors 0C1)



(code ST) STANDARD WALL support

CONNECTORS The radiators are supplied as standard with 0C1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8" are present at the head of the collectors.

Special connectors
Provided upon request WITH an additional charge of € 70,00



B2R connection NOT available in the double column version

Connectors on request
available upon request AT NO additional charge.



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Standard convertible valves and GVR - (color)

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF2#...CRO	Hole-covering washer kit for Radiators	Glossy Chrome	18,00 €
GVRC#...	Assembly for VALVE with THERMOSTATIC OPTION for B2R connection (only for single column version)	Coloured*	210,00 €

* Coloured Finishes:See TUBES colour chart categories C0, C1, C2 and C3.

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

CV 25 Vertical SINGLE

Height (cm)		60		70		80		120		150		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
5	18,0	150	188,00	173	192,00	196	197,00	283	227,00	344	247,00	363	254,00	403	252,00	441	274,00	480	306,00
6	21,5	180	182,00	208	193,00	235	199,00	339	229,00	412	251,00	436	256,00	483	269,00	529	277,00	576	318,00
7	25,0	210	188,00	242	202,00	274	205,00	396	236,00	481	260,00	508	271,00	564	275,00	617	294,00	672	337,00
8	28,5	240	194,00	277	208,00	314	209,00	452	247,00	550	277,00	581	281,00	644	284,00	705	304,00	768	350,00
9	32,0	270	193,00	311	208,00	353	221,00	509	251,00	618	284,00	653	289,00	725	299,00	793	316,00	864	364,00
10	35,5	300	202,00	346	209,00	392	221,00	565	254,00	687	289,00	726	300,00	805	305,00	881	324,00	960	371,00
11	39,0	330	214,00	381	227,00	431	234,00	622	275,00	756	316,00	799	322,00	886	325,00	969	347,00	1056	403,00
12	42,5	360	227,00	415	240,00	470	242,00	678	289,00	824	330,00	871	342,00	966	347,00	1057	371,00	1152	427,00
13	46,0	390	240,00	450	250,00	510	254,00	735	306,00	893	350,00	944	364,00	1047	366,00	1145	396,00	1248	457,00
14	49,5	420	250,00	484	260,00	549	264,00	791	322,00	962	367,00	1016	380,00	1127	391,00	1233	416,00	1344	485,00
15	53,0	450	260,00	519	272,00	588	275,00	848	338,00	1031	385,00	1089	407,00	1208	410,00	1322	444,00	1440	511,00
16	56,5	480	275,00	554	278,00	627	286,00	904	359,00	1099	409,00	1162	430,00	1288	436,00	1410	467,00	1536	539,00
17	60,0	510	276,00	588	289,00	666	300,00	961	372,00	1168	430,00	1234	450,00	1369	457,00	1498	491,00	1632	565,00
18	63,5	540	286,00	623	299,00	706	316,00	1017	392,00	1237	450,00	1307	469,00	1449	478,00	1586	517,00	1728	594,00
19	67,0	570	295,00	657	308,00	745	325,00	1074	409,00	1305	469,00	1379	490,00	1530	499,00	1674	540,00	1824	620,00
20	70,5	600	304,00	692	326,00	784	338,00	1130	425,00	1374	490,00	1452	511,00	1610	524,00	1762	565,00	1920	660,00
21	74,0	630	319,00	727	338,00	823	350,00	1187	438,00	1443	511,00	1525	532,00	1691	548,00	1850	588,00	2016	684,00
22	77,5	660	326,00	761	346,00	862	364,00	1243	460,00	1511	529,00	1597	556,00	1771	568,00	1938	610,00	2112	712,00
23	81,0	690	337,00	796	355,00	902	374,00	1300	478,00	1580	548,00	1670	580,00	1852	589,00	2026	638,00	2208	742,00
24	84,5	720	355,00	830	378,00	941	401,00	1356	505,00	1649	589,00	1742	612,00	1932	631,00	2114	678,00	2304	766,00
25	88,0	750	372,00	865	398,00	980	419,00	1413	532,00	1718	620,00	1815	646,00	2013	667,00	2203	714,00	2400	806,00
26	91,5	780	384,00	900	414,00	1019	436,00	1469	548,00	1786	643,00	1888	671,00	2093	688,00	2291	748,00	2496	841,00
27	95,0	810	392,00	934	430,00	1058	444,00	1526	569,00	1855	664,00	1960	694,00	2174	710,00	2379	764,00	2592	865,00
28	98,5	840	407,00	969	440,00	1098	456,00	1582	589,00	1924	682,00	2033	714,00	2254	734,00	2467	794,00	2688	894,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,272	15,60	1,270	18,00	1,268	20,40	1,260	29,50	1,254	36,00	1,252	38,10	1,269	42,10	1,279	45,80	1,277	50,00

CV 25D Vertical DOUBLE

Height (cm)		60		70		80		120		150		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
5	18,0	221	280,00	253	287,00	285	308,00	406	359,00	492	424,00	520	406,00	575	395,00	629	432,00	681	502,00
6	21,5	265	276,00	304	289,00	341	311,00	487	360,00	590	427,00	623	408,00	689	410,00	754	439,00	817	517,00
7	25,0	309	280,00	354	305,00	398	319,00	568	368,00	688	449,00	727	427,00	804	436,00	880	463,00	953	546,00
8	28,5	353	293,00	405	312,00	455	331,00	649	394,00	786	469,00	831	444,00	919	454,00	1006	480,00	1089	576,00
9	32,0	397	289,00	455	314,00	512	337,00	730	398,00	885	449,00	935	463,00	1034	470,00	1131	499,00	1225	594,00
10	35,5	441	308,00	506	316,00	569	338,00	811	404,00	983	462,00	1039	478,00	1149	482,00	1257	511,00	1361	610,00
11	39,0	485	325,00	557	337,00	626	356,00	892	432,00	1081	496,00	1143	511,00	1264	515,00	1383	551,00	1497	656,00
12	42,5	529	338,00	607	356,00	683	368,00	973	462,00	1180	527,00	1247	542,00	1379	551,00	1508	588,00	1633	700,00
13	46,0	573	356,00	658	368,00	740	395,00	1054	486,00	1278	554,00	1351	577,00	1494	584,00	1634	629,00	1769	748,00
14	49,5	617	368,00	708	391,00	797	414,00	1135	511,00	1376	583,00	1455	608,00	1609	619,00	1760	665,00	1905	791,00
15	53,0	662	391,00	759	412,00	854	432,00	1217	533,00	1475	614,00	1559	644,00	1724	656,00	1886	704,00	2042	835,00
16	56,5	706	418,00	810	431,00	910	451,00	1298	569,00	1573	649,00	1662	680,00	1838	690,00	2011	742,00	2178	881,00
17	60,0	750	426,00	860	444,00	967	475,00	1379	596,00	1671	680,00	1766	712,00	1953	722,00	2137	780,00	2314	925,00
18	63,5	794	443,00	911	462,00	1024	496,00	1460	619,00	1769	712,00	1870	748,00	2068	757,00	2263	821,00	2450	968,00
19	67,0	838	454,00	961	479,00	1081	517,00	1541	649,00	1868	748,00	1974	778,00	2183	797,00	2388	857,00	2586	1.015,00
20	70,5	882	472,00	1012	502,00	1138	532,00	1622	671,00	1966	778,00	2078	812,00	2298	832,00	2514	894,00	2722	1.076,00
21	74,0	926	520,00	1063	550,00	1195	588,00	1703	739,00	2064	859,00	2182	898,00	2413	919,00	2640	991,00	2858	1.118,00
22	77,5	970	530,00	1113	569,00	1252	610,00	1784	775,00	2163	895,00	2286	935,00	2528	959,00	2765	1.032,00	2994	1.164,00
23	81,0	1014	550,00	1164	584,00	1309	632,00	1865	803,00	2261	929,00	2390	968,00	2643	994,00	2891	1.074,00	3130	1.210,00
24	84,5	1058	569,00	1214	601,00	1366	655,00	1946	827,00	2359	962,00	2494	1.003,00	2758	1.032,00	3017	1.114,00	3266	1.254,00
26	91,5	1147	601,00	1316	647,00	1479	696,00	2109	886,00	2556	1.031,00	2701	1.076,00	2987	1.105,00	3268	1.193,00	3539	1.348,00
28	98,5	1235	632,00	1417	688,00	1593	731,00	2271	944,00	2752	1.092,00	2909	1.152,00	3217	1.180,00	3520	1.276,00	3811	1.436,00
30	105,5	1323	695,00	1518	751,00	1707	804,00	2433	1.034,00	2949	1.204,00	3117	1.267,00	3447	1.298,00	3771	1.412,00	4083	1.598,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,315	22,50	1,314	25,80	1,314	29,00	1,311	41,50	1,309	50,30	1,307	53,20	1,306	58,80	1,279	65,00	1,303	69,90

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.

SIZES AVAILABLE TO ORDER:All the sizes in INTERMEDIATE HEIGHT every 10 cm starting from 40 cm up to 280 cm are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 78



SINGLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise specified in the order.



STANDARD WALL
Support (code ST)



Interaxis I=L-3,4 cm



DOUBLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise specified in the order.



STANDARD WALL
Support (code ST)

CONNECTORS The radiators are supplied as standard with 0B1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



i = H - 7,0 cm



i = L + 13,8 cm

Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify "i" and "d"
i min = 5cm d min = 2cm

Standard convertible valves

For more information on the choice of valves, see p. 310

	Code	Description	Finishes	*Price (€)
	Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
	2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
	ZRCF2#...CRO	Hole-covering washer kit for Radiators	Glossy Chrome	18,00 €

* Coloured Finishes:See TUBES colour chart categories C0, C1, C2 and C3.

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

CO 25 Horizontal SINGLE

Width (cm)		40		50		60		70		80		100		110		120		150	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
5	18,0	104	211,00	131	203,00	156	205,00	182	209,00	209	191,00	261	217,00	287	223,00	313	225,00	391	273,00
6	21,5	126	203,00	158	197,00	188	198,00	221	211,00	253	194,00	315	217,00	348	224,00	379	229,00	474	276,00
7	25,0	148	205,00	186	204,00	223	205,00	259	223,00	297	198,00	371	223,00	409	234,00	446	236,00	557	288,00
8	28,5	170	208,00	212	208,00	256	212,00	298	225,00	340	205,00	426	225,00	467	248,00	512	248,00	640	306,00
9	32,0	192	208,00	239	209,00	288	211,00	337	225,00	382	217,00	481	231,00	525	254,00	576	251,00	720	314,00
10	35,5	213	208,00	265	209,00	320	223,00	374	229,00	425	217,00	534	236,00	584	261,00	640	255,00	799	322,00
11	39,0	235	215,00	294	216,00	353	234,00	412	250,00	471	225,00	588	254,00	647	270,00	707	273,00	883	345,00
12	42,5	257	224,00	321	225,00	385	250,00	449	262,00	514	236,00	642	264,00	706	281,00	771	280,00	964	366,00
13	46,0	278	232,00	348	232,00	417	262,00	487	271,00	557	248,00	695	276,00	765	306,00	836	294,00	1044	386,00
14	49,5	299	247,00	375	247,00	450	271,00	524	271,00	600	260,00	748	294,00	824	309,00	900	309,00	1124	404,00
15	53,0	320	256,00	401	255,00	480	271,00	561	287,00	643	273,00	801	295,00	883	326,00	961	323,00	1201	427,00
16	56,5	341	264,00	428	264,00	512	288,00	598	300,00	685	287,00	854	309,00	942	341,00	1026	341,00	1281	452,00
17	60,0	362	271,00	455	274,00	544	296,00	635	309,00	728	301,00	907	323,00	1001	355,00	1090	359,00	1362	474,00
18	63,5	384	282,00	480	289,00	576	308,00	672	322,00	769	312,00	960	334,00	1056	376,00	1154	376,00	1442	497,00
19	67,0	405	289,00	506	301,00	608	319,00	709	334,00	810	312,00	1012	350,00	1113	400,00	1218	391,00	1522	516,00
20	70,5	426	290,00	533	301,00	638	327,00	746	349,00	853	323,00	1065	363,00	1172	417,00	1278	404,00	1597	543,00
21	74,0	447	296,00	558	310,00	670	341,00	783	362,00	894	333,00	1118	384,00	1228	426,00	1342	420,00	1676	566,00
22	77,5	467	310,00	584	322,00	702	349,00	818	372,00	935	348,00	1169	391,00	1285	438,00	1406	439,00	1756	583,00
23	81,0	487	320,00	610	333,00	734	361,00	854	361,00	976	360,00	1220	405,00	1341	455,00	1469	455,00	1836	607,00
24	84,5	509	336,00	636	350,00	763	384,00	891	404,00	1018	385,00	1272	433,00	1398	484,00	1528	481,00	1909	649,00
25	88,0	529	349,00	661	360,00	794	392,00	926	419,00	1059	392,00	1323	445,00	1455	500,00	1589	500,00	1985	673,00
26	91,5	550	359,00	688	371,00	826	404,00	963	435,00	1102	405,00	1376	464,00	1513	514,00	1652	516,00	2065	697,00
27	95,0	569	368,00	712	381,00	854	415,00	997	452,00	1140	415,00	1424	472,00	1566	533,00	1710	535,00	2137	716,00
28	98,5	590	378,00	737	387,00	884	427,00	1033	465,00	1180	428,00	1475	492,00	1621	544,00	1769	552,00	2211	738,00
Watt ΔT 30°C x Elem.		10,50		12,60		15,50		18,60		21,60		27,00		28,30		30,90		38,50	

CO 25D Horizontal DOUBLE

Width (cm)		60		70		80		100		110		120		150		160		180	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
5	18,0	266	289,00	310	297,00	355	300,00	443	329,00	487	359,00	532	349,00	665	405,00	709	418,00	798	431,00
6	21,5	309	284,00	361	300,00	412	302,00	515	329,00	567	360,00	617	350,00	774	413,00	823	420,00	928	451,00
7	25,0	351	289,00	409	315,00	469	310,00	586	342,00	644	373,00	702	361,00	878	431,00	937	440,00	1055	474,00
8	28,5	394	301,00	459	321,00	527	321,00	657	348,00	723	385,00	787	384,00	984	451,00	1051	458,00	1182	497,00
9	32,0	437	300,00	509	325,00	584	328,00	728	354,00	802	392,00	873	389,00	1092	464,00	1165	480,00	1312	514,00
10	35,5	480	316,00	560	326,00	642	329,00	802	361,00	881	402,00	960	393,00	1200	478,00	1282	492,00	1442	524,00
11	39,0	522	333,00	609	349,00	698	348,00	872	392,00	957	437,00	1044	420,00	1306	510,00	1394	524,00	1569	561,00
12	42,5	565	350,00	659	368,00	755	361,00	944	409,00	1036	451,00	1129	452,00	1411	542,00	1510	557,00	1696	601,00
13	46,0	607	368,00	708	384,00	811	385,00	1013	428,00	1113	497,00	1214	474,00	1517	571,00	1620	594,00	1823	637,00
14	49,5	649	384,00	756	402,00	867	402,00	1082	452,00	1190	503,00	1298	494,00	1623	601,00	1731	625,00	1950	676,00
15	53,0	694	402,00	809	425,00	926	420,00	1158	476,00	1271	524,00	1386	522,00	1733	632,00	1852	662,00	2083	710,00
16	56,5	739	428,00	862	443,00	987	440,00	1234	494,00	1354	550,00	1477	552,00	1846	671,00	1974	702,00	2218	752,00
17	60,0	783	439,00	912	458,00	1046	464,00	1306	520,00	1435	573,00	1565	582,00	1956	702,00	2088	735,00	2351	789,00
18	63,5	827	455,00	963	478,00	1105	481,00	1379	543,00	1516	609,00	1653	605,00	2067	735,00	2206	768,00	2483	827,00
19	67,0	870	470,00	1013	493,00	1162	506,00	1451	568,00	1595	641,00	1739	632,00	2175	768,00	2320	800,00	2613	868,00
20	70,5	913	485,00	1065	516,00	1220	520,00	1524	594,00	1674	676,00	1826	654,00	2283	800,00	2438	835,00	2743	909,00
21	74,0	956	536,00	1115	569,00	1277	573,00	1596	650,00	1753	734,00	1910	719,00	2388	887,00	2552	925,00	2870	1.007,00
22	77,5	998	548,00	1165	584,00	1335	595,00	1667	671,00	1832	753,00	1995	754,00	2494	923,00	2666	963,00	2997	1.045,00
23	81,0	1040	569,00	1213	602,00	1390	618,00	1736	701,00	1907	784,00	2080	782,00	2600	958,00	2776	999,00	3124	1.086,00
24	84,5	1082	584,00	1261	620,00	1446	637,00	1805	719,00	1984	807,00	2162	806,00	2703	990,00	2887	1.037,00	3249	1.127,00
25	88,0	1124	602,00	1309	643,00	1502	654,00	1875	747,00	2061	834,00	2247	830,00	2809	1.028,00	2997	1.073,00	3376	1.165,00
26	91,5	1164	620,00	1358	669,00	1556	676,00	1944	768,00	2136	859,00	2328	866,00	2910	1.063,00	3108	1.107,00	3497	1.204,00
27	95,0	1205	634,00	1404	688,00	1609	693,00	2010	789,00	2208	887,00	2409	893,00	3011	1.093,00	3214	1.147,00	3619	1.246,00
28	98,5	1245	654,00	1452	708,00	1664	710,00	2079	821,00	2283	916,00	2490	920,00	3112	1.127,00	3325	1.191,00	3740	1.284,00
Watt ΔT 30°C x Elem.		18,00		21,00		24,10		30,10		36,60		39,90		57,10		61,00		68,60	

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.

SIZES AVAILABLE TO ORDER: All the sizes in INTERMEDIATE LENGHT every 10 cm starting from 40 cm up to 280 cm are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 78



SINGLE COLUMN VERSION
(Connectors 0C1)

Supplied unless otherwise specified in the order.



(code ST) STANDARD WALL support



DOUBLE COLUMN VERSION
(Connectors 0C1)



(code ST) STANDARD WALL support

CONNECTORS The radiators are supplied as standard with 0C1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8" are present at the head of the collectors.

Special connectors
Provided upon request WITH an additional charge of € 70,00



B2R connection NOT available in the double column version

i = L - 3,8 cm i = 5,0 cm i = L - 3,8 cm

Connectors on request
available upon request AT NO additional charge.



i = H-3,4 cm Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify "i" and "d"
i min = 5cm d min = 2cm

Standard convertible valves and GVR - (color)

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF2#...CRO	Hole-covering washer kit for Radiators	Glossy Chrome	18,00 €
GVRC#...	Assembly for VALVE with THERMOSTATIC OPTION for B2R connection (only for single column version)	Coloured*	210,00 €

* Coloured Finishes:See TUBES colour chart categories C0, C1, C2 and C3.

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

CV 10 Vertical SINGLE

Height (cm)		60		70		80		120		150		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	9,9	79	435,00	91	435,00	103	437,00	148	442,00	180	452,00	191	454,00	211	407,00	231	409,00	251	460,00
8	12,9	106	447,00	122	448,00	137	449,00	197	456,00	240	471,00	254	472,00	282	425,00	308	428,00	334	482,00
10	15,9	132	460,00	152	462,00	171	465,00	246	471,00	300	489,00	318	490,00	352	443,00	385	446,00	418	504,00
12	18,9	158	472,00	182	475,00	205	478,00	295	486,00	360	509,00	382	510,00	422	460,00	462	465,00	502	524,00
14	21,9	185	485,00	213	487,00	239	490,00	344	502,00	420	526,00	445	530,00	493	478,00	539	483,00	585	545,00
16	24,9	211	498,00	243	501,00	274	506,00	394	517,00	480	544,00	509	549,00	563	495,00	616	502,00	669	568,00
18	27,9	238	513,00	274	515,00	308	518,00	443	532,00	540	564,00	572	568,00	634	515,00	693	519,00	752	587,00
20	30,9	264	522,00	304	528,00	342	531,00	492	548,00	600	581,00	636	585,00	704	531,00	770	538,00	836	610,00
22	33,9	290	537,00	334	540,00	376	544,00	541	563,00	660	601,00	700	605,00	774	549,00	847	555,00	920	632,00
24	36,9	317	549,00	365	553,00	410	560,00	590	577,00	720	618,00	763	625,00	845	567,00	924	576,00	1003	654,00
26	39,9	343	563,00	395	567,00	445	572,00	640	593,00	780	639,00	827	644,00	915	583,00	1001	593,00	1087	673,00
28	42,9	370	575,00	426	579,00	479	584,00	689	608,00	840	657,00	890	662,00	986	602,00	1078	611,00	1170	697,00
30	45,9	396	585,00	456	593,00	513	599,00	738	622,00	900	674,00	954	681,00	1056	618,00	1155	631,00	1254	717,00
32	48,9	422	600,00	486	607,00	547	611,00	787	639,00	960	696,00	1018	701,00	1126	638,00	1232	648,00	1338	738,00
34	51,9	449	611,00	517	618,00	581	626,00	836	654,00	1020	710,00	1081	720,00	1197	655,00	1309	667,00	1421	761,00
36	54,9	475	625,00	547	632,00	616	640,00	886	668,00	1080	731,00	1145	738,00	1267	672,00	1386	685,00	1505	783,00
38	57,9	502	638,00	578	645,00	650	654,00	935	682,00	1140	749,00	1208	758,00	1338	727,00	1463	704,00	1588	801,00
40	60,9	528	649,00	608	659,00	684	667,00	984	699,00	1200	768,00	1272	776,00	1408	743,00	1540	724,00	1672	825,00
42	63,9	554	662,00	638	671,00	718	679,00	1033	713,00	1260	788,00	1336	795,00	1478	763,00	1617	776,00	1756	846,00
44	66,9	581	674,00	669	683,00	752	694,00	1082	729,00	1320	804,00	1399	814,00	1549	779,00	1694	797,00	1839	867,00
46	69,9	607	687,00	699	698,00	787	706,00	1132	742,00	1380	825,00	1463	834,00	1619	799,00	1771	815,00	1923	889,00
48	72,9	634	702,00	730	709,00	821	720,00	1181	760,00	1440	843,00	1526	854,00	1690	816,00	1848	836,00	2006	911,00
50	75,9	660	713,00	760	725,00	855	733,00	1230	774,00	1500	861,00	1590	870,00	1760	836,00	1925	856,00	2090	930,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,289	6,80	1,300	7,60	1,311	8,70	1,331	12,40	1,329	15,20	1,328	16,10	1,335	17,70	1,343	19,20	1,350	20,70

CV 10D Vertical DOUBLE

Height (cm)		60		70		80		120		150		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	9,9	119	472,00	136	475,00	152	478,00	215	486,00	262	508,00	280	509,00	311	515,00	344	519,00	377	522,00
8	12,9	159	498,00	181	501,00	202	504,00	287	517,00	349	541,00	373	545,00	415	552,00	459	560,00	503	565,00
10	15,9	199	521,00	226	526,00	253	530,00	359	545,00	436	578,00	466	581,00	519	591,00	574	599,00	629	607,00
12	18,9	239	545,00	271	551,00	304	554,00	431	576,00	523	613,00	559	616,00	623	628,00	689	639,00	755	647,00
14	21,9	279	571,00	316	577,00	354	581,00	503	603,00	610	648,00	652	656,00	727	667,00	804	675,00	881	691,00
16	24,9	318	596,00	362	601,00	405	608,00	574	633,00	698	685,00	746	693,00	830	704,00	918	717,00	1006	730,00
18	27,9	358	618,00	407	626,00	455	636,00	646	662,00	785	722,00	839	729,00	934	742,00	1033	756,00	1132	771,00
20	30,9	398	644,00	452	651,00	506	660,00	718	693,00	872	756,00	932	764,00	1038	781,00	1148	796,00	1258	813,00
22	33,9	438	668,00	497	675,00	557	685,00	790	722,00	959	792,00	1025	800,00	1142	820,00	1263	836,00	1384	855,00
24	36,9	478	694,00	542	703,00	607	710,00	862	749,00	1046	828,00	1118	837,00	1246	857,00	1378	874,00	1510	895,00
26	39,9	517	717,00	588	729,00	658	737,00	933	778,00	1134	862,00	1212	873,00	1349	895,00	1492	916,00	1635	934,00
28	42,9	557	740,00	633	752,00	708	764,00	1005	807,00	1221	899,00	1305	911,00	1453	931,00	1607	956,00	1761	977,00
30	45,9	597	766,00	678	777,00	759	790,00	1077	837,00	1308	934,00	1398	948,00	1557	973,00	1722	993,00	1887	1.019,00
32	48,9	637	791,00	723	801,00	810	816,00	1149	867,00	1395	969,00	1491	984,00	1661	1.009,00	1837	1.036,00	2013	1.059,00
34	51,9	677	815,00	768	828,00	860	840,00	1221	895,00	1482	1.007,00	1584	1.070,00	1765	1.046,00	1952	1.074,00	2139	1.102,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,309	10,00	1,318	11,50	1,328	12,80	1,353	17,90	1,363	21,70	1,367	23,10	1,358	25,80	1,350	28,50	1,346	31,50

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.

SIZES AVAILABLE TO ORDER:All the sizes in INTERMEDIATE HEIGHT every 10 cm starting from 40 cm up to 280 cm are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 50



SINGLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise
specified in the order.



DOUBLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise
specified in the order.



(code ST) STANDARD
WALL support



Interaxis I=L-3,4 cm



(code ST) STANDARD
WALL support

CONNECTORS The heated towel rails are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

CO 10 Horizontal SINGLE

Width (cm)		40		50		60		70		80		100		110		120		150	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	9,9	58	471,00	73	472,00	87	473,00	102	475,00	117	477,00	146	478,00	160	479,00	175	480,00	219	490,00
8	12,9	78	483,00	98	484,00	118	485,00	137	487,00	157	489,00	196	492,00	216	494,00	235	495,00	294	510,00
10	15,9	100	495,00	125	496,00	150	499,00	175	501,00	199	504,00	249	508,00	274	509,00	299	513,00	374	529,00
12	18,9	121	508,00	152	509,00	182	513,00	212	515,00	242	517,00	303	520,00	333	522,00	364	526,00	455	548,00
14	21,9	143	519,00	178	521,00	214	524,00	250	528,00	286	530,00	357	534,00	393	538,00	428	540,00	535	567,00
16	24,9	164	530,00	205	533,00	246	537,00	287	540,00	328	542,00	411	550,00	452	552,00	493	555,00	616	584,00
18	27,9	186	541,00	232	545,00	278	550,00	325	552,00	371	555,00	464	564,00	510	568,00	557	572,00	696	602,00
20	30,9	207	553,00	258	560,00	310	563,00	362	567,00	413	571,00	517	578,00	568	581,00	620	585,00	775	620,00
22	33,9	228	567,00	284	571,00	341	576,00	398	579,00	455	583,00	569	593,00	626	598,00	683	601,00	853	640,00
24	36,9	248	578,00	310	583,00	372	586,00	434	593,00	496	598,00	620	607,00	682	611,00	744	615,00	930	659,00
26	39,9	268	591,00	335	596,00	402	601,00	469	605,00	536	610,00	670	620,00	737	626,00	804	632,00	1006	675,00
28	42,9	288	602,00	360	608,00	432	612,00	504	616,00	576	624,00	720	637,00	792	642,00	864	646,00	1080	697,00
30	45,9	307	613,00	384	618,00	461	626,00	538	632,00	615	639,00	768	648,00	845	656,00	922	661,00	1152	714,00
32	48,9	326	626,00	408	632,00	489	639,00	571	645,00	652	651,00	816	663,00	897	670,00	979	675,00	1223	733,00
34	51,9	345	638,00	431	645,00	517	651,00	603	659,00	689	666,00	862	678,00	948	685,00	1034	693,00	1293	752,00
36	54,9	363	648,00	453	657,00	544	663,00	635	670,00	725	678,00	907	693,00	997	701,00	1088	706,00	1360	769,00
38	57,9	380	661,00	475	669,00	570	674,00	665	683,00	761	693,00	951	706,00	1046	714,00	1141	722,00	1426	789,00
40	60,9	397	672,00	497	681,00	596	691,00	695	698,00	795	705,00	993	722,00	1093	730,00	1192	737,00	1490	805,00
42	63,9	414	685,00	517	694,00	621	702,00	724	709,00	828	718,00	1035	734,00	1138	743,00	1242	752,00	1552	826,00
44	66,9	430	698,00	538	705,00	645	714,00	753	724,00	860	732,00	1075	749,00	1183	760,00	1290	767,00	1613	845,00
46	69,9	446	708,00	557	718,00	669	728,00	780	736,00	892	744,00	1114	764,00	1226	774,00	1337	783,00	1672	862,00
48	72,9	461	722,00	576	731,00	691	739,00	807	749,00	922	760,00	1152	777,00	1268	789,00	1383	797,00	1728	882,00
50	75,9	475	733,00	594	742,00	713	752,00	831	763,00	950	773,00	1188	792,00	1307	800,00	1425	813,00	1782	901,00
	Watt ΔT 30°C x Elem.	5,10		6,40		7,70		9,00		10,30		12,90		14,20		15,50		19,40	

CO 10D Horizontal DOUBLE

Width (cm)		80		100		110		120		140		150		180		200		220	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	9,9	215	516,00	269	519,00	295	521,00	322	524,00	376	529,00	403	542,00	483	551,00	537	554,00	591	562,00
8	12,9	284	540,00	355	548,00	391	550,00	426	553,00	497	561,00	533	579,00	639	587,00	710	596,00	781	602,00
10	15,9	353	567,00	442	575,00	486	578,00	530	581,00	618	591,00	663	614,00	795	628,00	883	637,00	972	644,00
12	18,9	420	593,00	524	602,00	577	608,00	629	611,00	734	620,00	787	649,00	944	666,00	1049	673,00	1154	683,00
14	21,9	482	616,00	603	631,00	663	637,00	723	642,00	844	651,00	904	686,00	1085	704,00	1205	714,00	1326	727,00
16	24,9	541	645,00	676	657,00	743	663,00	811	670,00	946	682,00	1014	724,00	1216	740,00	1351	753,00	1487	767,00
18	27,9	595	670,00	744	685,00	818	693,00	892	701,00	1041	713,00	1115	758,00	1338	778,00	1487	793,00	1636	807,00
20	30,9	643	698,00	804	710,00	884	720,00	965	729,00	1126	743,00	1206	793,00	1447	819,00	1608	834,00	1769	850,00
22	33,9	691	724,00	863	739,00	950	749,00	1036	758,00	1208	775,00	1295	830,00	1554	856,00	1726	871,00	1899	890,00
24	36,9	732	746,00	915	768,00	1007	777,00	1098	788,00	1281	804,00	1373	863,00	1647	893,00	1830	914,00	2013	930,00
26	39,9	770	775,00	962	795,00	1058	804,00	1154	816,00	1347	836,00	1443	901,00	1731	930,00	1924	953,00	2116	974,00
28	42,9	803	799,00	1004	824,00	1104	834,00	1205	845,00	1405	867,00	1506	936,00	1807	968,00	2008	991,00	2208	1.013,00
30	45,9	833	827,00	1041	850,00	1145	861,00	1249	873,00	1457	898,00	1561	973,00	1873	1.008,00	2082	1.033,00	2290	1.055,00
32	48,9	859	854,00	1073	878,00	1181	890,00	1288	904,00	1503	928,00	1610	1.008,00	1932	1.045,00	2147	1.070,00	2361	1.096,00
34	51,9	881	878,00	1102	906,00	1212	919,00	1322	931,00	1542	960,00	1652	1.043,00	1983	1.084,00	2203	1.110,00	2423	1.137,00
	Watt ΔT 30°C x Elem.	18,80		23,50		19,20		28,20		33,20		35,30		31,40		34,90		38,40	

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.

SIZES AVAILABLE TO ORDER: All the sizes in INTERMEDIATE LENGHT every 10 cm starting from 40 cm up to 280 cm are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 50

Standard convertible valves

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF2#...CRO	Hole-covering washer kit for Radiators	Glossy Chrome	18,00 €

* Coloured Finishes:See TUBES colour chart categories C0, C1, C2 and C3.



SINGLE COLUMN VERSION
(Connectors 0C1)

Supplied unless otherwise specified in the order.



CONNECTORS The radiators are supplied as standard with 0C1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8" are present at the head of the collectors.

Special connectors
Provided upon request WITH an additional charge of € 70,00



B2R connection NOT available in the double column version

Connectors on request
available upon request AT NO additional charge.



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify "i" and "d"
i min = 5cm d min = 2cm

Standard convertible valves - Z1TMNR -

For more information on the choice of valves, see p. 310

	Code	Description	Finishes	Price (€)
	Z1TCXNR#ANR12...	Valve (that can be fitted with thermostat) and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	151,00 €
	Z1TMNR#ANR12SPA	Manual valve and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	158,00 €
	2 x Z1RACX#M03SPA	STAINLESS STEEL pipe unions for Multi-layer MM24x19x12 - 16x2	Brushed	18,00 €

SIZES AVAILABLE TO ORDER:All the sizes in INTERMEDIATE HEIGHT every 10 cm starting from 40 cm up to 220 cm are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 50

XV 10 Vertical SINGLE

Height (cm)		40		50		60		80		140		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	9,9	35	275,00	46	285,00	56	294,00	77	314,00	135	367,00	152	396,00	168	415,00	183	433,00	196	948,00
8	12,9	47	306,00	61	320,00	75	336,00	103	354,00	180	430,00	203	468,00	224	492,00	244	517,00	262	1.028,00
10	15,9	59	341,00	76	354,00	94	371,00	129	398,00	225	491,00	254	541,00	280	571,00	305	601,00	327	1.106,00
12	18,9	71	372,00	91	391,00	113	412,00	155	445,00	270	553,00	305	613,00	336	649,00	366	685,00	392	1.188,00
14	21,9	83	410,00	106	428,00	132	446,00	181	490,00	315	615,00	356	685,00	392	730,00	427	773,00	458	1.268,00
16	24,9	94	437,00	122	463,00	150	487,00	206	533,00	360	678,00	406	756,00	448	808,00	488	857,00	523	1.350,00
18	27,9	106	470,00	137	501,00	169	525,00	232	579,00	405	742,00	457	830,00	504	886,00	549	939,00	589	1.433,00
20	30,9	118	503,00	152	532,00	188	563,00	258	624,00	450	805,00	508	901,00	560	962,00	610	1.022,00	654	1.513,00
22	33,9	130	536,00	167	568,00	207	601,00	284	669,00	495	868,00	559	975,00	616	1.040,00	671	1.106,00	719	1.591,00
24	36,9	142	568,00	182	602,00	226	639,00	310	715,00	540	929,00	610	1.046,00	672	1.119,00	732	1.191,00	785	1.672,00
26	39,9	153	600,00	198	639,00	244	678,00	335	755,00	585	992,00	660	1.119,00	728	1.197,00	793	1.279,00	850	1.754,00
28	42,9	165	635,00	213	674,00	263	717,00	361	801,00	630	1.051,00	711	1.193,00	784	1.279,00	854	1.362,00	916	1.834,00
30	45,9	177	666,00	228	710,00	282	755,00	387	846,00	675	1.114,00	762	1.264,00	840	1.358,00	915	1.447,00	981	1.914,00
32	48,9	189	698,00	243	748,00	301	793,00	413	889,00	720	1.180,00	813	1.336,00	896	1.436,00	976	1.530,00	1046	1.997,00
34	51,9	201	731,00	258	783,00	320	831,00	439	937,00	765	1.240,00	864	1.410,00	952	1.513,00	1037	1.615,00	1112	2.079,00
36	54,9	212	799,00	274	855,00	338	908,00	464	1.024,00	810	1.364,00	914	1.550,00	1008	1.663,00	1098	1.777,00	1177	2.157,00
38	57,9	224	830,00	289	891,00	357	953,00	490	1.071,00	855	1.428,00	965	1.625,00	1064	1.745,00	1159	1.867,00	1243	2.238,00
40	60,9	236	866,00	304	929,00	376	992,00	516	1.115,00	900	1.496,00	1016	1.702,00	1120	1.829,00	1220	1.953,00	1308	2.320,00
42	63,9	248	898,00	319	965,00	395	1.031,00	542	1.164,00	945	1.558,00	1067	1.777,00	1176	1.910,00	1281	2.040,00	1373	2.400,00
44	66,9	260	934,00	334	1.004,00	414	1.072,00	568	1.209,00	990	1.623,00	1118	1.852,00	1232	1.992,00	1342	2.129,00	1439	2.479,00
46	69,9	271	966,00	350	1.038,00	432	1.111,00	593	1.255,00	1035	1.686,00	1168	1.927,00	1288	2.074,00	1403	2.217,00	1504	2.562,00
48	72,9	283	1.002,00	365	1.080,00	451	1.153,00	619	1.303,00	1080	1.755,00	1219	2.007,00	1344	2.155,00	1464	2.306,00	1570	2.640,00
50	75,9	295	1.035,00	380	1.113,00	470	1.191,00	645	1.349,00	1125	1.821,00	1270	2.082,00	1400	2.238,00	1525	2.396,00	1635	2.720,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,230	3,10	1,251	3,90	1,272	4,80	1,359	6,40	1,334	11,30	1,334	12,80	1,346	14,00	1,357	15,20	1,369	16,20

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVRG#1... GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection Thermostatic valve* and lockshield assembly for recessed remote connection	Nickel Brushed	246,00 € 248,00 €

* The price does NOT include the cost of the thermostatic head (see page 320)

*= Add the thermostatic control head from page xxx



SINGLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise
specified in the order.



(code ST) STANDARD
WALL support



Interaxis I=L-3,4 cm

CONNECTORS The radiators are supplied as standard with 0B1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



i = H - 3,8 cm



i = L + 13,8 cm

Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00
(NOT available in the chrome version)



Specify “i” and “d”
i min = 5cm d min = 2cm

SIZES AVAILABLE TO ORDER:All the sizes in INTERMEDIATE LENGHT every 10 cm starting from 40 cm up to 220 cm are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 50

XO 10 Horizontal SINGLE

Width (cm)		40		50		60		80		140		160		180		200		220	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	9,9	41	336,00	51	342,00	61	352,00	81	368,00	142	424,00	162	454,00	183	471,00	203	490,00	223	1.115,00
8	12,9	54	365,00	67	377,00	81	389,00	108	415,00	189	487,00	216	526,00	243	552,00	270	574,00	297	1.208,00
10	15,9	68	397,00	85	415,00	101	430,00	135	459,00	237	551,00	271	599,00	304	627,00	338	660,00	372	1.299,00
12	18,9	82	431,00	102	446,00	122	467,00	163	503,00	286	612,00	326	671,00	367	708,00	408	744,00	449	1.388,00
14	21,9	96	463,00	120	485,00	144	504,00	191	549,00	335	673,00	383	744,00	431	788,00	479	826,00	526	1.478,00
16	24,9	110	493,00	138	520,00	165	542,00	220	593,00	385	736,00	440	815,00	495	863,00	550	914,00	605	1.572,00
18	27,9	125	528,00	156	557,00	187	581,00	249	637,00	436	800,00	498	887,00	561	943,00	623	996,00	685	1.660,00
20	30,9	139	562,00	174	590,00	209	622,00	278	681,00	487	861,00	557	961,00	627	1.021,00	696	1.084,00	766	1.751,00
22	33,9	154	593,00	193	626,00	231	660,00	308	725,00	539	922,00	616	1.034,00	693	1.102,00	770	1.165,00	847	1.838,00
24	36,9	169	625,00	211	662,00	254	698,00	338	771,00	592	987,00	676	1.105,00	761	1.178,00	845	1.251,00	930	1.929,00
26	39,9	184	660,00	230	697,00	276	736,00	368	813,00	645	1.048,00	737	1.178,00	829	1.255,00	921	1.333,00	1013	2.021,00
28	42,9	199	690,00	249	732,00	299	775,00	399	858,00	698	1.111,00	798	1.251,00	897	1.333,00	997	1.424,00	1097	2.109,00
30	45,9	215	720,00	268	768,00	322	812,00	430	901,00	752	1.173,00	859	1.323,00	966	1.411,00	1074	1.505,00	1181	2.200,00
32	48,9	230	755,00	288	805,00	345	854,00	461	948,00	806	1.236,00	921	1.393,00	1036	1.489,00	1151	1.587,00	1267	2.290,00
34	51,9	246	789,00	308	842,00	370	889,00	493	992,00	862	1.299,00	986	1.468,00	1109	1.574,00	1232	1.672,00	1355	2.381,00
36	54,9	262	857,00	327	915,00	392	968,00	523	1.085,00	916	1.426,00	1047	1.609,00	1177	1.726,00	1308	1.835,00	1439	2.473,00
38	57,9	277	891,00	347	953,00	416	1.011,00	555	1.131,00	971	1.486,00	1110	1.685,00	1249	1.805,00	1387	1.925,00	1526	2.562,00
40	60,9	293	926,00	367	990,00	440	1.049,00	587	1.177,00	1027	1.553,00	1174	1.761,00	1320	1.887,00	1467	2.015,00	1614	2.650,00
42	63,9	310	960,00	387	1.024,00	464	1.091,00	619	1.224,00	1083	1.616,00	1238	1.837,00	1393	1.969,00	1548	2.101,00	1702	2.745,00
44	66,9	326	993,00	407	1.061,00	489	1.131,00	651	1.268,00	1140	1.684,00	1303	1.913,00	1466	2.052,00	1629	2.190,00	1791	2.836,00
46	69,9	342	1.027,00	428	1.098,00	513	1.172,00	684	1.315,00	1197	1.752,00	1368	1.990,00	1539	2.133,00	1710	2.279,00	1881	2.921,00
48	72,9	358	1.061,00	448	1.138,00	538	1.210,00	717	1.364,00	1255	1.813,00	1434	2.064,00	1613	2.215,00	1792	2.369,00	1971	3.012,00
50	75,9	375	1.096,00	469	1.175,00	562	1.252,00	750	1.410,00	1312	1.879,00	1500	2.140,00	1687	2.298,00	1875	2.456,00	2062	3.105,00
Watt ΔT 30°C x Elem.		3,60		4,40		5,20		6,70		11,90		13,60		15,20		16,00		18,40	

Standard convertible valves - Z1TMNR -

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
Z1TCXNR#ANR12...	Valve (that can be fitted with thermostat) and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	151,00 €
Z1TMNR#ANR12SPA	Manual valve and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stainless Steel	158,00 €
2 x Z1RACX#M03SPA	STAINLESS STEEL pipe unions for Multi-layer MM24x19x12 - 16x2	Brushed	18,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	Price (€)
GVRTG#1...	Thermostatic valve* and lockshield assembly for recessed remote connection	Brushed	248,00 €

* The price does NOT include the cost of the thermostatic head (see page 320)

*= Add the thermostatic control head from page xxx



SINGLE COLUMN VERSION
(Connectors 0C1)

Supplied unless otherwise specified in the order.



(code ST) STANDARD WALL support



DOUBLE COLUMN VERSION
(Connectors 0C1)



(code ST) STANDARD WALL support

CONNECTORS The radiators are supplied as standard with 0C1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8" are present at the head of the collectors.

Special connectors
Provided upon request WITH an additional charge of € 70,00



B2R connection NOT available in the double column version

i = L - 5,5 cm i = 5,0 cm i = L - 5,5 cm

Connectors on request
available upon request AT NO additional charge.



i = H-3,4 cm Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify "i" and "d"
i min = 5cm d min = 2cm

Standard convertible valves and GVR - (color)

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF2#...CRO	Hole-covering washer kit for Radiators	Glossy Chrome	18,00 €
GVRC#...	Assembly for VALVE with THERMOSTATIC OPTION for B2R connection (only for single column version)	Coloured*	210,00 €

* Coloured Finishes:See TUBES colour chart categories C0, C1, C2 and C3.

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

KV 15 Vertical SINGLE

Height (cm)		60		70		80		120		150		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	15,4	135	382,00	153	384,00	171	389,00	244	401,00	300	411,00	319	427,00	359	432,00	400	440,00	443	482,00
7	17,9	158	392,00	179	396,00	200	401,00	284	418,00	350	427,00	372	447,00	419	454,00	467	460,00	517	505,00
8	20,4	180	405,00	204	410,00	228	416,00	325	429,00	400	442,00	426	464,00	479	475,00	534	483,00	590	530,00
9	22,9	203	418,00	230	421,00	257	426,00	365	446,00	450	458,00	479	485,00	539	495,00	600	503,00	664	552,00
10	25,4	225	426,00	255	431,00	285	435,00	406	457,00	500	476,00	532	503,00	599	514,00	667	522,00	738	577,00
11	27,9	248	435,00	281	442,00	314	450,00	447	475,00	550	491,00	585	521,00	659	533,00	734	547,00	812	596,00
12	30,4	270	450,00	306	454,00	342	460,00	487	488,00	600	506,00	638	539,00	719	552,00	800	564,00	886	625,00
13	32,9	293	458,00	332	465,00	371	475,00	528	502,00	650	521,00	692	559,00	779	571,00	867	587,00	959	644,00
14	35,4	315	472,00	357	479,00	399	488,00	568	516,00	700	538,00	745	579,00	839	591,00	934	607,00	1033	669,00
15	37,9	338	482,00	383	491,00	428	500,00	609	531,00	750	554,00	798	594,00	899	616,00	1001	629,00	1107	692,00
16	40,4	360	495,00	408	502,00	456	512,00	650	547,00	800	569,00	851	617,00	958	632,00	1067	650,00	1181	716,00
17	42,9	383	505,00	434	514,00	485	521,00	690	559,00	850	586,00	904	633,00	1018	651,00	1134	669,00	1255	741,00
18	45,4	405	515,00	459	524,00	513	534,00	731	576,00	900	601,00	958	654,00	1078	672,00	1201	690,00	1328	765,00
19	47,9	428	528,00	485	536,00	542	549,00	771	587,00	950	619,00	1011	672,00	1138	691,00	1267	712,00	1402	790,00
20	50,4	450	536,00	510	550,00	570	559,00	812	601,00	1000	635,00	1064	690,00	1198	711,00	1334	729,00	1476	810,00
21	52,9	473	561,00	536	571,00	599	569,00	853	618,00	1050	650,00	1117	710,00	1258	728,00	1401	755,00		
22	55,4	495	571,00	561	582,00	627	584,00	893	632,00	1100	666,00	1170	726,00	1318	750,00	1467	774,00		
23	57,9	518	580,00	587	595,00	656	605,00	934	643,00	1150	680,00	1224	747,00	1378	772,00	1534	796,00		
24	60,4	540	594,00	612	604,00	684	619,00	974	662,00	1200	699,00	1277	765,00	1438	791,00	1601	814,00		
25	62,9	563	603,00	638	616,00	713	632,00	1015	673,00	1250	727,00	1330	781,00	1498	809,00	1668	837,00		
26	65,4	585	615,00	663	631,00	741	645,00	1056	689,00	1300	741,00	1383	802,00	1557	830,00	1734	858,00		
27	67,9	608	629,00	689	643,00	770	655,00	1096	702,00	1350	760,00	1436	821,00	1617	850,00	1801	878,00		
28	70,4	630	641,00	714	653,00	798	672,00	1137	716,00	1400	777,00	1490	840,00	1677	870,00	1868	899,00		
29	72,9	653	650,00	740	668,00	827	680,00	1177	728,00	1450	792,00	1543	858,00	1737	887,00	1934	922,00		
30	75,4	675	657,00	765	678,00	855	691,00	1218	747,00	1500	810,00	1596	877,00	1797	911,00	2001	940,00		
Coefficient «n» / Watt ΔT 30°C x Elem.		1,310	11,50	1,312	13,00	1,315	14,50	1,318	20,60	1,314	25,50	1,313	27,10	1,311	30,60	1,309	34,10	1,306	37,80

KV 15D Vertical DOUBLE

Height (cm)		60		70		80		120		150		160		180		200		220	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	15,4	200	444,00	227	450,00	254	459,00	361	484,00	440	504,00	470	535,00	527	549,00	583	564,00	642	618,00
7	17,9	233	465,00	265	473,00	296	480,00	421	511,00	514	531,00	549	572,00	615	584,00	680	601,00	749	661,00
8	20,4	266	488,00	302	495,00	338	504,00	482	535,00	587	564,00	627	606,00	702	623,00	778	644,00	856	708,00
9	22,9	300	508,00	340	515,00	381	527,00	542	565,00	661	592,00	706	645,00	790	660,00	875	682,00	963	750,00
10	25,4	333	527,00	378	535,00	423	547,00	602	591,00	734	619,00	784	680,00	878	696,00	972	721,00	1070	797,00
11	27,9	366	546,00	416	559,00	465	569,00	662	612,00	807	650,00	862	713,00	966	735,00	1069	758,00	1177	843,00
12	30,4	400	567,00	454	578,00	508	592,00	722	645,00	881	682,00	941	746,00	1054	775,00	1166	797,00	1284	889,00
13	32,9	433	584,00	491	599,00	550	611,00	783	668,00	954	710,00	1019	785,00	1141	812,00	1264	836,00	1391	935,00
14	35,4	466	606,00	529	620,00	592	637,00	843	693,00	1028	741,00	1098	820,00	1229	849,00	1361	876,00	1498	979,00
15	37,9	500	628,00	567	645,00	635	658,00	903	723,00	1101	769,00	1176	857,00	1317	886,00	1458	919,00	1605	1.025,00
16	40,4	533	649,00	605	661,00	677	682,00	963	746,00	1174	797,00	1254	892,00	1405	923,00	1555	958,00	1712	1.070,00
17	42,9	566	667,00	643	685,00	719	703,00	1023	775,00	1248	827,00	1333	925,00	1493	960,00	1652	996,00	1819	1.114,00
18	45,4	599	687,00	680	707,00	761	728,00	1084	800,00	1321	859,00	1411	960,00	1580	997,00	1750	1.037,00	1926	1.156,00
19	47,9	633	708,00	718	729,00	804	746,00	1144	827,00	1395	889,00	1490	995,00	1668	1.037,00	1847	1.078,00	2033	1.201,00
20	50,4	666	729,00	756	748,00	846	771,00	1204	854,00	1468	919,00	1568	1.033,00	1756	1.075,00	1944	1.117,00	2140	1.248,00
21	52,9	699	746,00	794	771,00	888	794,00	1264	881,00	1541	948,00	1646	1.067,00	1844	1.113,00	2041	1.155,00		
22	55,4	733	769,00	832	792,00	931	818,00	1324	907,00	1615	978,00	1725	1.102,00	1932	1.149,00	2138	1.196,00		
23	57,9	766	791,00	869	817,00	973	836,00	1385	936,00	1688	1.007,00	1803	1.136,00	2019	1.185,00	2236	1.234,00		
24	60,4	799	811,00	907	833,00	1015	859,00	1445	960,00	1762	1.037,00	1882	1.175,00	2107	1.225,00	2333	1.273,00		
25	62,9	833	829,00	945	857,00	1058	881,00	1505	986,00	1835	1.067,00	1960	1.209,00	2195	1.262,00	2430	1.314,00		
26	65,4	866	850,00	983	875,00	1100	903,00	1565	1.013,00	1908	1.095,00	2038	1.247,00	2283	1.297,00	2527	1.351,00		
27	67,9	899	886,00	1021	899,00	1142	927,00	1625	1.041,00	1982	1.125,00	2117	1.279,00	2371	1.336,00	2624	1.393,00		
28	70,4	932	909,00	1058	920,00	1184	949,00	1686	1.067,00	2055	1.155,00	2195	1.316,00	2458	1.375,00	2722	1.431,00		
29	72,9	966	927,00	1096	941,00	1227	969,00	1746	1.093,00	2129	1.185,00	2274	1.349,00	2546	1.411,00	2819	1.474,00		
30	75,4	999	950,00	1134	963,00	1269	994,00	1806	1.120,00	2202	1.214,00	2352	1.387,00	2634	1.447,00	2916	1.512,00		
Coefficient «n» / Watt ΔT 30°C x Elem.		1,321	16,90	1,329	19,10	1,337	21,30	1,358	30,00	1,365	36,50	1,367	38,90	1,372	43,50	1,361	48,40	1,350	53,70

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.

SIZES AVAILABLE TO ORDER:All the sizes in INTERMEDIATE HEIGHT every 10 cm starting from 40 cm up to 280 cm are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 70



SINGLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise specified in the order.



(code ST) STANDARD WALL support



Interaxis I=L-3,4 cm



DOUBLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise specified in the order.



(code ST) STANDARD WALL support

CONNECTORS The radiators are supplied as standard with 0B1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



i = H - 5,5 cm



i = L + 13,8 cm

Connectors on request
Available upon request AT NO additional charge.



Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify "i" and "d"
i min = 5cm d min = 2cm

Standard convertible valves

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF2#...CRO	Hole-covering washer kit for Radiators	Glossy Chrome	18,00 €

* Coloured Finishes:See TUBES colour chart categories C0, C1, C2 and C3.

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

KO 15 Horizontal SINGLE

Width (cm)		40		50		60		70		80		100		110		120		150	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	15,4	95	387,00	118	402,00	142	403,00	165	405,00	189	407,00	236	418,00	260	420,00	284	423,00	354	432,00
7	17,9	110	395,00	138	411,00	165	415,00	193	419,00	220	423,00	276	428,00	303	432,00	331	435,00	413	447,00
8	20,4	126	406,00	157	422,00	189	425,00	220	428,00	252	434,00	315	442,00	346	446,00	378	450,00	472	464,00
9	22,9	142	414,00	177	429,00	212	435,00	248	440,00	283	446,00	354	455,00	389	460,00	425	464,00	531	477,00
10	25,4	157	423,00	197	442,00	236	447,00	275	452,00	314	458,00	393	468,00	432	471,00	472	477,00	590	491,00
11	27,9	173	435,00	216	452,00	259	459,00	302	464,00	345	469,00	432	480,00	475	484,00	518	488,00	648	505,00
12	30,4	188	442,00	235	461,00	282	468,00	329	474,00	376	481,00	470	489,00	517	498,00	564	503,00	705	521,00
13	32,9	203	452,00	254	471,00	305	480,00	356	484,00	407	489,00	509	503,00	559	510,00	610	518,00	763	536,00
14	35,4	219	460,00	273	482,00	328	487,00	383	497,00	437	501,00	547	517,00	601	524,00	656	529,00	820	550,00
15	37,9	234	469,00	292	489,00	351	499,00	409	505,00	467	515,00	584	528,00	643	536,00	701	545,00	876	565,00
16	40,4	249	477,00	311	500,00	373	510,00	435	518,00	497	526,00	622	543,00	684	549,00	746	555,00	933	582,00
17	42,9	264	486,00	329	512,00	395	520,00	461	528,00	527	536,00	659	553,00	725	559,00	791	570,00	988	596,00
18	45,4	278	498,00	348	521,00	417	529,00	487	540,00	557	547,00	696	565,00	765	578,00	835	586,00	1044	610,00
19	47,9	293	506,00	366	529,00	439	541,00	513	549,00	586	557,00	732	580,00	806	590,00	879	597,00	1098	626,00
20	50,4	307	515,00	384	543,00	461	550,00	538	558,00	615	570,00	769	591,00	845	601,00	922	610,00	1153	638,00
21	52,9	322	551,00	402	550,00	483	559,00	563	570,00	644	584,00	805	602,00	885	616,00	965	625,00	1207	657,00
22	55,4	336	559,00	420	558,00	504	570,00	588	584,00	672	593,00	840	618,00	924	626,00	1008	635,00	1260	670,00
23	57,9	350	567,00	438	569,00	525	584,00	613	593,00	700	603,00	875	627,00	963	637,00	1050	651,00	1313	683,00
24	60,4	364	578,00	455	582,00	546	592,00	637	603,00	728	620,00	910	638,00	1001	651,00	1092	666,00	1366	701,00
25	62,9	378	590,00	473	591,00	567	602,00	662	618,00	756	627,00	945	655,00	1040	667,00	1134	678,00	1418	730,00
26	65,4	392	601,00	490	611,00	588	616,00	686	626,00	783	637,00	979	667,00	1077	678,00	1175	691,00	1469	746,00
27	67,9	405	608,00	507	623,00	608	624,00	709	635,00	811	649,00	1013	677,00	1115	691,00	1216	707,00	1520	760,00
28	70,4	419	615,00	524	633,00	628	633,00	733	648,00	838	665,00	1047	688,00	1152	704,00	1256	718,00	1571	774,00
29	72,9	432	630,00	540	642,00	648	644,00	756	660,00	864	673,00	1080	702,00	1188	717,00	1296	731,00	1620	790,00
30	75,4	445	636,00	557	650,00	668	656,00	779	669,00	891	683,00	1113	716,00	1225	730,00	1336	747,00	1670	806,00
Watt ΔT 30°C x Elem.		7,80		8,10		9,80		11,40		13,10		16,30		21,10		23,10		28,80	

KO 15D Horizontal DOUBLE

Width (cm)		60		70		80		100		110		120		150		160		180	
No of El.	H (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
6	15,4	286	473,00	334	481,00	382	486,00	477	497,00	525	504,00	572	508,00	715	527,00	763	559,00	858	572,00
7	17,9	319	493,00	373	499,00	426	506,00	532	521,00	586	527,00	639	535,00	799	554,00	852	592,00	958	609,00
8	20,4	351	510,00	410	520,00	469	527,00	586	545,00	644	552,00	703	559,00	879	582,00	937	628,00	1054	646,00
9	22,9	382	529,00	446	541,00	510	549,00	637	569,00	701	576,00	765	583,00	956	614,00	1020	661,00	1147	679,00
10	25,4	412	551,00	481	559,00	550	571,00	687	587,00	756	601,00	825	612,00	1031	642,00	1100	697,00	1237	714,00
11	27,9	442	571,00	515	580,00	589	591,00	736	616,00	810	625,00	883	634,00	1104	668,00	1178	729,00	1325	751,00
12	30,4	470	585,00	548	605,00	627	616,00	783	634,00	862	651,00	940	661,00	1175	699,00	1253	762,00	1410	788,00
13	32,9	498	609,00	581	622,00	664	633,00	830	661,00	913	674,00	996	688,00	1245	725,00	1328	795,00	1494	823,00
14	35,4	525	628,00	613	642,00	700	656,00	875	686,00	963	699,00	1050	712,00	1313	754,00	1400	831,00	1576	860,00
15	37,9	552	649,00	644	661,00	736	678,00	920	708,00	1012	721,00	1104	737,00	1380	784,00	1472	864,00	1656	895,00
16	40,4	578	664,00	674	682,00	771	700,00	964	730,00	1060	749,00	1156	761,00	1445	812,00	1542	899,00	1734	932,00
17	42,9	604	688,00	705	702,00	805	716,00	1007	754,00	1107	771,00	1208	789,00	1510	838,00	1610	933,00	1812	966,00
18	45,4	629	703,00	734	721,00	839	741,00	1049	778,00	1154	794,00	1258	813,00	1573	868,00	1678	965,00	1888	1.001,00
19	47,9	654	724,00	763	747,00	872	761,00	1090	799,00	1199	821,00	1308	838,00	1635	897,00	1744	1.000,00	1963	1.038,00
20	50,4	679	747,00	792	762,00	905	784,00	1131	825,00	1244	844,00	1358	864,00	1697	923,00	1810	1.035,00	2036	1.075,00
21	52,9	703	762,00	820	784,00	937	803,00	1172	847,00	1289	868,00	1406	891,00	1758	953,00	1875	1.068,00	2109	1.110,00
22	55,4	727	783,00	848	803,00	969	827,00	1212	870,00	1333	894,00	1454	916,00	1817	983,00	1939	1.100,00	2181	1.146,00
23	57,9	751	800,00	876	825,00	1001	847,00	1251	895,00	1376	917,00	1501	941,00	1876	1.009,00	2001	1.134,00	2252	1.181,00
24	60,4	774	822,00	903	844,00	1032	869,00	1290	917,00	1419	942,00	1548	965,00	1935	1.038,00	2064	1.170,00	2321	1.214,00
25	62,9	797	838,00	930	867,00	1062	892,00	1328	941,00	1461	965,00	1594	992,00	1992	1.067,00	2125	1.205,00	2391	1.253,00
26	65,4	820	860,00	956	887,00	1093	912,00	1366	964,00	1503	990,00	1639	1.019,00	2049	1.096,00	2186	1.235,00	2459	1.287,00
27	67,9	842	897,00	983	906,00	1123	935,00	1404	989,00	1544	1.016,00	1684	1.042,00	2105	1.125,00	2246	1.273,00	2526	1.326,00
28	70,4	864	916,00	1008	926,00	1153	954,00	1441	1.011,00	1585	1.040,00	1729	1.068,00	2161	1.153,00	2305	1.305,00	2593	1.362,00
29	72,9	886	935,00	1034	947,00	1182	975,00	1477	1.036,00	1625	1.065,00	1773	1.091,00	2216	1.180,00	2364	1.335,00	2659	1.399,00
30	75,4	908	956,00	1060	966,00	1211	997,00	1514	1.057,00	1665	1.087,00	1816	1.118,00	2271	1.208,00	2422	1.370,00	2725	1.431,00
32	80,4	951	993,00	1110	1.025,00	1268	1.040,00	1585	1.104,00	1744	1.139,00	1902	1.170,00	2378	1.268,00	2537	1.441,00	2854	1.503,00
Watt ΔT 30°C x Elem.		12,50		14,60		16,70		20,90		27,50		30,00		37,40		39,90		44,90	

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.

SIZES AVAILABLE TO ORDER: All the sizes in INTERMEDIATE LENGTH every 10 cm, starting from 40 cm up to 280 cm, are AVAILABLE TO ORDER and the price is calculated upon request. MAX NUMBER OF ELEMENTS 75



VERTICAL VERSION





The position of the (optional) heated towel rail is set up so it can be installed, even at a later date, only in position 1-2 at all heights or 3 for the H. 189 and 209 model.

TYPE OF CONNECTORS for TRADITIONAL VALVES

Standard connector 0B2
Supplied unless otherwise specified in the order





Connector on request 0B5
Available upon request with an additional charge of € 70,00





Connection with traditional Valves



Product code **PFV#1490450B2ST9010**

PFV#149045	Article code specified in the price table
0B2	Connector code see technical datasheet
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

PLATFORM Vertical Hydraulic

Model	H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
PFV#149045	149,0	45,5	765	392	911,00	1.048,00	1.139,00
PFV#149055	149,0	55,5	975	496	983,00	1.130,00	1.229,00
PFV#189045	189,0	45,5	903	464	957,00	1.101,00	1.196,00
PFV#189055	189,0	55,5	1151	581	996,00	1.145,00	1.245,00
PFV#209045	209,0	45,5	1007	522	995,00	1.144,00	1.244,00
PFV#209055	209,0	55,5	1201	622	1.042,00	1.198,00	1.303,00

* Heat emission pending CERTIFICATION

ACCESSORIES





Code	Description	Finishes	*Price (€)
ZAPFVG#PS30...	OPEN GALVANIC towel rail 30 cm x PLATFORM	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	190,00 €
ZAPFVG#PS45...	GALVANIC Towel rail L. 45 cm for PLATFORM L. 45 cm		226,00 €
ZAPFVG#PS55...	GALVANIC Towel rail L. 55 cm for PLATFORM L. 55 cm		240,00 €
ZAPFVG#AP...	GALVANIC Hook for PLATFORM		124,00 €
ZAPFV#PS30...	OPEN COLOURED towel rail 30 cm x PLATFORM	Tubes Colours* cat. C0, C1, C2, C3	186,00 €
ZAPFV#PS45...	Coloured Towel rail L. 45 cm for PLATFORM L. 45 cm		251,00 €
ZAPFV#PS55...	Coloured Towel rail L. 55 cm for PLATFORM L. 55 cm		264,00 €
ZAPFV#AP...	COLOURED Hook for PLATFORM		117,00 €

Convertible valves connection 5 cm - Z1TL5NR



Code	Description	Finishes	Price (€)
Z1TL5NR#ANR12DX...	Valve that can be fitted with a thermostat with a 5 cm interaxis Handle on the Right Copper and/or Multi-layer 1/2"	Standard White	123,00 €
Z1TL5NR#ANR12SX...	Valve that can be fitted with a thermostat with a 5 cm interaxis Handle on the Left Copper and/or Multi-layer 1/2"	Standard White	123,00 €
Z1KITRAC#003	6-part pipe union KIT for Paired valves - 2 Z1RAC#R12CRO 15 mm copper system O-Rings - 2 Z1RAC#R14CRO Multi-layer 24x19x12 - 16x2 mm - 2 Z1AC#M03CRO Multi-layer 24x19x11 - 16x2.5 mm	Glossy Chrome	33,00 €

Standard convertible valves – Z1TLNR



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

Single column version (TPV70)



STANDARD CONNECTORS
Standard connector 0C1 (code 0C1) supplied as standard unless otherwise specified in the order



CONNECTORS
The radiators are supplied as standard with 0C1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8" are present at the head of the manifolds.

Connector OB5
Provided WITH an additional charge of € 70.00



Double Column Version (TPV70D)



SPECIAL CONNECTORS
Lower connector OB2 (code OB2) supplied upon request with an additional charge of €70,00



Connectors on request
available upon request AT NO additional charge.





Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

For versions with a Coloured finish other than white, see page. 314

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

TPV70 Vertical SINGLE

Height (cm)		100		120		150		180		200		220		250	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
4	30,0	330	385,00	397	405,00	487	459,00	568	505,00	620	566,00	680	622,00	775	671,00
5	37,5	412	413,00	496	440,00	609	497,00	710	550,00	775	611,00	850	673,00	968	726,00
6	45,0	494	437,00	595	466,00	730	531,00	852	586,00	930	651,00	1020	714,00	1162	771,00
7	52,5	577	463,00	694	496,00	852	568,00	994	627,00	1085	695,00	1190	758,00	1355	819,00
8	60,0	659	504,00	794	540,00	974	618,00	1136	690,00	1240	752,00	1360	825,00	1549	891,00
9	67,5	742	532,00	893	573,00	1095	657,00	1278	730,00	1395	794,00	1530	870,00	1742	942,00
10	75,0	824	557,00	992	602,00	1217	690,00	1420	769,00	1550	835,00	1700	912,00	1936	986,00
11	82,5	906	589,00	1091	638,00	1339	732,00	1562	815,00	1705	900,00	1870	962,00	2130	1.041,00
12	90,0	989	634,00	1190	687,00	1460	787,00	1704	856,00	1860	944,00	2040	1.009,00	2323	1.089,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,254	43,16	1,254	51,80	1,254	63,60	1,254	75,40	1,254	83,30	1,254	91,30	1,254	103,25

TPV70D Vertical DOUBLE

Height (cm)		100		120		150		180		200		220		250	
No of El.	L (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
4	30,0	508	754,00	603	790,00	740	876,00	878	939,00	969	1.013,00	1066	1.086,00	1250	1.152,00
5	37,5	635	806,00	753	854,00	926	947,00	1098	1.023,00	1213	1.104,00	1334	1.184,00	1561	1.261,00
6	45,0	763	854,00	904	908,00	1111	1.014,00	1318	1.100,00	1455	1.184,00	1600	1.268,00	1874	1.355,00
7	52,5	889	905,00	1087	968,00	1296	1.087,00	1444	1.180,00	1697	1.273,00	1867	1.362,00	2186	1.459,00
8	60,0	1016	976,00	1205	1.047,00	1481	1.175,00	1757	1.290,00	1939	1.378,00	2133	1.480,00	2498	1.586,00
9	67,5	1143	1.030,00	1356	1.108,00	1667	1.249,00	1976	1.370,00	2182	1.464,00	2400	1.572,00	2810	1.689,00
10	75,0	1270	1.079,00	1507	1.165,00	1852	1.318,00	2196	1.449,00	2425	1.548,00	2667	1.661,00	3122	1.786,00
11	82,5	1398	1.139,00	1657	1.232,00	2037	1.395,00	2415	1.535,00	2667	1.662,00	2934	1.759,00	3434	1.894,00
12	90,0	1524	1.212,00	1808	1.313,00	2222	1.488,00	2635	1.614,00	2909	1.747,00	3200	1.851,00	3746	1.994,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,254	66,83	1,254	80,20	1,254	98,10	1,254	115,80	1,254	127,50	1,254	127,50	1,254	139,20

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.



SINGLE COLUMN VERSION



DOUBLE COLUMN VERSION

TPO70



(code ST) STANDARD
WALL support

Standard connectors
Supplied unless otherwise specified in the order.



i = L - 4,0 cm

a=8,5 cm b=5,5 cm c=8,0 cm d=5,0 cm

TPO70D



(code ST) STANDARD
WALL support

CONNECTORS The Horizontal Radiators are supplied as standard with connectors “0B1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Supplied on request with a surcharge of €70.00.



i = H - 7,5 cm

Connectors on request
available upon request AT NO additional charge.



Single pipe

Standard convertible valves

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF2#...CRO	Hole-covering washer kit for Radiators	Glossy Chrome	18,00 €

* Coloured Finishes:See TUBES colour chart categories C0, C1, C2 and C3.

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

TPO70 Horizontal SINGLE

Width (cm)		50		60		80		100		120		150		180	
No of El.	**H** (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
4	30,0	177	325,00	212	334,00	282	365,00	346	385,00	417	405,00	511	459,00	596	505,00
5	37,5	221	342,00	265	358,00	353	388,00	433	413,00	521	440,00	639	497,00	746	550,00
6	45,0	265	360,00	317	375,00	424	411,00	519	437,00	625	466,00	767	531,00	895	586,00
7	52,5	309	381,00	370	399,00	494	433,00	606	463,00	729	496,00	895	568,00	1044	627,00
8	60,0	354	417,00	423	433,00	565	472,00	692	504,00	834	540,00	1022	618,00	1193	690,00
9	67,5	398	439,00	476	458,00	635	500,00	779	532,00	938	573,00	1150	657,00	1342	730,00
10	75,0	442	458,00	529	479,00	706	522,00	865	557,00	1042	602,00	1278	690,00	1491	769,00
11	82,5	486	484,00	582	505,00	777	552,00	952	589,00	1146	638,00	1406	732,00	1640	815,00
12	90,0	530	523,00	635	545,00	847	595,00	1038	634,00	1250	687,00	1534	787,00	1789	856,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,250	18,40	1,250	18,40	1,250	22,10	1,250	29,50	1,250	36,90	1,250	44,30	1,250	55,40

TPO70D Horizontal DOUBLE

Width (cm)		50		60		80		100		120		150		180	
No of El.	**H** (cm)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)	Watt ΔT. 50°C	Price (€)
4	30,0	278	653,00	333	677,00	445	715,00	555	754,00	667	790,00	833	876,00	1000	939,00
5	37,5	350	692,00	420	717,00	560	762,00	700	806,00	841	854,00	1051	947,00	1260	1.023,00
6	45,0	422	726,00	506	754,00	674	803,00	844	854,00	1012	908,00	1265	1.014,00	1518	1.100,00
7	52,5	492	762,00	590	795,00	787	850,00	984	905,00	1180	968,00	1476	1.087,00	1771	1.180,00
8	60,0	560	820,00	672	851,00	897	915,00	1121	976,00	1345	1.047,00	1681	1.175,00	2018	1.290,00
9	67,5	628	857,00	753	894,00	1004	963,00	1256	1.030,00	1506	1.108,00	1882	1.249,00	2259	1.370,00
10	75,0	693	893,00	832	933,00	1109	1.007,00	1386	1.079,00	1663	1.165,00	2079	1.318,00	2494	1.449,00
11	82,5	756	935,00	907	980,00	1210	1.060,00	1512	1.139,00	1814	1.232,00	2268	1.395,00	2722	1.535,00
12	90,0	818	996,00	981	1.042,00	1308	1.128,00	1635	1.212,00	1962	1.313,00	2452	1.488,00	2943	1.614,00
Coefficient «n» / Watt ΔT 30°C x Elem.		1,250	36,20	1,250	36,20	1,250	57,10	1,250	71,10	1,250	85,30	1,250	107,00	1,250	128,00

For correction factors other than ΔT50°C/ΔT30°C consult pages from 335 to 342.



CUSTOM-MADE Ritmato - RO14





Heating Elements

Empty space corresponding to a missing element

The CUSTOM-MADE RITMATO model has the distinguishing feature of having empty spaces as per the customer's requirements, so it is tailor-made; in order to understand how to place the correct order, please refer to detail "A" opposite.

RITMATO RO14 Width 180 cm
Spacing 5-2-3-1-3-2-6
In other words, from the top down:
- First group of 5 heating elements
- Empty space 2 i.e. two fewer elements
- First group of 3 heating elements
- Empty space 1 i.e. one fewer element
- First group of 3 heating elements
- Empty space 2 i.e. two fewer elements

Based on the chosen spacing, the technical characteristics and the price are provided in the price table of the single CO14 model for the RO14 whereas for the double RO14D version, consult the data sheet for the CO14D. By checking the corresponding table, the result is:

Height 5+2+3+1+3+2+5=21 = 53,8 cm
Heat output 1350 Wa DT50°C

RITMATO CUSTOM MADE RO25 - RO25D

Hydraulic radiator made of carbon steel



CUSTOM-MADE Ritmato - RO25





Heating Elements

Empty space corresponding to a missing element

The CUSTOM-MADE RITMATO model has the distinguishing feature of having empty spaces as per the customer's requirements, so it is tailor-made; in order to understand how to place the correct order, please refer to detail "A" opposite. The spacing CANNOT be irregular but only constant.

RITMATO RO25 Width 150 cm
Spacing 4-2-4-2-4 (constant spacing)
In other words, from the top down:
- First group of 4 heating elements
- Empty space 2 i.e. two fewer elements
- First group of 4 heating elements
- Empty space 2 i.e. two fewer elements
- First group of 4 heating elements

Based on the chosen spacing, the technical characteristics and the price are provided in the price table of the single CO25 model for the RO25 whereas for the double RO25D version, consult the data sheet for the CO25D. By checking the corresponding table, the result is:

Height 4+2+4+2+4=16
Heat output 1281 Wa DT50°C

CUSTOM-MADE Ritmato - RO14



STANDARD WALL
Support (code ST)

Heating Elements

Empty space corresponding to a missing element

CUSTOM-MADE Ritmato - RO25



STANDARD WALL
Support (code ST)

Heating Elements

Empty space corresponding to a missing element

CONNECTORS The Horizontal Radiators are supplied as standard with connectors "0B1"

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Standard connectors
Supplied unless otherwise specified in the order.



i = L - 3,4 cm

Special connectors
Provided upon request WITH an additional charge of € 70,00



i = L + 13,8 cm



RO14/RO14D i = H - 5,8 cm
RO25/RO25D i = H - 7,0 cm

Connectors on request
Connector available upon request AT NO additional charge.



Single pipe



Specify "i" and "d"
i min.= 5cm d min.=2cm

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

For versions with a Coloured finish other than white, see pages 314, 315, 316, 317, 318.



STANDARD HYDRAULIC VERSION
(Connectors 0C1)



Interaxis I=L+8,8 cm

CONNECTORS The heated towel rails are supplied as standard with connectors “0C1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8” are present at the head of the collectors.

Special connectors
Provided upon request WITH an additional charge of € 70,00



i = L - 5,8 cm i = 5,0 cm

Connectors on request
available upon request AT NO additional charge.



i = H-3,4 cm Single pipe

Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm

Product code **JV#2000140C1ST9010**

JV#200014	Article code specified in the price table
0C1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Model	H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
JV#150010	148,8	25,0	450	234	414	216	530,00	610,00	663,00	1.365,00
JV#150012	148,8	29,8	540	281	497	259	535,00	615,00	669,00	1.377,00
JV#150014	148,8	34,6	630	328	580	302	531,00	611,00	664,00	1.418,00
JV#150016	148,8	39,4	720	375	662	345	555,00	638,00	694,00	1.474,00
JV#150018	148,8	44,2	810	422	745	388	577,00	664,00	721,00	1.533,00
JV#150020	148,8	49,0	900	469	828	431	596,00	685,00	745,00	1.583,00
JV#150022	148,8	53,8	990	516	911	475	628,00	722,00	785,00	1.722,00
JV#150024	148,8	58,6	1080	563	994	518	652,00	750,00	815,00	1.791,00
JV#150026	148,8	63,4	1170	610	1076	561	675,00	776,00	844,00	1.852,00
JV#150028	148,8	68,2	1260	656	1159	604	699,00	804,00	874,00	1.920,00
JV#150030	148,8	73,0	1350	703	1242	647	723,00	831,00	904,00	2.051,00
JV#170010	168,6	25,0	506	264	466	243	596,00	685,00	745,00	1.531,00
JV#170012	168,6	29,8	607	316	559	291	601,00	691,00	751,00	1.548,00
JV#170014	168,6	34,6	708	369	652	340	597,00	687,00	746,00	1.589,00
JV#170016	168,6	39,4	810	422	745	388	628,00	722,00	785,00	1.666,00
JV#170018	168,6	44,2	911	475	838	437	646,00	743,00	808,00	1.718,00
JV#170020	168,6	49,0	1012	527	931	485	674,00	775,00	843,00	1.788,00
JV#170022	168,6	53,8	1113	580	1024	534	708,00	814,00	885,00	1.948,00
JV#170024	168,6	58,6	1214	632	1117	582	738,00	849,00	923,00	2.031,00
JV#170026	168,6	63,4	1316	686	1210	630	767,00	882,00	959,00	2.103,00
JV#170028	168,6	68,2	1417	738	1303	679	792,00	911,00	990,00	2.176,00
JV#170030	168,6	73,0	1518	791	1397	728	813,00	935,00	1.016,00	2.305,00
JV#200010	198,5	25,0	589	307	542	282	653,00	751,00	816,00	1.679,00
JV#200012	198,5	29,8	707	368	650	339	662,00	761,00	828,00	1.704,00
JV#200014	198,5	34,6	825	430	759	395	665,00	765,00	831,00	1.768,00
JV#200016	198,5	39,4	942	491	867	452	699,00	804,00	874,00	1.859,00
JV#200018	198,5	44,2	1060	552	975	508	728,00	837,00	910,00	1.929,00
JV#200020	198,5	49,0	1178	614	1084	565	749,00	861,00	936,00	1.996,00
JV#200022	198,5	53,8	1296	675	1192	621	792,00	911,00	990,00	2.176,00
JV#200024	198,5	58,6	1414	737	1301	678	827,00	951,00	1.034,00	2.274,00
JV#200026	198,5	63,4	1531	798	1409	734	860,00	989,00	1.075,00	2.368,00
JV#200028	198,5	68,2	1649	859	1517	790	894,00	1.028,00	1.118,00	2.453,00
JV#200030	198,5	73,0	1767	921	1626	847	921,00	1.059,00	1.151,00	2.609,00

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

For versions with a Coloured finish other than white, see pages 314, 315, 316, 317, 318.



SINGLE COLUMN VERSION
(Connectors 0B1)

Supplied unless otherwise
specified in the order.





CONNECTORS The radiators are supplied as standard with 0B1 connections

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
Available upon request AT NO additional charge.



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Product code **JO#2000140B1ST9010**

JO#200014	Article code specified in the price table
0B1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Model	L (cm)	H (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
JO#150010	148,8	25,0	475	247	452	235	530,00	610,00	663,00	1.365,00
JO#150012	148,8	29,8	595	310	547	285	535,00	615,00	669,00	1.377,00
JO#150014	148,8	34,6	704	367	647	337	531,00	611,00	664,00	1.418,00
JO#150016	148,8	39,4	804	419	748	390	555,00	638,00	694,00	1.474,00
JO#150018	148,8	44,2	920	479	846	441	577,00	664,00	721,00	1.533,00
JO#150020	148,8	49,0	1022	532	943	491	596,00	685,00	745,00	1.583,00
JO#150022	148,8	53,8	1124	586	1041	542	628,00	722,00	785,00	1.722,00
JO#150024	148,8	58,6	1226	639	1136	592	652,00	750,00	815,00	1.791,00
JO#150026	148,8	63,4	1329	692	1229	640	675,00	776,00	844,00	1.852,00
JO#150028	148,8	68,2	1431	746	1322	689	699,00	804,00	874,00	1.920,00
JO#150030	148,8	73,0	1538	801	1507	785	723,00	831,00	904,00	2.051,00
JO#170010	168,6	25,0	540	281	512	267	596,00	685,00	745,00	1.531,00
JO#170012	168,6	29,8	675	352	621	324	601,00	691,00	751,00	1.548,00
JO#170014	168,6	34,6	797	415	734	382	597,00	687,00	746,00	1.589,00
JO#170016	168,6	39,4	922	480	847	441	628,00	722,00	785,00	1.666,00
JO#170018	168,6	44,2	1038	541	959	500	646,00	743,00	808,00	1.718,00
JO#170020	168,6	49,0	1163	606	1070	557	674,00	775,00	843,00	1.788,00
JO#170022	168,6	53,8	1279	666	1180	615	708,00	814,00	885,00	1.948,00
JO#170024	168,6	58,6	1396	727	1287	671	738,00	849,00	923,00	2.031,00
JO#170026	168,6	63,4	1512	788	1393	726	767,00	882,00	959,00	2.103,00
JO#170028	168,6	68,2	1547	806	1499	781	792,00	911,00	990,00	2.176,00
JO#170030	168,6	73,0	1739	906	1695	883	813,00	935,00	1.016,00	2.305,00
JO#200010	198,5	25,0	651	339	602	314	653,00	751,00	816,00	1.679,00
JO#200012	198,5	29,8	794	414	730	380	662,00	761,00	828,00	1.704,00
JO#200014	198,5	34,6	939	489	864	450	665,00	765,00	831,00	1.768,00
JO#200016	198,5	39,4	1086	566	997	519	699,00	804,00	874,00	1.859,00
JO#200018	198,5	44,2	1222	637	1129	588	728,00	837,00	910,00	1.929,00
JO#200020	198,5	49,0	1370	714	1258	655	749,00	861,00	936,00	1.996,00
JO#200022	198,5	53,8	1507	785	1388	723	792,00	911,00	990,00	2.176,00
JO#200024	198,5	58,6	1644	857	1514	789	827,00	951,00	1.034,00	2.274,00
JO#200026	198,5	63,4	1781	928	1638	853	860,00	989,00	1.075,00	2.368,00
JO#200028	198,5	68,2	1822	949	1763	919	894,00	1.028,00	1.118,00	2.453,00
JO#200030	198,5	73,0	2048	1067	1978	1031	921,00	1.059,00	1.151,00	2.609,00

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

For versions with a Coloured finish other than white, see pages 314, 315, 316, 317, 318.



STANDARD HYDRAULIC VERSION
(Connectors 0C1)



CONNECTORS The heated towel rails are supplied as standard with connectors “0C1”

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8” are present at the head of the collectors.

Special connectors
Provided upon request WITH an additional charge of € 70,00



Connectors on request
available upon request AT NO additional charge.



Custom-made connectors
Available upon request WITH an additional charge of € 70,00



Specify “i” and “d”
i min = 5cm d min = 2cm



Product code **HOLA#0200C1ST9010**

HOLA#020	Article code specified in the price table
0C1	Connector code see technical datasheet
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* for special supports see BRACKET SUPPORTS page

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Model	H (cm)	L (cm)	Max overall dimensions (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
HOLA#010	198,5	25,0	38	589	307	542	282	671,00	772,00	839,00	1.619,00
HOLA#012	198,5	29,8	42.8	707	368	650	339	708,00	814,00	885,00	1.714,00
HOLA#014	198,5	34,6	47.6	825	430	759	395	743,00	854,00	929,00	1.752,00
HOLA#016	198,5	39,4	52.4	942	491	867	452	780,00	897,00	975,00	1.806,00
HOLA#018	198,5	44,2	57.2	1060	552	975	508	818,00	941,00	1.023,00	1.873,00
HOLA#020	198,5	49,0	62	1178	614	1084	565	856,00	984,00	1.070,00	1.940,00
HOLA#022	198,5	53,8	66.8	1296	675	1192	621	890,00	1.024,00	1.113,00	2.046,00
HOLA#024	198,5	58,6	71.6	1414	737	1301	678	927,00	1.066,00	1.159,00	2.139,00
HOLA#026	198,5	63,4	76.4	1531	798	1409	734	966,00	1.111,00	1.208,00	2.316,00
HOLA#028	198,5	68,2	81.2	1649	859	1517	790	1.003,00	1.153,00	1.254,00	2.401,00
HOLA#030	198,5	73,0	86	1767	921	1626	847	1.040,00	1.196,00	1.300,00	2.475,00

Standard convertible valves – Z1TLNR

For more information on the choice of valves, see p. 310



Code	Description	Finishes	*Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

For versions with a Coloured finish other than white, see pages 314, 315, 316, 317, 318.

ELEMENTS
hydraulic

Products with HYDRAULIC system

ELEMENTS COLLECTION HYDRAULIC				
ADD_ON HYDRAULIC	HW		page.	134
HYDRAULIC MILANO	HW			142
MONTECARLO HYDRAULIC	HW			144
SQUARE HYDRAULIC	HW			146
T.B.T. HYDRAULIC	HW	MX		154
SOHO HYDRAULIC	HW			160
AGORÀ HYDRAULIC	HW			172
TRAME HYDRAULIC	HW	* MX		176
RIFT HYDRAULIC	HW			180
STEP-BY-STEP HYDRAULIC	HW	MX		196

ADD_ON VERTICAL





CONNECTORS POSITIONING

Connection of the radiator to the system is via Remote Valve Assembly GVR and the interaxis of the connectors on the radiator is shown in the diagram below

dsx = distance from the Left side of the radiator and the centre of the first connector variable according to the width of the radiator, see table below

dsx = 6 cm for L. 24 cm

dsx = 18 cm for L. 36 and 48 cm

dsx = 30 cm for L. 60 and 72 cm

dsx = 42 cm for L. 84 and 96 cm



RADIATOR connection to GVR

ADD_ON HORIZONTAL





CONNECTORS POSITIONING



l = L - 36,0 cm



RADIATOR connection to GVR

The ADD_ON model is connected to the central heating system with the remote connection GVR_AD (Valve Assembly for ADD_ON) supplied as an accessory

Product code **AD_R#192048ST9010-AD_RO#192048ST9010**

AD_R#192048-AD_RO#192048	Article code specified in the price table
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

VERTICAL

Height (cm)		120			144			168			192			216			240		
Code	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
AD_R#	24,0	273	143	2.597,00	329	175	2.891,00	386	209	3.187,00	443	238	3.515,00	501	272	3.812,00	559	307	3.953,00
AD_R#	36,0	410	214	3.194,00	494	263	3.604,00	579	313	4.012,00	665	357	4.469,00	752	408	4.878,00	839	460	5.289,00
AD_R#	48,0	534	279	3.854,00	644	342	4.385,00	754	408	4.917,00	866	465	5.498,00	979	531	6.029,00	1093	600	6.560,00
AD_R#	60,0	651	341	4.491,00	785	417	5.149,00	920	497	5.801,00	1057	567	6.504,00	1195	649	7.161,00	1334	732	7.817,00
AD_R#	72,0	762	399	5.129,00	919	489	5.910,00	1077	582	6.689,00	1237	664	7.511,00	1399	759	8.293,00	1562	857	9.071,00
AD_R#	84,0	866	453	5.771,00	1045	556	6.672,00	1225	662	7.573,00	1407	755	8.522,00	1591	864	9.424,00	1777	975	10.325,00
AD_R#	96,0	964	504	6.408,00	1163	618	7.433,00	1364	737	8.457,00	1567	841	9.530,00	1772	962	10.555,00	1979	1086	11.580,00

HORIZONTAL

Width (cm)		120			144			168			192			216			240		
Code	H (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
AD_RO#	24,0	273	143	2.597,00	329	175	2.891,00	386	209	3.187,00	443	230	3.515,00	501	272	3.812,00	559	307	3.953,00
AD_RO#	36,0	410	214	3.194,00	494	263	3.604,00	579	313	4.012,00	665	357	4.469,00	752	408	4.878,00	839	460	5.289,00
AD_RO#	48,0	534	279	3.854,00	644	342	4.385,00	754	408	4.917,00	866	465	5.498,00	979	531	6.029,00	1093	600	6.560,00
AD_RO#	60,0	651	341	4.491,00	785	417	5.149,00	920	497	5.801,00	1057	567	6.504,00	1195	649	7.161,00	1334	732	7.817,00
AD_RO#	72,0	762	399	5.129,00	919	489	5.910,00	1077	582	6.689,00	1237	664	7.511,00	1399	759	8.293,00	1562	857	9.071,00
AD_RO#	84,0	866	453	5.771,00	1045	556	6.672,00	1225	662	7.573,00	1407	755	8.522,00	1591	864	9.424,00	1777	975	10.325,00
AD_RO#	96,0	964	504	6.408,00	1163	618	7.433,00	1364	737	8.457,00	1567	841	9.530,00	1772	962	10.555,00	1979	1086	11.580,00

COLOURS

The ADD_ON model in all its versions is supplied in the Standard White colour (code 9010) as standard and in all the colours specified in the Tubes colour chart without any variation in price. NO GRCR

PACKING

The cardboard packaging is included in the selling price of the products and provides the kit for fixing to the wall and the manual vent valve.

REMOTE VALVE ASSEMBLY FOR ADD_ON (GVR_AD)

The GVR_AD includes the remote connection valve and lockshield assembly, customized for the Add_On model. It can be installed up to a maximum of 6 mt. from the radiator.

GVR connection to the hydraulic system



Code	Description	Finishes	Price (€)
GVR_AD#9010	Remote valve group for ADD_ON Tubes Standard White finish	Glossy White	210,00 €

FRONT VIEW





LONGITUDINAL CROSS-SECTIONS



a Counterframe to be walled supplied with Add_On in-wall
b Frame installed on Add_On for installation on the counterframe
c UNFINISHED MDF frame for securing, to be painted or plastered
d Space reserved for the hydraulic connection to the central heating system

CONNECTORS POSITIONING
Connection of the radiator to the system is via Remote Valve Assembly GVR and the interaxis of the connectors on the radiator is shown in the diagram below

dsx = distance from the Left side of the radiator and the centre of the first connector variable according to the width of the radiator, see table below
dsx = 6 cm for L. 24 cm
dsx = 18 cm for L. 36 and 48 cm
dsx = 30 cm for L. 60 and 72 cm
dsx = 42 cm for L. 84 and 96 cm

Notes on mounting Add_On in-wall

1 Counterframe (a) installation in the unfinished brickwork following the assembly instructions provided in the pack
2 Prepare the connection to the central heating system (d)
3 Install the Add_On complete with the frame (b) in the counterframe (a)
4 Connect Add_On to the central heating system through the set-up (d)
5 Install the MDF (c) frame for covering and securing Add_On in-wall
6 Paint or plaster the MDF © frame with the same finish as the wall

Product code **AD_RI#192048ST9010**

AD_RI#192048	Article code specified in the price table
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADD_ON INTRAMURO VERTICAL

Height (cm)		120			144			168			192			216			240		
Code	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
AD_RI#	36,0	410	214	3.194,00	494	263	3.604,00	579	313	4.012,00	665	357	4.469,00	752	408	4.878,00	839	460	5.289,00
AD_RI#	48,0	534	279	3.854,00	644	342	4.385,00	754	408	4.917,00	866	465	5.498,00	979	531	6.029,00	1093	600	6.560,00
AD_RI#	60,0	651	341	4.491,00	785	417	5.149,00	920	497	5.801,00	1057	567	6.504,00	1195	649	7.161,00	1334	732	7.817,00
AD_RI#	72,0	762	399	5.129,00	919	489	5.910,00	1077	582	6.689,00	1237	664	7.511,00	1399	759	8.293,00	1562	857	9.071,00
AD_RI#	84,0	866	453	5.771,00	1045	556	6.672,00	1225	662	7.573,00	1407	755	8.522,00	1591	864	9.424,00	1777	975	10.325,00
AD_RI#	96,0	964	504	6.408,00	1163	618	7.433,00	1364	737	8.457,00	1567	841	9.530,00	1772	962	10.555,00	1979	1086	11.580,00

corresponding RECESSED PART

Height (cm)		120		144		168		192		216		240	
Code	L (cm)		Price (€)		Price (€)		Price (€)		Price (€)		Price (€)		Price (€)
INTRA_AD#	36,0		1.378,00		1.590,00		1.804,00		2.015,00		2.228,00		2.438,00
INTRA_AD#	48,0		1.484,00		1.699,00		1.911,00		2.121,00		2.336,00		2.545,00
INTRA_AD#	60,0		1.590,00		1.804,00		2.015,00		2.229,00		2.441,00		2.653,00
INTRA_AD#	72,0		1.699,00		1.909,00		2.122,00		2.335,00		2.545,00		2.759,00
INTRA_AD#	84,0		1.804,00		2.015,00		2.229,00		2.441,00		2.654,00		2.866,00
INTRA_AD#	96,0		1.911,00		2.121,00		2.335,00		2.545,00		2.759,00		2.972,00

REMOTE VALVE ASSEMBLY FOR ADD_ON (GVR_AD)

The GVR_AD includes the remote connection valve and lockshield assembly, customized for the Add_On model. It can be installed up to a maximum of 6 mt. from the radiator.

GVR connection to the hydraulic system



Code	Description	Finishes	Price (€)
GVR_AD#9010	Remote valve group for ADD_ON Tubes Standard White finish	Glossy White	210,00 €

FRONT VIEW





LONGITUDINAL CROSS-SECTIONS



Counterframe to be walled in supplied together with the Add_On in-wall
b Frame installed on the Add_On for installation in counterframe
c UNFINISHED MDF frame for securing, to be painted or plastered
d Space reserved for the hydraulic connection to the central heating system

Notes on Add_On in-wall assembly

1 Counterframe (a) installation in the unfinished brickwork following the assembly instructions provided in the pack
2 Set up the connection to the central heating system (d)
3 Install the Add_On complete with frame (b) in the counterframe (a)
4 Connect the Add_On to the central heating system thanks to the set-up (d)
5 Install the MDF (c) frame for covering and securing Add_On In-wall
6 Paint or plaster the MDF © frame with the same finish as the wall

Product code **AD_ROI#168048ST9010**

AD_ROI#168048	Article code specified in the price table
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADD_ON INTRAMURO HORIZONTAL

Width (cm)		120			144			168			192			216			240		
Code	H (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
AD_ROI#	36,0	410	214	3.194,00	494	263	3.604,00	579	313	4.012,00	665	357	4.469,00	752	408	4.878,00	839	460	5.289,00
AD_ROI#	48,0	534	279	3.854,00	644	342	4.385,00	754	408	4.917,00	866	465	5.498,00	979	531	6.029,00	1093	600	6.560,00
AD_ROI#	60,0	651	341	4.491,00	785	417	5.149,00	920	497	5.801,00	1057	567	6.504,00	1195	649	7.161,00	1334	732	7.817,00
AD_ROI#	72,0	762	399	5.129,00	919	489	5.910,00	1077	582	6.689,00	1237	664	7.511,00	1399	759	8.293,00	1562	857	9.071,00
AD_ROI#	84,0	866	453	5.771,00	1045	556	6.672,00	1225	662	7.573,00	1407	755	8.522,00	1591	864	9.424,00	1777	975	10.325,00
AD_ROI#	96,0	964	504	6.408,00	1163	618	7.433,00	1364	737	8.457,00	1567	841	9.530,00	1772	962	10.555,00	1979	1086	11.580,00

corresponding RECESSED PART

Width (cm)		120		144		168		192		216		240	
Code	H (cm)		Price (€)		Price (€)		Price (€)		Price (€)		Price (€)		Price (€)
INTRA_ADO#	36,0		1.378,00		1.590,00		1.804,00		2.015,00		2.228,00		2.438,00
INTRA_ADO#	48,0		1.484,00		1.699,00		1.911,00		2.121,00		2.336,00		2.545,00
INTRA_ADO#	60,0		1.590,00		1.804,00		2.015,00		2.229,00		2.441,00		2.653,00
INTRA_ADO#	72,0		1.699,00		1.909,00		2.122,00		2.335,00		2.545,00		2.759,00
INTRA_ADO#	84,0		1.804,00		2.015,00		2.229,00		2.441,00		2.654,00		2.866,00
INTRA_ADO#	96,0		1.911,00		2.121,00		2.335,00		2.545,00		2.759,00		2.972,00

REMOTE VALVE ASSEMBLY FOR ADD_ON (GVR_AD)

The GVR_AD includes the remote connection valve and lockshield assembly, customized for the Add_On model. It can be installed up to a maximum of 6 mt. from the radiator.

GVR connection to the hydraulic system



Code	Description	Finishes	Price (€)
GVR_AD#9010	Remote valve group for ADD_ON Tubes Standard White finish	Glossy White	210,00 €

ADD_ON MODEL L1





ADD_ON MODEL L4





Product code **AD_F#01ST9010**

AD_F#01	Article code specified in the price table
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

Model	**H** (cm)	**L** (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
AD_F#01	144,0	144,0	969	515	6.580,00	6.580,00	6.580,00
AD_F#04	164,0	96,0	1120	605	7.456,00	7.456,00	7.456,00

REMOTE VALVE ASSEMBLY FOR ADD_ON (GVR_AD)

The GVR_AD includes the remote connection valve and lockshield assembly, customized for the Add_On model. It can be installed up to a maximum of 6 mt. from the radiator.

GVR connection to the hydraulic system



Code	Description	Finishes	Price (€)
GVR_AD#9010	Remote valve group for ADD_ON Tubes Standard White finish	Glossy White	210,00 €







Product code **MLN#170BAIDR9010**

MLN#170BAIDR	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

BASE VERSION (BA)

(the prices do not include the set-up for recessing)

Model	H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
MLN#170BAIDR	171,5	25,8	800	422	3.052,00	3.510,00	3.815,00
MLN#200BAIDR	199,0	25,8	934	494	3.189,00	3.667,00	3.986,00
MLN#230BAIDR	227,0	25,8	1079	565	3.326,00	3.825,00	4.158,00

Milano Floor Recess

It includes the wall recessed part for connection to the Remote Valve Assembly (GVR) and the support for the external part of Milano

Model	Description	Price (€)
INCMLNBA#IDR	Milano Floor Recess	133,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Finiture Galvaniche: Vedere tabella finiture speciali Tubes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

MILANO HYDRAULIC WALL TYPE VERSION

DESIGN radiator with hydraulic system in carbon steel

Price for Radiator/Towel warmer in Standard White/Chrome color (where specified) and standard connections - VAT and transport excluded.

EN 442 HW







Product code **MLN#170PAIDR9010**

MLN#170PAIDR	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

WALL VERSION (PA)

Model	H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
MLN#170PAIDR	171,5	31,3	800	422	3.162,00	3.636,00	3.953,00
MLN#200PAIDR	199,0	31,3	934	494	3.296,00	3.790,00	4.120,00
MLN#230PAIDR	227,0	31,3	1079	565	3.434,00	3.949,00	4.293,00

Milano Wall Recess

It includes the wall recessed part for connection to the Remote Valve Assembly (GVR) and the support for the external part of Milano.

Model	Description	Price (€)
INCMLNPA#IDR170	Milano 170 Wall Recess	236,00
INCMLNPA#IDR200	Milano 200 Wall Recess	236,00
INCMLNPA#IDR230	Milano 170 Wall Recess	236,00

Recessed part for MILANO Wall Type

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)







Connection to the Remote Valve Assembly (GVR)

CONNECTORS diagram for MO#080, MO#100, MO#120 and MQ#050







CONNECTORS diagram for MV#170 and MV#140



Product code **MOC#120ST9010**

MOC#120	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

HYDRAULIC VERSION

The full price of MONTECARLO DOES NOT include the remote connection valve assembly (GVR) supplied as an accessory separately

Model	L (cm)	H (cm)	Interaxis (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
HORIZONTAL											
MOC#080	80,0	37,5	27,5	597	318	385	215	2.219,00	2.330,00	2.441,00	3.534,00
MOC#100	100,0	37,5	27,5	683	359	451	253	2.403,00	2.523,00	2.643,00	3.869,00
MOC#120	120,0	37,5	27,5	792	421	-	-	2.672,00	2.806,00	2.939,00	ND.
SQUARE											
MQC#050	50,0	50,0	40,0	512	266	314	166	2.070,00	2.174,00	2.277,00	3.272,00
VERTICAL											
MVC#140	37,5	140,0	35,0	830	425	-	-	2.725,00	2.861,00	2.998,00	ND.
MVC#170	37,5	170,0	35,0	992	513	-	-	2.844,00	2.986,00	3.128,00	ND.

The code MO# refers to the model in the chrome version, whereas the code MOC# refers to the coloured version.
Colours not available: GRCR

PRICE OF ACCESSORIES

Only for the Montecarlo vertical version

Model	Description	Finishes	Price (€)
ZAMM#MMRS	30.5x17.5x2.5 cm Wooden shelf for MONTECARLO vertical	Limed oak	246,00
ZAMM#MMWE	30.5x17.5x2.5 cm Wooden shelf for MONTECARLO vertical	Wengè	262,00
ZAMM#PMRS	Wooden towel rail size 30.5x17.5x2.5 cm for MONTECARLO vertical	Limed oak	262,00
ZAMM#PMWE	Wooden towel rail size 30.5x17.5x2.5 cm for MONTECARLO vertical	Wengè	274,00

SHELF



cod. ZAMM#MM

TOWEL SHELF



cod. ZAMM#PM

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)



TECHNICAL DIAGRAM



CONNECTORS





The SQUARE model is connected to the central heating system with the remote connection GVR (Valve Assembly) supplied as an accessory.

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

PACKING

The cardboard packaging is included in the selling price of the products and provides the kit for fixing to the wall and the manual vent valve.

Product code **SQV2#IDR1800469010R12**

SQV2#IDR180046	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code

Model	H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
SQV2#IDR056056	56,0	56,0	294	161	1.415,00	1.627,00	1.769,00
SQV2#IDR071071	71,0	71,0	519	258	1.569,00	1.804,00	1.961,00
SQV2#IDR080071	80,0	71,0	559	289	1.592,00	1.831,00	1.990,00
SQV2#IDR080081	80,0	81,0	670	347	1.658,00	1.907,00	2.073,00
SQV2#IDR140046	140,0	46,0	552	280	1.591,00	1.830,00	1.989,00
SQV2#IDR140056	140,0	56,0	736	373	1.702,00	1.957,00	2.128,00
SQV2#IDR140071	140,0	71,0	921	467	1.884,00	2.167,00	2.355,00
SQV2#IDR140081	140,0	81,0	1105	560	1.989,00	2.287,00	2.486,00
SQV2#IDR160031	160,0	31,0	418	212	1.519,00	1.747,00	1.899,00
SQV2#IDR160046	160,0	46,0	626	318	1.670,00	1.921,00	2.088,00
SQV2#IDR160056	160,0	56,0	835	424	1.779,00	2.046,00	2.224,00
SQV2#IDR160071	160,0	71,0	1044	530	2.020,00	2.323,00	2.525,00
SQV2#IDR160081	160,0	81,0	1253	636	2.116,00	2.433,00	2.645,00
SQV2#IDR180031	180,0	31,0	468	238	1.549,00	1.781,00	1.936,00
SQV2#IDR180046	180,0	46,0	702	357	1.702,00	1.957,00	2.128,00
SQV2#IDR180056	180,0	56,0	936	476	1.834,00	2.109,00	2.293,00
SQV2#IDR180071	180,0	71,0	1170	595	2.085,00	2.398,00	2.606,00
SQV2#IDR180081	180,0	81,0	1404	714	2.249,00	2.586,00	2.811,00
SQV2#IDR200031	200,0	31,0	520	265	1.625,00	1.869,00	2.031,00
SQV2#IDR200046	200,0	46,0	779	398	1.826,00	2.100,00	2.283,00
SQV2#IDR200056	200,0	56,0	1039	531	1.959,00	2.253,00	2.449,00
SQV2#IDR200071	200,0	71,0	1299	664	2.172,00	2.498,00	2.715,00
SQV2#IDR200081	200,0	81,0	1559	796	2.532,00	2.912,00	3.165,00
SQV2#IDR220046	220,0	46,0	859	440	1.894,00	2.178,00	2.368,00
SQV2#IDR220056	220,0	56,0	1145	587	2.069,00	2.379,00	2.586,00
SQV2#IDR220071	220,0	71,0	1431	734	2.357,00	2.711,00	2.946,00
SQV2#IDR240046	240,0	46,0	940	484	1.990,00	2.289,00	2.488,00
SQV2#IDR240056	240,0	56,0	1253	645	2.183,00	2.510,00	2.729,00
SQV2#IDR240071	240,0	71,0	1567	806	2.495,00	2.869,00	3.119,00

SQUARE accessories



Hook code ZASQ2#...



Towel rail code ZASQVG#...

Code	Description	Finishes	Price (€)
ZASQVG#PS031	Towel rail L.32,5 x 4,0 cm for SQUARE L. 31 cm GALVANIC	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	291,00
ZASQVG#PS046	Towel rail L.47,5 x 4,5 cm for SQUARE L. 46 cm GALVANIC		318,00
ZASQVG#PS056	Towel rail L.57,5 x 4,5 cm for SQUARE L. 56 cm GALVANIC		337,00
ZASQVG#PS071	Towel rail L.72,5 x 4,5 cm for SQUARE L. 71 cm GALVANIC		355,00
ZASQV#PS031	Towel rail L.32,5 x 4,0 cm for SQUARE L. 31 cm COLOURED	Tubes Colours cat. C0, C1, C2, C3	303,00
ZASQV#PS046	Towel rail L.47,5 x 4,5 cm for SQUARE L. 46 cm COLOURED		315,00
ZASQV#PS056	Towel rail L.57,5 x 4,5 cm for SQUARE L. 56 cm COLOURED		334,00
ZASQV#PS071	Towel rail L.72,5 x 4,5 cm for SQUARE L. 71 cm COLOURED		353,00
ZASQ2#IDR	For HYDRAULIC version Multifunction accessory in aluminium CIRCLE[1]model for Square	Tubes Colours cat. C0, C1, C2, C3	388,00

1 CIRCLE is a multifunctional accessory, Towel/Bathrobe rail that can be installed in any position even after the wall mounting of the Square.

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)



TECHNICAL DIAGRAM



CONNECTORS





RADIATOR connection to GVR

The SQUARE model is connected to the central heating system with the remote connection GVR (Valve Assembly) supplied as an accessory.

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

PACKING

The cardboard packaging is included in the selling price of the products and provides the kit for fixing to the wall and the manual vent valve.

Product code **SQO2#IDR160046ST9010R12**

SQO2#IDR160046	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	The connection code that defines the type of sealing connection (Copper or Multilayer) is shown on page. 319 of this price list.

Model	**H** (cm)	**L** (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
SQO2#IDR140046	46,0	140,0	625	326	1.638,00	1.884,00	2.048,00
SQO2#IDR140056	56,0	140,0	766	399	1.754,00	2.017,00	2.193,00
SQO2#IDR140071	71,0	140,0	968	503	1.940,00	2.231,00	2.425,00
SQO2#IDR140081	81,0	140,0	1096	567	2.048,00	2.355,00	2.560,00
SQO2#IDR160031	31,0	160,0	467	239	1.566,00	1.801,00	1.958,00
SQO2#IDR160046	46,0	160,0	715	372	1.719,00	1.977,00	2.149,00
SQO2#IDR160056	56,0	160,0	875	456	1.833,00	2.108,00	2.291,00
SQO2#IDR160071	71,0	160,0	1106	575	2.081,00	2.393,00	2.601,00
SQO2#IDR160081	81,0	160,0	1252	648	2.180,00	2.507,00	2.725,00
SQO2#IDR180031	31,0	180,0	526	269	1.595,00	1.834,00	1.994,00
SQO2#IDR180046	46,0	180,0	804	419	1.754,00	2.017,00	2.193,00
SQO2#IDR180056	56,0	180,0	985	513	1.889,00	2.172,00	2.361,00
SQO2#IDR180071	71,0	180,0	1245	647	2.148,00	2.470,00	2.685,00
SQO2#IDR180081	81,0	180,0	1409	729	2.317,00	2.665,00	2.896,00
SQO2#IDR200031	31,0	200,0	584	299	1.674,00	1.925,00	2.093,00
SQO2#IDR200046	46,0	200,0	893	465	1.882,00	2.164,00	2.353,00
SQO2#IDR200056	56,0	200,0	1094	570	2.017,00	2.320,00	2.521,00
SQO2#IDR200071	71,0	200,0	1383	719	2.238,00	2.574,00	2.798,00
SQO2#IDR200081	81,0	200,0	1565	810	2.609,00	3.000,00	3.261,00
SQO2#IDR220046	46,0	220,0	983	512	1.951,00	2.244,00	2.439,00
SQO2#IDR220056	56,0	220,0	1204	627	2.132,00	2.452,00	2.665,00
SQO2#IDR220071	71,0	220,0	1312	682	2.428,00	2.792,00	3.035,00
SQO2#IDR240046	46,0	240,0	1072	559	2.051,00	2.359,00	2.564,00
SQO2#IDR240056	56,0	240,0	1313	684	2.249,00	2.586,00	2.811,00
SQO2#IDR240071	71,0	240,0	1431	744	2.570,00	2.956,00	3.213,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)







NOTES
Handle "C" is always and only Electric

Product code **SQC00#180 056 SQM 120 9010 R12**

SQC00#180 056	Article code specified in the price table
SQM120	Square Maniglione 120 cm
9010	Check the colour code in TUBES COLOR CHART (no GRCR)
R12	The connection code that defines the type of sealing connection (Copper or Multilayer) is shown on page. 319 of this price list.

Accessory code

Code GVR	One-way remote valve assembly with Chrome finish
Code GVRC#*	One-way remote valve assembly with Coloured finish*

* Please, specify color code e.g. ral 9010 by checking TUBES COLOR CHART.

Model	Ha (cm)	Lc (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price A and C white (€)	Price A coloured C white (€)	Price A white C coloured (€)	Price A and C coloured (€)
SQC00#160046SQM100 a SQV2#IDR160046 c SQM#ELE100	160,0	100,0	686	378	2.028,00	2.332,00	2.231,00	2.565,00
SQC00#160046SQM120 a SQV2#IDR160046 c SQM#ELE120	160,0	120,0	696	388	2.101,00	2.416,00	2.311,00	2.658,00
SQC00#160046SQM150 a SQV2#IDR160046 c SQM#ELE150	160,0	150,0	721	473	2.180,00	2.507,00	2.398,00	2.758,00
SQC00#160056SQM100 a SQV2#IDR160056 c SQM#ELE100	160,0	100,0	895	484	2.125,00	2.444,00	2.338,00	2.688,00
SQC00#160056SQM120 a SQV2#IDR160056 c SQM#ELE120	160,0	120,0	905	494	2.198,00	2.528,00	2.418,00	2.780,00
SQC00#160056SQM150 a SQV2#IDR160056 c SQM#ELE150	160,0	150,0	930	519	2.276,00	2.617,00	2.504,00	2.879,00
SQC00#180046SQM100 a SQV2#IDR180046 c SQM#ELE100	180,0	100,0	762	417	2.058,00	2.367,00	2.264,00	2.603,00
SQC00#180046SQM120 a SQV2#IDR180046 c SQM#ELE120	180,0	120,0	772	427	2.131,00	2.451,00	2.344,00	2.696,00
SQC00#180046SQM150 a SQV2#IDR180046 c SQM#ELE150	180,0	150,0	797	452	2.210,00	2.542,00	2.431,00	2.796,00
SQC00#180056SQM100 a SQV2#IDR180056 c SQM#ELE100	180,0	100,0	996	536	2.172,00	2.498,00	2.389,00	2.748,00
SQC00#180056SQM120 a SQV2#IDR180056 c SQM#ELE120	180,0	120,0	1006	546	2.245,00	2.582,00	2.470,00	2.840,00
SQC00#180056SQM150 a SQV2#IDR180056 c SQM#ELE150	180,0	150,0	1031	571	2.323,00	2.671,00	2.555,00	2.939,00





NOTES
Handle "C" is always and only Electric

Model	Ha (cm)	Lc (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price A and B white (€)	Price A coloured B white (€)	Price A white B coloured (€)	Price A and B color (€)
SQC02#160046056056SQM100 a SQV2#IDR160046 b SQV2#IDR056056 c SQM#ELE100	160,0	100,0	999	549	3.253,00	3.741,00	3.578,00	4.115,00
SQC02#160046056056SQM120 a SQV2#IDR160046 b SQV2#IDR056056 c SQM#ELE120	160,0	120,0	1009	555	3.328,00	3.827,00	3.661,00	4.210,00
SQC02#160046056056SQM150 a SQV2#IDR160046 b SQV2#IDR056056 c SQM#ELE150	160,0	150,0	1034	569	3.406,00	3.917,00	3.747,00	4.309,00
SQC02#180046056056SQM100 a SQV2#IDR180046 b SQV2#IDR056056 c SQM#ELE100	180,0	100,0	1075	591	3.284,00	3.777,00	3.612,00	4.154,00
SQC02#180046056056SQM120 a SQV2#IDR180046 b SQV2#IDR056056 c SQM#ELE120	180,0	120,0	1085	597	3.358,00	3.862,00	3.694,00	4.248,00
SQC02#180046056056SQM150 a SQV2#IDR180046 b SQV2#IDR056056 c SQM#ELE150	180,0	150,0	1110	611	3.436,00	3.951,00	3.780,00	4.347,00
SQC02#180056056056SQM120 a SQV2#IDR180056 b SQV2#IDR056056 c SQM#ELE120	180,0	120,0	1319	725	3.397,00	3.907,00	3.737,00	4.297,00
SQC02#200056056056SQM120 a SQV2#IDR200056 b SQV2#IDR056056 c SQM#ELE120	200,0	120,0	1422	782	3.579,00	4.116,00	3.937,00	4.527,00
SQC02#200056056056SQM150 a SQV2#IDR200056 b SQV2#IDR056056 c SQM#ELE150	200,0	150,0	1447	796	3.658,00	4.207,00	4.024,00	4.627,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)







RADIATOR connection to GVR

The SQUARE Composition model is connected to the central heating system via remote connection GVR (Remote Valve Assembly) supplied as an accessory, whereas the handle is always and only Electric.

SQC03#056056 SQM120..



SQC03#080081 SQM150..



SQC03#140056 SQM150...



Model	H (cm)	Lc (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price A and C white (€)	Price A coloured C white (€)	Price A white C coloured (€)	Price A and C coloured (€)
SQC03#056056SQM100 a SQV2#IDR056056 c SQM#ELE100	56,0	100,0	373	205	1.809,00	2.080,00	1.990,00	2.288,00
SQC03#056056SQM120 a SQV2#IDR056056 c SQM#ELE120	56,0	120,0	383	211	1.882,00	2.164,00	2.070,00	2.381,00
SQC03#056056SQM150 a SQV2#IDR056056 c SQM#ELE150	56,0	150,0	408	224	1.961,00	2.255,00	2.157,00	2.481,00
SQC03#080081SQM100 a SQV2#IDR080081 c SQM#ELE100	80,0	100,0	730	402	2.020,00	2.323,00	2.222,00	2.555,00
SQC03#080081SQM120 a SQV2#IDR080081 c SQM#ELE120	80,0	120,0	740	407	2.093,00	2.407,00	2.302,00	2.648,00
SQC03#080081SQM150 a SQV2#IDR080081 c SQM#ELE150	80,0	150,0	765	421	2.172,00	2.498,00	2.389,00	2.748,00
SQC03#140046SQM150 a SQO2#IDR140046 c SQM#ELE100	46,0	150,0	647	356	2.154,00	2.477,00	2.369,00	2.725,00
SQC03#140056SQM150 a SQO2#IDR140056 c SQM#ELE120	56,0	150,0	831	457	2.254,00	2.592,00	2.479,00	2.851,00
SQC03#140071SQM150 a SQO2#IDR140071 c SQM#ELE150	71,0	150,0	1016	559	2.416,00	2.778,00	2.658,00	3.056,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	210,00 € 228,00 €
GVRC#1... GVRTC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	210,00 € 213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





TBT#...OR1



TBT#...OR2



TBT#...OR3



MIXED VERSION

Right side



Right side



HYDRAULIC VERSION

Right side



Right side



CONNECTION TO THE HYDRAULIC SYSTEM

Connection to the hydraulic and/or electrical system takes place using TBT Recessed Assembly ordered separately but compulsory.



LAYOUT OF RECESSED PART



The complete price of the desired TBT is calculated by adding the price of the external part (external TBT) to the corresponding recessed part (recessed TBT) Remote connection valves (GVR) - VAT and transportation not included.

Product code **TBT#120OR2IDRCRO**

TBT#120 OR2	Article code shown in the price table below
IDR	Version code, type of operation IDR=Hydraulic
CRO	Colour code to verify in the TUBES COLOUR CHART

PRICE OF EXTERNAL PART ONLY (external TBT) It includes the external TBT and everything required for installing the recessed part (see below).

	HYDRAULIC VERSION	L (cm)	COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	COLOURED version (€)	CHROMED version (€)	MIXED VERSION	Watt MIXED version	COLOURED version (€)	CHROMED version (€)
SINGLE	TBTC#120OR1IDR	120,0	127	70	76	39	1.567,00	1.727,00	TBTC#120OR1MIX	53	1.977,00	2.181,00
	TBTC#150OR1IDR	150,0	151	83	95	49	1.656,00	1.827,00	TBTC#150OR1MIX	68	2.035,00	2.244,00
	TBTC#180OR1IDR	180,0	186	102	114	58	1.748,00	1.930,00	TBTC#180OR1MIX	83	2.138,00	2.358,00
	TBTC#200OR1IDR	200,0	199	110	127	65	1.798,00	1.985,00	TBTC#200OR1MIX	93	2.189,00	2.416,00
DOUBLE	TBTC#120OR2IDR	120,0	254	140	152	78	3.129,00	3.451,00	TBTC#120OR2MIX	106	3.952,00	4.363,00
	TBTC#150OR2IDR	150,0	302	166	190	97	3.312,00	3.652,00	TBTC#150OR2MIX	136	4.068,00	4.489,00
	TBTC#180OR2IDR	180,0	372	203	228	117	3.500,00	3.861,00	TBTC#180OR2MIX	166	4.275,00	4.715,00
	TBTC#200OR2IDR	200,0	398	219	254	130	3.593,00	3.966,00	TBTC#200OR2MIX	186	4.381,00	4.832,00
TRIPLE	TBTC#120OR3IDR	120,0	381	210	228	117	4.694,00	5.179,00	TBTC#120OR3MIX	159	5.928,00	6.542,00
	TBTC#150OR3IDR	150,0	453	249	285	146	4.967,00	5.479,00	TBTC#150OR3MIX	204	6.106,00	6.735,00
	TBTC#180OR3IDR	180,0	558	305	342	175	5.248,00	5.793,00	TBTC#180OR3MIX	249	6.412,00	7.075,00
	TBTC#200OR3IDR	200,0	597	329	381	195	5.394,00	5.950,00	TBTC#200OR3MIX	279	6.570,00	7.249,00

The above prices refer to standard White colour and all the colours in categories C1/C2 and C3.
Colours not available: GRCR

PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the Remote Valve Assembly and the support for the external part of the TBT

Model		HYDRAULIC VERSION		MIXED VERSION
SINGLE	INCTBT#1201IDR	202,00	INCTBT#1201MIX	220,00
	INCTBT#1501IDR		INCTBT#1501MIX	
	INCTBT#1801IDR		INCTBT#1801MIX	
	INCTBT#2001IDR		INCTBT#2001MIX	
DOUBLE	INCTBT#1202IDR	373,00	INCTBT#1202MIX	394,00
	INCTBT#1502IDR		INCTBT#1502MIX	
	INCTBT#1802IDR		INCTBT#1802MIX	
	INCTBT#2002IDR		INCTBT#2002MIX	
TRIPLE	INCTBT#1203IDR	572,00	INCTBT#1203MIX	602,00
	INCTBT#1503IDR		INCTBT#1503MIX	
	INCTBT#1803IDR		INCTBT#1803MIX	
	INCTBT#2003IDR		INCTBT#2003MIX	

ELECTRIC CONTROLS

The electrical regulation is performed through the use of the following thermostats which allow the regulation of the temperature in the environment by interacting with a maximum of 5 radiators.



cod. ZRF007

Model	Price (€)
ZRF007	299,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)









HYDRAULIC VERSION





MIXED VERSION





CONNECTION TO THE HYDRAULIC SYSTEM

Connection to the hydraulic and/or electrical system takes place using TBT Recessed Assembly ordered separately but compulsory.



LAYOUT OF RECESSED PART



The complete price of the desired TBT is calculated by adding the price of the external part (external TBT) to the corresponding recessed part (recessed TBT) Remote connection valves (GVR) - VAT and transportation not included.

Product code **TBTC#120VE1IDR9010-TBT#120VE1IDRCRO**

TBTC#120VE1-TBT#120VE1	Article code specified in the price table
9010/CRO	Colour/finish code specified in the Official TUBES COLOUR CHART
IDR	Version

PRICE OF EXTERNAL PART ONLY (external TBT) It includes the external TBT and everything required for installing the recessed part (see below).

	HYDRAULIC VERSION	H (cm)	COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	COLOURED version (€)	CHROMED version (€)	MIXED VERSION	Watt ELECTRIC version	COLOURED version (€)	CHROMED version (€)
SINGLE	TBTC#120VE1IDR	120,0	115	63	71	38	1.567,00	1.727,00	TBTC#120VE1MIX	53	1.977,00	2.181,00
	TBTC#150VE1IDR	150,0	149	80	88	47	1.656,00	1.827,00	TBTC#150VE1MIX	68	2.035,00	2.244,00
	TBTC#180VE1IDR	180,0	172	92	106	57	1.748,00	1.930,00	TBTC#180VE1MIX	83	2.138,00	2.358,00
	TBTC#200VE1IDR	200,0	193	103	118	63	1.798,00	1.985,00	TBTC#200VE1MIX	93	2.189,00	2.416,00
DOUBLE	TBTC#120VE2IDR	120,0	230	125	142	76	3.129,00	3.451,00	TBTC#120VE2MIX	106	3.952,00	4.363,00
	TBTC#150VE2IDR	150,0	298	160	176	94	3.312,00	3.652,00	TBTC#150VE2MIX	136	4.068,00	4.489,00
	TBTC#180VE2IDR	180,0	344	184	212	113	3.500,00	3.861,00	TBTC#180VE2MIX	166	4.275,00	4.715,00
	TBTC#200VE2IDR	200,0	386	207	236	126	3.705,00	3.966,00	TBTC#200VE2MIX	186	4.381,00	4.832,00
TRIPLE	TBTC#120VE3IDR	120,0	345	188	213	114	4.694,00	5.179,00	TBTC#120VE3MIX	159	5.928,00	6.542,00
	TBTC#150VE3IDR	150,0	447	240	264	141	4.967,00	5.479,00	TBTC#150VE3MIX	204	6.106,00	6.735,00
	TBTC#180VE3IDR	180,0	516	276	318	170	5.248,00	5.793,00	TBTC#180VE3MIX	279	6.412,00	7.075,00
	TBTC#200VE3IDR	200,0	579	310	354	189	5.557,00	5.950,00	TBTC#200VE3MIX	279	6.570,00	7.249,00

The above prices refer to standard White colour and all the colours in categories C1/C2 and C3.
Colours not available: GRCR

PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the Remote Valve Assembly and the support for the external part of the TBT

Model		HYDRAULIC VERSION		MIXED VERSION
SINGLE	INCTBT#1201IDR	202,00	INCTBT#1201MIX	220,00
	INCTBT#1501IDR		INCTBT#1501MIX	
	INCTBT#1801IDR		INCTBT#1801MIX	
	INCTBT#2001IDR		INCTBT#2001MIX	
DOUBLE	INCTBT#1202IDR	373,00	INCTBT#1202MIX	394,00
	INCTBT#1502IDR		INCTBT#1502MIX	
	INCTBT#1802IDR		INCTBT#1802MIX	
	INCTBT#2002IDR		INCTBT#2002MIX	
TRIPLE	INCTBT#1203IDR	572,00	INCTBT#1203MIX	602,00
	INCTBT#1503IDR		INCTBT#1503MIX	
	INCTBT#1803IDR		INCTBT#1803MIX	
	INCTBT#2003IDR		INCTBT#2003MIX	

ELECTRIC CONTROLS

The electrical regulation is performed through the use of the following thermostats which allow the regulation of the temperature in the environment by interacting with a maximum of 5 radiators.



cod. ZRF007

Model	Price (€)
ZRF007	299,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





HYDRAULIC VERSION



TBT recess supplied separately



Product code **TBTC#180BA1IDR9010-TBT#180BA1IDRCRO**

TBTC#180BA1-TBT#180BA1	Article code specified in the price table
9010/CRO	Colour/finish code specified in the Official TUBES COLOUR CHART
IDR	Version

HYDRAULIC Floor version

Model	H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	COLOURED version ΔT. 30°C	CHROMED version ΔT. 50°C	CHROMED version ΔT. 30°C	Coloured Version (€)	Galvanic Version (€)
TBTC#150BA1IDR	150,0	14,5	88	47	88	47	1.867,00	2.013,00
TBTC#180BA1IDR	180,0	14,5	106	57	106	57	1.914,00	2.064,00

The above prices refer to standard White colour and all the colours in categories C1/C2 and C3.
Colours not available: GRCR

PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the Remote Valve Assembly and the support for the external part of the TBT

Model		HYDRAULIC VERSION
SINGLE	INCTBTBA#IDR	164,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





*Indicative (recommended) size since the position of the shelf is height-adjustable and can therefore be placed wherever suitable.

RADIATOR connection to GVR in the R05 standard configuration with lower connectors

REAR CONNECTIONS

They allow connection to the system via GVR (Remote Valve Assembly) supplied as an accessory. This type of connectors, to be specified at the time of ordering, is provided WITHOUT additional charge.

traditional EXTERNAL CONNECTORS

These are designed for connection to the system via a TRADITIONAL Valve and Lockshield, supplied as accessories. This type of connector, which must be specified in the order, is supplied WITH an additional charge € 70,00. The centre of the valve is 5 cm from the wall.

Standard connector R05
5 cm at the bottom

Connector RS1
Connection to Left

Connector RD1
Connection to Right



Connector upon request C05
Centred low connection at 5 cm

Connector B2M
CUSTOMISED external low connection

Connector on request 0S2
Connection to Left

Connector on request 0D2
Connection to Right



in this case, you need to specify "d" and "i" which must respect the following recommendations: i min.=5 cm d min.=2.5 cm

Standard convertible valves and GVR

For more information on the choice of valves, see p. 312





Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: 2x Z1RAC#R12CRO / 2x Z1RAC#R14CRO / 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: 2x Z1RAC#R12CRO / 2x Z1RAC#R14CRO / 2x Z1RAC#M03CRO / 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €
GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	210,00 € 228,00 €
GVRC#1... GVRTC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	210,00 € 213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

Product code **SHV#180005R05ST9010R12COP9010**

SHV#180005	Article code specified in the price table
R05	Connector code see technical datasheet
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Standard fittings code
COP9010	Covering Code

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SIZES AVAILABLE TO ORDER:
All the sizes in HEIGHT every 1 mm starting from 40 cm up to 280 cm area AVAILABLE TO ORDER and the price is calculated upon request.

SINGLE

Height (cm)		60			80			100			140			160		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	17,6	279	143	674,00	353	181	699,00	424	216	725,00	559	282	775,00	623	313	802,00
4	24,4	371	191	729,00	471	241	764,00	566	289	798,00	745	376	867,00	831	418	899,00
5	31,2	464	238	804,00	588	301	846,00	707	361	888,00	931	470	974,00	1038	522	1.015,00
6	38,0	557	286	856,00	706	361	906,00	848	432	958,00	1117	564	1.060,00	1246	626	1.111,00
7	44,8	650	334	921,00	824	422	981,00	990	505	1.040,00	1304	659	1.160,00	1453	730	1.219,00
8	51,6	743	382	981,00	942	482	1.048,00	1131	577	1.117,00	1490	753	1.254,00	1661	835	1.323,00
9	58,4	836	430	1.045,00	1059	542	1.122,00	1272	649	1.199,00	1676	846	1.354,00	1869	939	1.431,00
10	65,2	928	477	1.117,00	1177	603	1.202,00	1414	721	1.289,00	1862	940	1.458,00	2076	1043	1.544,00
11	72,0	1021	525	1.167,00	1295	663	1.263,00	1555	793	1.355,00	2049	1035	1.543,00	2284	1148	1.639,00
12	78,8	1114	573	1.241,00	1412	723	1.343,00	1697	865	1.446,00	2235	1129	1.651,00	2492	1253	1.755,00
13	85,6	1207	620	1.304,00	1530	783	1.416,00									
14	92,4	1300	668	1.360,00	1648	844	1.481,00									
15	99,2	1393	716	1.429,00	1765	904	1.558,00									
16	106,0	1485	763	1.494,00	1883	964	1.632,00									
17	112,8	1578	811	1.571,00	2001	1024	1.717,00									
18	119,6	1671	859	1.640,00	2118	1084	1.794,00									
19	126,4	1764	907	1.716,00	2236	1145	1.877,00									
20	133,2	1857	954	1.781,00	2354	1205	1.953,00									

Height (cm)		180			200			220			240			280		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	17,6	686	345	830,00	747	376	856,00	806	407	881,00	865	437	906,00	1009	511	957,00
4	24,4	914	460	936,00	995	501	971,00	1075	543	1.004,00	1153	583	1.037,00	1345	681	1.107,00
5	31,2	1143	575	1.061,00	1244	627	1.104,00	1344	678	1.147,00	1442	729	1.189,00	1682	851	1.274,00
6	38,0	1371	690	1.165,00	1493	752	1.216,00	1613	814	1.267,00	1730	874	1.318,00	2018	1021	1.419,00
7	44,8	1600	805	1.281,00	1742	878	1.342,00	1882	950	1.402,00	2018	1020	1.462,00	2355	1192	1.581,00
8	51,6	1828	920	1.393,00	1991	1003	1.462,00	2150	1085	1.531,00	2307	1166	1.597,00	2691	1362	1.734,00
9	58,4	2057	1035	1.510,00	2240	1129	1.588,00	2419	1221	1.665,00	2595	1311	1.742,00	3027	1532	1.894,00
10	65,2	2285	1150	1.632,00	2489	1254	1.719,00	2688	1357	1.804,00	2883	1457	1.888,00	3364	1702	2.061,00
11	72,0	2514	1265	1.734,00	2738	1380	1.830,00	2957	1492	1.923,00	3172	1603	2.018,00	3700	1872	2.205,00
12	78,8	2742	1380	1.860,00	2986	1505	1.962,00	3226	1628	2.065,00	3460	1748	2.168,00	4036	2042	2.374,00

DOUBLE

Height (cm)		60			80			100			140			160		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	17,6	436	225	785,00	548	283	834,00	653	337	883,00	851	435	980,00	945	482	1.029,00
4	24,4	582	301	878,00	730	377	941,00	871	449	1.007,00	1135	581	1.135,00	1260	642	1.198,00
5	31,2	727	376	984,00	913	471	1.064,00	1089	561	1.145,00	1419	726	1.304,00	1575	803	1.384,00
6	38,0	872	451	1.079,00	1096	566	1.173,00	1307	674	1.269,00	1703	871	1.458,00	1891	964	1.555,00
7	44,8	1018	526	1.180,00	1278	660	1.291,00	1525	786	1.402,00	1987	1017	1.625,00	2206	1125	1.736,00
8	51,6	1163	601	1.278,00	1461	754	1.404,00	1743	898	1.531,00	2271	1162	1.785,00	2521	1285	1.912,00
9	58,4	1309	676	1.378,00	1644	848	1.522,00	1960	1010	1.663,00	2554	1307	1.948,00	2836	1446	2.092,00
10	65,2	1454	751	1.486,00	1826	942	1.646,00	2178	1123	1.803,00	2838	1452	2.120,00	3151	1606	2.278,00
11	72,0	1599	826	1.561,00	2009	1037	1.735,00									
12	78,8	1745	902	1.671,00	2191	1131	1.859,00									

Height (cm)		180			200			220			240		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	17,6	1036	529	1.076,00	1125	575	1.126,00	1211	620	1.173,00	1295	663	1.222,00
4	24,4	1382	705	1.264,00	1500	767	1.327,00	1615	826	1.392,00	1727	885	1.455,00
5	31,2	1727	882	1.465,00	1875	958	1.544,00	2018	1032	1.624,00	2159	1106	1.704,00
6	38,0	2073	1058	1.651,00	2250	1150	1.747,00	2422	1239	1.842,00	2591	1327	1.938,00
7	44,8	2418	1234	1.847,00	2625	1341	1.959,00						
8	51,6	2763	1410	2.040,00	2999	1533	2.166,00						





*Indicative (recommended) size since the position of the shelf is height-adjustable and can therefore be placed wherever suitable.





RADIATOR connection to GVR in the OR1 standard configuration with low connectors

REAR CONNECTORS supplied as standard
These are designed for connection to the system via GVR (Remote Valve Assembly) supplied as an accessory. This type of connector, which must be specified in the order, is supplied AT NO additional charge.

traditional EXTERNAL CONNECTORS
These are designed for connection to the system via a TRADITIONAL Valve and Lockshield, supplied as accessories. This type of connector, which must be specified in the order, is supplied WITH an additional charge € 70,00. The centre of the valve is 5 cm from the wall.

Standard connector OR1
connector supplied as standard unless otherwise specified in the order



Connector OB2



Connector RS2
supplied upon request AT NO additional charge



Connector RD2
supplied upon request AT NO additional charge



Standard convertible valves – Z1TLNR

	Code	Description	Finishes	Price (€)
	Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
	Z1KITRAC#001	6-part connector KIT: 2x Z1RAC#R12CRO / 2x Z1RAC#R14CRO / 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
	Z1KITRAC#002	8-part connector KIT: 2x Z1RAC#R12CRO / 2x Z1RAC#R14CRO / 2x Z1RAC#M03CRO / 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

Product code **SHO#1400050R1ST9010R12COP9010**

SHO#140005	Article code specified in the price table
0R1	Connector code see technical datasheet
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
COP9010	Covering Code

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SIZES AVAILABLE TO ORDER:
All sizes in WIDTH every 1 mm starting from 40 cm up to 280 cm are AVAILABLE ON DEMAND and the price is calculated on request.

SINGLE

Width (cm)		60			80			100			140			160		
No of El.	H (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	17,6	146	79	642,00	195	106	666,00	243	132	690,00	341	185	736,00	389	211	760,00
4	24,4	195	105	713,00	260	140	745,00	325	175	775,00	454	245	840,00	519	280	872,00
5	31,2	234	126	782,00	312	167	821,00	390	209	860,00	545	292	940,00	623	334	981,00
6	38,0	273	146	838,00	364	194	886,00	455	243	934,00	636	339	1.028,00	727	388	1.076,00
7	44,8	318	166	897,00	424	221	952,00	530	277	1.007,00	742	387	1.118,00	848	443	1.174,00
8	51,6	362	188	965,00	482	251	1.029,00	603	314	1.093,00	844	439	1.221,00	965	502	1.282,00
9	58,4	405	210	1.024,00	540	280	1.095,00	675	350	1.166,00	946	491	1.310,00	1081	561	1.381,00
10	65,2	451	236	1.110,00	602	314	1.189,00	752	393	1.268,00	1053	550	1.428,00	1203	628	1.508,00
11	72,0	500	264	1.151,00	667	352	1.240,00	834	440	1.327,00	1167	616	1.503,00	1334	704	1.590,00
12	78,8	549	293	1.212,00	732	390	1.306,00	915	488	1.403,00	1281	683	1.594,00	1464	780	1.691,00

Width (cm)		180			200			220			240			280		
No of El.	H (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	17,6	438	237	787,00	487	264	808,00	536	291	833,00	584	317	857,00	682	370	903,00
4	24,4	584	315	905,00	649	350	936,00	714	385	968,00	779	420	1.001,00	909	490	1.063,00
5	31,2	701	376	1.021,00	779	418	1.061,00	857	460	1.101,00	935	502	1.141,00	1091	585	1.219,00
6	38,0	818	437	1.126,00	909	485	1.174,00	1000	534	1.222,00	1091	582	1.268,00	1273	679	1.364,00
7	44,8	954	498	1.232,00	1061	554	1.289,00	1167	609	1.343,00	1273	665	1.400,00	1485	775	1.510,00
8	51,6	1085	565	1.350,00	1206	628	1.413,00	1326	690	1.478,00	1447	753	1.541,00	1688	878	1.669,00
9	58,4	1216	631	1.456,00	1351	701	1.526,00	1486	771	1.597,00	1621	841	1.670,00	1891	981	1.812,00
10	65,2	1354	707	1.590,00	1504	786	1.670,00	1655	864	1.748,00	1805	943	1.829,00	2106	1100	1.987,00
11	72,0	1500	791	1.680,00	1667	879	1.769,00	1834	968	1.856,00	2000	1055	1.944,00	2334	1231	2.117,00
12	78,8	1647	878	1.787,00	1830	975	1.884,00	2013	1073	1.980,00	2196	1170	2.075,00	2562	1365	2.264,00

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)









POSSIBLE CONNECTORS

SOHO BATHROOM is available with rear connectors designed for connection to the system via GVR (Remote Valve Assembly) or with the double connector C5B designed for connection via traditional valves both with the centred 5 cm interaxis and with the specific interaxis "S". This type of connector, which must be specified in the order, is supplied AT NO additional charge. For other types of connectors, consult the Soho Vertical on page 160.

Connector on request R05



I=5 cm centred

Centred rear connection at 5 cm. Requires assembly of GVR, supplied as an accessory.

Standard Connector C5B



double interaxis i=5 cm and "S"

Double connector with low connection both centred at 5 cm as well as with heated towel rail interaxis "s", valves not included

SHVB#130007	**Article code specified in the price table**
C5B	Connector code see technical datasheet
ST	Standard support code
916P	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ACCESSORIES

Code GVR	Remote Valve Assembly, CHROME finish
Code GVRC	Remote Valve Assembly COLOURED finish

SIZES AVAILABLE TO ORDER:
All the sizes in HEIGHT every 1 mm starting from 60 cm up to 200 cm area AVAILABLE TO ORDER and the price is calculated upon request.

		COLOURED version						**ANODIZED version**			
H (cm)	**L** (cm)	Model	Watt ΔT. 50°C	Watt ΔT. 30°C	Price White matt (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Model	Watt ΔT. 50°C	Watt ΔT. 30°C	Anodised A0 (€)
80,0	31,2	SHVB#080005	588	301	1.007,00	1.158,00	1.259,00	SHVBA#080005	576	295	1.168,00
80,0	44,8	SHVB#080007	824	422	1.146,00	1.318,00	1.433,00	SHVBA#080007	808	413	1.407,00
80,0	51,6	SHVB#080008	942	482	1.218,00	1.401,00	1.523,00	SHVBA#080008	923	473	1.529,00
100,0	31,2	SHVB#100005	707	361	1.046,00	1.203,00	1.308,00	SHVBA#100005	693	353	1.211,00
100,0	44,8	SHVB#100007	990	505	1.201,00	1.381,00	1.501,00	SHVBA#100007	970	495	1.466,00
100,0	51,6	SHVB#100008	1131	577	1.282,00	1.474,00	1.603,00	SHVBA#100008	1108	565	1.596,00
140,0	31,2	SHVB#140005	931	470	1.125,00	1.294,00	1.406,00	SHVBA#140005	912	461	1.299,00
140,0	44,8	SHVB#140007	1304	659	1.311,00	1.508,00	1.639,00	SHVBA#140007	1278	645	1.586,00
140,0	51,6	SHVB#140008	1490	753	1.408,00	1.619,00	1.760,00	SHVBA#140008	1460	738	1.735,00
180,0	31,2	SHVB#180005	1143	575	1.205,00	1.386,00	1.506,00	SHVBA#180005	1119	564	1.387,00
180,0	44,8	SHVB#180007	1600	805	1.422,00	1.635,00	1.778,00	SHVBA#180007	1568	789	1.711,00
180,0	51,6	SHVB#180008	1828	920	1.535,00	1.765,00	1.919,00	SHVBA#180008	1791	902	1.876,00


SOHO CHROME-PLATED towel rail


SOHO CHROME-PLATED hook


SOHO COLOURED Towel rail


SOHO COLOURED hook

Standard convertible valves and GVR

For more information on the choice of valves, see p. 312





Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: 2x Z1RAC#R12CRO / 2x Z1RAC#R14CRO / 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: 2x Z1RAC#R12CRO / 2x Z1RAC#R14CRO / 2x Z1RAC#M03CRO / 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





Single version (SHV)



*Indicative (recommended) size since the position of the shelf is height-adjustable and can therefore be placed wherever suitable.



RADIATOR connection to GVR in the R05 standard configuration with low connectors

REAR CONNECTIONS
They allow connection to the system via GVR (Remote Valve Assembly) supplied as an accessory. This type of connectors, to be specified at the time of ordering, is provided WITHOUT additional charge.

traditional EXTERNAL CONNECTORS
These are designed for connection to the system via a TRADITIONAL Valve and Lockshield, supplied as accessories. This type of connector, which must be specified in the order, is supplied WITH an additional charge € 70,00. The centre of the valve is 5 cm from the wall.

Standard connector R05
5 cm at the bottom



Connector RS1
Connection to Left



Connector RD1
Connection to Right



Connector upon request C05
Centred low connection at 5 cm



Connector B2M
CUSTOMISED external low connection



in this case, you need to specify "d" and "i" which must respect the following recommendations:
i min.=5 cm d min.=2.5 cm

Connector on request 0S2
Connection to Left



Connector on request 0D2
Connection to Right



Product code **SHVA#180004R05STANARR12COP0CRO**

SHVA#180004	Article code specified in the price table
R05	Connector code see technical datasheet
ST	Standard support code
ANAR	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
COP0CRO	Covering Code

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SIZES AVAILABLE TO ORDER:
All the sizes in HEIGHT every 1 mm starting from 60 cm up to 200 cm area AVAILABLE TO ORDER and the price is calculated upon request.

SINGLE ANODISED

Height (cm)		80			100			140			180		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	17,6	346	177	768,00	416	212	796,00	548	277	851,00	672	338	910,00
4	24,4	462	236	884,00	555	283	922,00	730	369	997,00	896	451	1.073,00
5	31,2	576	295	1.021,00	693	353	1.067,00	912	461	1.163,00	1120	564	1.259,00
6	38,0	692	354	1.135,00	831	424	1.191,00	1095	553	1.303,00	1344	676	1.418,00
7	44,8	808	413	1.264,00	970	495	1.329,00	1278	645	1.459,00	1568	789	1.595,00
8	51,6	923	473	1.386,00	1108	565	1.459,00	1460	738	1.610,00	1791	902	1.763,00
9	58,4	1038	531	1.515,00	1247	636	1.597,00	1642	830	1.768,00	2016	1015	1.939,00
10	65,2	1153	591	1.648,00	1386	707	1.743,00	1825	922	1.931,00	2239	1127	2.122,00
11	72,0	1269	650	1.760,00	1524	777	1.863,00	2008	1014	2.071,00	2464	1240	2.280,00
12	78,8	1384	708	1.896,00	1663	848	2.010,00	2190	1106	2.236,00	2687	1352	2.466,00

The prices specified in the table refer to the Silver Anodised Aluminium finish.

Standard convertible valves – Z1TLNR



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





*Indicative (recommended) size since the position of the shelf is height-adjustable and can therefore be placed wherever suitable.



RADIATOR connection to GVR in the OR1 standard configuration with low connectors

REAR CONNECTORS supplied as standard
These are designed for connection to the system via GVR (Remote Valve Assembly) supplied as an accessory. This type of connector, which must be specified in the order, is supplied AT NO additional charge.

traditional EXTERNAL CONNECTORS
These are designed for connection to the system via a TRADITIONAL Valve and Lockshield, supplied as accessories. This type of connector, which must be specified in the order, is supplied WITH an additional charge € 70,00. The centre of the valve is 5 cm from the wall.

Standard connector OR1
connector supplied as standard unless otherwise specified in the order



Connector OB2



Connector RS2
supplied upon request AT NO additional charge



Connector RD2
supplied upon request AT NO additional charge



Product code **SHOA#1700040R1STANARR12COP0CRO**

SHOA#170004	Article code specified in the price table
0R1	Connector code see technical datasheet
ST	Standard support code
ANAR	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
COP0CRO	Covering Code

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SIZES AVAILABLE TO ORDER:
All the sizes in WIDTH every 1 mm starting from 60 cm up to 200 cm area AVAILABLE TO ORDER and the price is calculated upon request.

SINGLE HORIZONTAL ANODISED

Width (cm)		80			100			140			180		
No of El.	**H** (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	17,6	185	100	768,00	231	125	796,00	324	176	851,00	416	226	910,00
4	24,4	247	133	884,00	309	167	922,00	431	233	997,00	555	299	1.073,00
5	31,2	296	159	1.021,00	371	199	1.067,00	518	278	1.163,00	666	357	1.259,00
6	38,0	346	185	1.135,00	432	231	1.191,00	604	322	1.303,00	777	415	1.418,00
7	44,8	403	210	1.264,00	504	263	1.329,00	705	368	1.459,00	906	473	1.595,00
8	51,6	458	238	1.386,00	573	298	1.459,00	802	417	1.610,00	1031	536	1.763,00
9	58,4	513	266	1.515,00	641	333	1.597,00	899	466	1.768,00	1155	599	1.939,00
10	65,2	572	299	1.648,00	714	373	1.743,00	1000	523	1.931,00	1286	672	2.122,00
11	72,0	634	334	1.760,00	792	418	1.863,00	1109	585	2.071,00	1425	752	2.280,00
12	78,8	695	371	1.896,00	869	463	2.010,00	1217	648	2.236,00	1565	834	2.466,00

The prices specified in the table refer to the Silver Anodised Aluminium finish.

Standard convertible valves – Z1TLNR



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2” and/or Multi-layer 1/2”	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





Product code **SHVDF#1600039010COP9010**

SHVDF#160003	Article code specified in the price table
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
COP9010	Covering Code

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

FREESTANDING DOUBLE

Height (cm)		60			80			100			140			160			180		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	17,6	436	225	1.298,00	548	283	1.354,00	653	337	1.409,00	851	435	1.519,00	945	482	1.576,00	1036	529	1.631,00
4	24,4	582	301	1.404,00	730	377	1.478,00	871	449	1.551,00	1135	581	1.697,00	1260	642	1.771,00	1382	705	1.843,00
5	31,2	727	376	1.532,00	913	471	1.623,00	1089	561	1.716,00	1419	726	1.896,00	1575	803	1.987,00	1727	882	2.078,00
6	38,0	872	451	1.640,00	1096	566	1.749,00	1307	674	1.858,00	1703	871	2.076,00	1891	964	2.185,00	2073	1058	2.293,00
7	44,8	1018	526	1.758,00	1278	660	1.885,00	1525	786	2.013,00	1987	1017	2.266,00	2206	1125	2.392,00	2418	1234	2.520,00
8	51,6	1163	601	1.883,00	1461	754	2.026,00												
9	58,4	1309	676	2.001,00	1644	848	2.163,00												
10	65,2	1454	751	2.126,00	1826	942	2.307,00												
11	72,0	1599	826	2.223,00	2009	1037	2.420,00												
12	78,8	1745	902	2.348,00	2191	1131	2.566,00												

SOHO VERT. DOUBLE FREE-STANDING RECESS (recessed part)

Model		Price (€)
INCSHVDF#	Recessed part SOHO vertical double	202,00

FLOOR RECESSED ASSEMBLY Code INCSHVDF

The recessed assembly can also be ordered separately and it is compulsory in order to install it in the Soho Free-standing. This recessed assembly is connected to the central heating system via the GVR



Connection of the Soho recessed assembly to the GVR





FREESTANDING DOUBLE

Width (cm)		100			140			160			180			200		
No of El.	H (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	29,6	282	149	1.348,00	386	203	1.453,00	444	234	1.507,00	507	267	1.560,00	574	303	1.612,00
4	36,4	376	199	1.484,00	515	271	1.624,00	592	312	1.694,00	676	356	1.763,00	766	404	1.834,00
5	43,2	470	248	1.641,00	644	338	1.814,00	740	389	1.901,00	844	445	1.988,00	957	505	2.077,00
6	50,0	564	298	1.778,00	773	406	1.986,00	888	467	2.090,00	1013	534	2.193,00	1148	606	2.298,00
7	56,8	658	347	1.925,00	901	474	2.167,00	1037	546	2.288,00	1182	623	2.410,00	1340	707	2.531,00

CONNECTORS INTERAXIS = L - 5 cm

Width (cm)		220			240			280		
No of El.	H (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	29,6	647	342	1.667,00	706	374	2.061,00	824	437	2.189,00
4	36,4	863	456	1.903,00	941	498	2.368,00	1098	582	2.538,00
5	43,2	1079	570	2.163,00	1177	623	2.699,00	1373	727	2.911,00

CONNECTORS INTERAXIS = L - 5 cm

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)



Connection to the Remote Valve Assembly GVR with SH1 connectors Connection fittings NOT supplied

Connection to the central heating system via special Valves code Z1SHNR# SH2 Connectors with an extra charge of € 50.00

Valve for SOHO FREE-STANDING Horizontal DOUBLE - Z1SHNR

Code	Description	Finishes	*Price (€)
Z1SHNR#	Valve for SOHO Free-standing Horizontal DOUBLE		79,00
Z1RAC#...	Fitting for valve Z SHNR (2 PCS)	Glossy Chrome	16,00

Paired special STRAIGHT Valve and Lockshield for SOHO Free-standing Horizontal Double



AGORÀ **ST** (AGST#...) AGORÀ **DS** (AGDS#...) AGORÀ **DD** (AGDD#...)

Product code **AGST#180005R05ST9010R12**

AGST#180005	Article code specified in the price table
R05	Connector code see technical datasheet
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

REAR CONNECTORS

These are designed for connection to the system via GVR (Remote Valve Assembly) supplied as an accessory. This type of connector, which must be specified in the order, is supplied AT NO additional charge.



Standard connector R05
rear at i=5 cm centred



Standard connector R2M
rear CUSTOM-MADE
Specify "i" and "d"
i min.=5 cm d min.=4 cm



RADIATOR connection to GVR

traditional EXTERNAL CONNECTORS

These are designed for connection to the system via a TRADITIONAL Valve and Lockshield, supplied as accessories. This type of connector, which must be specified in the order, is supplied WITH an additional charge. The distance from the connector center to the wall is equal to 7 cm.

CUSTOM-MADE connectors upon request: €80.00



Connector B2M
CUSTOM-MADE external
Specify "i" and "d"
i min.=5 cm d min.=4 cm

CUSTOM-MADE connectors upon request: €80.00



Connector S2M
CUSTOM-MADE Left external
d = 5 cm I min 5 cm

Connector D2M
CUSTOM-MADE Right external
d = 5 cm I min 5 cm

Connectors upon request: €80.00



Connector C05
external at i=5.0cm centred

Connectors upon request: €80.00



Connector 0S2
left side external I = H - 10 cm

Connector 0D2
right side external I = H - 10 cm

ADDITIONAL COLOUR CHARGES Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.





AGORÀ **ST**
(AGST#...)

SIZES AVAILABLE TO ORDER:
All the sizes in HEIGHT every 1 mm starting from 40 cm up to 220 cm area AVAILABLE TO ORDER and the price is calculated upon request.

ST = Without Decorations

Height (cm)		40			50			60			80			90			100			140		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	41,7	302	156	776,00	374	193	808,00	446	229	829,00	585	297	865,00	653	330	883,00	719	362	902,00	972	484	975,00
4	55,7	402	208	850,00	499	257	892,00	594	305	913,00	780	396	964,00	870	440	987,00	959	483	1.012,00	1296	646	1.110,00
5	69,7	503	260	921,00	624	321	972,00	743	381	1.002,00	975	495	1.060,00	1088	550	1.090,00	1199	603	1.122,00	1621	808	1.244,00
6	83,7	604	313	994,00	748	385	1.050,00	891	457	1.087,00	1170	594	1.160,00	1306	660	1.196,00	1439	724	1.232,00	1945	969	1.379,00
7	97,7	704	364	1.087,00	873	450	1.127,00	1040	533	1.171,00	1365	693	1.256,00									
8	111,7	805	417	1.162,00	998	514	1.206,00	1188	609	1.256,00	1560	792	1.355,00									
9	125,7	905	468	1.232,00	1122	578	1.289,00	1337	685	1.343,00	1755	891	1.454,00									
10	139,7	1006	521	1.306,00	1247	642	1.369,00	1485	761	1.428,00	1950	990	1.551,00									
11	153,7	1106	572	1.381,00	1372	707	1.446,00	1634	838	1.515,00	2145	1089	1.648,00									
12	167,7	1207	625	1.455,00	1497	771	1.526,00	1782	914	1.599,00	2340	1188	1.747,00									
13	181,7	1308	677	1.526,00	1621	835	1.608,00	1931	990	1.689,00	2535	1288	1.845,00									
*14	195,7	1408	729	1.599,00	1746	899	1.689,00															
*15	209,7	1509	781	1.673,00	1871	964	1.768,00															
*16	223,7	1609	833	1.748,00	1995	1028	1.845,00															

* For 14, 15 and 16 elements the center distance is equal to L-14 cm and not 5 cm centered

Height (cm)		160			180			190			200			210			220		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	41,7	1091	541	1.012,00	1204	598	1.050,00	1258	625	1.065,00	1311	652	1.086,00	1363	679	1.103,00	1413	704	1.121,00
4	55,7	1454	721	1.160,00	1605	797	1.205,00	1678	834	1.231,00	1748	869	1.256,00	1817	905	1.280,00	1885	939	1.305,00
5	69,7	1818	901	1.305,00	2006	996	1.366,00	2097	1042	1.398,00	2185	1087	1.427,00	2272	1131	1.457,00	2356	1174	1.458,00
6	83,7	2181	1081	1.451,00	2407	1195	1.525,00	2516	1250	1.561,00	2622	1304	1.597,00						

The radiator can be ordered with 2 elements upon request, which corresponds to a width of 27.7 cm. To generate a quote, send a request to the engineering department.

Standard convertible valves – Z1TLNR



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: 2x Z1RAC#R12CRO / 2x Z1RAC#R14CRO / 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: 2x Z1RAC#R12CRO / 2x Z1RAC#R14CRO / 2x Z1RAC#M03CRO / 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	210,00 € 228,00 €
GVRC#1... GVRTC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	210,00 € 213,00 €
Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)			





DS = Single Decoration at the top of the radiator

Height (cm)		80			90			100			140			160			180			190		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	41,7	585	297	946,00	653	330	965,00	719	362	986,00	972	484	1.064,00	1091	541	1.105,00	1204	598	1.145,00	1258	625	1.165,00
4	55,7	780	396	1.055,00	870	440	1.082,00	959	483	1.109,00	1296	646	1.212,00	1454	721	1.266,00	1605	797	1.318,00	1678	834	1.346,00
5	69,7	975	495	1.163,00	1088	550	1.197,00	1199	603	1.229,00	1621	808	1.362,00	1818	901	1.428,00	2006	996	1.494,00	2097	1042	1.528,00
6	83,7	1170	594	1.273,00	1306	660	1.311,00	1439	724	1.350,00	1945	969	1.510,00	2181	1081	1.590,00	2407	1195	1.670,00	2516	1250	1.708,00
7	97,7	1365	693	1.381,00																		
8	111,7	1560	792	1.488,00																		
9	125,7	1755	891	1.596,00																		
10	139,7	1950	990	1.704,00																		
11	153,7	2145	1089	1.812,00																		
12	167,7	2340	1188	1.923,00																		
13	181,7	2535	1288	2.031,00																		

Height (cm)		190			200			210			220		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	41,7	1258	625	1.165,00	1311	652	1.187,00	1363	679	1.203,00	1413	704	1.226,00
4	55,7	1678	834	1.346,00	1748	869	1.374,00	1817	905	1.401,00	1885	939	1.426,00
5	69,7	2097	1042	1.528,00	2185	1087	1.561,00	2272	1131	1.594,00	2356	1174	1.627,00
6	83,7	2516	1250	1.708,00	2622	1304	1.749,00						

The radiator can be ordered with 2 elements upon request, which corresponds to a width of 27.7 cm. To generate a quote, send a request to the engineering department.

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.





DD = Two Decorations at the top and bottom of the radiator

Height (cm)		140			160			180			190			200			210			220		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
3	41,7	972	484	1.083,00	1091	541	1.125,00	1204	598	1.165,00	1258	625	1.183,00	1311	652	1.205,00	1363	679	1.224,00	1413	704	1.243,00
4	55,7	1296	646	1.235,00	1454	721	1.289,00	1605	797	1.344,00	1678	834	1.371,00	1748	869	1.396,00	1817	905	1.424,00	1885	939	1.451,00
5	69,7	1621	808	1.389,00	1818	901	1.456,00	2006	996	1.523,00	2097	1042	1.557,00	2185	1087	1.592,00	2272	1131	1.622,00	2356	1174	1.657,00
6	83,7	1945	969	1.541,00	2181	1081	1.620,00	2407	1195	1.702,00	2516	1250	1.743,00	2622	1304	1.781,00						

The radiator can be ordered with 2 elements upon request, which corresponds to a width of 27.7 cm. To generate a quote, send a request to the engineering department.

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Standard convertible valves – Z1TLNR



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
Z1KITRAC#001	6-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1AC#M03CRO	Glossy Chrome	26,00 €
Z1KITRAC#002	8-part connector KIT: - 2x Z1RAC#R12CRO - 2x Z1RAC#R14CRO - 2x Z1RAC#M03CRO - 2x Z1RAC#M01CRO	Glossy Chrome	33,00 €

Remote valve assembly – GVR
For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	210,00 € 228,00 €
GVRC#1... GVRTC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	210,00 € 213,00 €
Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)			

Horizontal TRAME - MIXED

The Horizontal Trame model in both the Standard MIXED and in the Traditional mixed version is only made on demand.
Contact the sales department for technical data sheets and price.



TRAME 14



RADIATOR connection to GVR in the OR1 standard configuration with low connectors



RADIATOR - GVR connection diagram in the standard OR1 configuration with low connectors



TRAME 20



RADIATOR connection to GVR in the OR1 standard configuration with low connectors





TRAME 28



RADIATOR connection to GVR in the OR1 standard configuration with low connectors



REAR CONNECTORS supplied as standard

These are designed for connection to the system via GVR (Remote Valve Assembly) supplied as an accessory. This type of connector, which must be specified in the order, is supplied AT NO additional charge.

traditional EXTERNAL CONNECTORS

These are designed for connection to the system via a TRADITIONAL Valve and Lockshield, supplied as accessories. This type of connector, which must be specified in the order, is supplied WITH an ADDITIONAL charge of 70.00

Connector OR1
Connector supplied as standard unless otherwise specified in the order



Connector RS2 Left side
Supplied upon request



Connector RD2 Right side
Supplied upon request



EXTERNAL connector 0B2
Supplied upon request



RADIATOR connection with traditional valves in the 0B2 connector configuration

Product code **TRO14#09600430R1ST9010R12**

TRO14#0960043	Article code specified in the price table
0R1	Connector code see technical datasheet
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

TRAME 14

Width (cm)		52.5			67			96			125			154		
No of El.	H (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
21	40,0	342	186	990,00	437	237	1.013,00	626	340	1.061,00	815	442	1.145,00	1004	545	1.213,00
31	59,0	464	255	1.201,00	592	325	1.236,00	849	466	1.300,00	1105	607	1.420,00	1361	747	1.521,00
43	81,8	606	336	1.460,00	773	428	1.510,00	1108	614	1.594,00	1443	799	1.714,00	1777	984	1.854,00
47	89,4	653	361	1.535,00	883	489	1.591,00	1194	661	1.681,00	1555	861	1.812,00	1915	1060	1.964,00
53	100,8	723	400	1.691,00	923	510	1.755,00	1323	732	1.812,00	1723	953	1.959,00	2122	1174	2.133,00
69	131,2	914	503	2.007,00	1166	641	2.087,00	1671	919	2.160,00						
79	150,2	1036	564	2.199,00	1322	720	2.293,00	1894	1031	2.435,00						
89	169,2	1161	626	2.452,00	1481	798	2.562,00									
95	180,6	1237	662	2.574,00	1579	845	2.690,00									
103	195,8	1341	712	2.733,00	1712	909	2.857,00									

TRAME 20

Width (cm)		52.5			67			96			125			154			183			197,5		
No of El.	H (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
17	42,0	339	184	927,00	432	235	949,00	619	336	968,00	806	438	1.044,00	993	540	1.099,00	1180	641	1.153,00	1254	681	1.236,00
25	62,0	479	260	1.112,00	611	332	1.145,00	876	476	1.171,00	1141	620	1.278,00	1405	763	1.363,00	1670	907	1.442,00	1788	971	1.511,00
33	82,0	614	334	1.271,00	784	426	1.315,00	1123	611	1.352,00	1462	795	1.485,00	1801	979	1.598,00						
37	92,0	680	371	1.385,00	868	474	1.433,00	1243	679	1.478,00	1619	884	1.626,00	1994	1089	1.757,00						
41	102,0	745	408	1.466,00	950	521	1.523,00	1362	747	1.570,00	1773	972	1.733,00	2185	1198	1.878,00						
51	127,0	903	498	1.712,00	1153	636	1.781,00	1652	911	1.844,00												
61	152,0	1057	576	1.918,00	1349	735	2.006,00	1933	1053	2.079,00												
69	172,0	1177	635	2.087,00	1502	810	2.182,00															
73	182,0	1236	663	2.171,00	1578	847	2.273,00															
77	192,0	1295	692	2.254,00	1653	883	2.360,00															

TRAME 28

Width (cm)		52.5			67			96			125			154			183			197,5		
No of El.	H (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
13	42,4	343	186	971,00	438	237	985,00	627	339	1.020,00	816	442	1.066,00	1006	544	1.125,00	1195	647	1.179,00	1280	693	1.256,00
19	62,2	475	254	1.138,00	606	324	1.155,00	869	465	1.199,00	1131	605	1.269,00	1394	746	1.356,00	1656	886	1.433,00	1774	949	1.542,00
25	82,0	604	329	1.339,00	770	419	1.363,00	1104	601	1.416,00	1437	782	1.510,00	1770	963	1.626,00						
29	95,2	688	376	1.453,00	878	479	1.481,00	1258	687	1.542,00	1638	895	1.650,00	2018	1102	1.786,00						
39	128,2	897	492	1.781,00	1145	628	1.818,00	1640	899	1.893,00	2136	1171	2.044,00									
47	154,6	1064	576	2.064,00	1358	735	2.112,00	1946	1054	2.147,00												
51	167,8	1148	618	2.184,00	1465	788	2.237,00															
55	181,0	1232	659	2.306,00	1573	841	2.359,00															
59	194,2	1317	700	2.423,00	1681	893	2.483,00															

Standard convertible valves – Z1TLNR



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF3#9010	Hole-covering washer kit for Heated towel rail	Standard White	30,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	210,00 € 228,00 €
GVRC#1... GVRTC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	210,00 € 213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)



TRAME 20



RADIATOR connection to GVR in the R05 standard configuration with low connectors





TRAME 28



RADIATOR connection to GVR in the R05 standard configuration with low connectors



REAR CONNECTORS
These are designed for connection to the system via GVR (Remote Valve Assembly) supplied as an accessory. This type of connector, which must be specified in the order, is supplied AT NO additional charge.

Connector R05
Connector supplied as standard unless otherwise specified in the order



Connector RS1
rear Left supplied upon request



Connector RD1
rear Right supplied upon request



traditional EXTERNAL CONNECTORS
These are designed for connection to the system via a TRADITIONAL Valve and Lockshield, supplied as accessories. This type of connector, which must be specified in the order, is supplied WITH an additional charge € 70,00

Connector R2M
Rear custom-made supplied upon request



Connector B2M
Traditional custom-made supplied upon request



Connector 0B2
Traditional at 5 cm supplied upon request



CUSTOMISED R2M low connection
in this case, you need to specify “d” and “i” which must respect the following recommendations:
i min.=5 cm | d min.=2 cm
CONNECTORS AVAILABLE TO ORDER:
External side connectors OS2 or OD2 are AVAILABLE TO ORDER.

Product code **TRV28#1830019R05ST9010R12**

TRV28#1830019	Article code specified in the price table
R05	Connector code see technical datasheet
ST	Standard support code
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

TRAME 20

Height (cm)		96			125			154			183			197,5		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
11	27,0	413	210	839,00	515	264	893,00	606	311	930,00	686	351	963,00	719	368	1.002,00
13	32,0	488	248	882,00	609	312	943,00	717	368	988,00	811	415	1.026,00	850	435	1.096,00
15	37,0	563	286	925,00	703	361	993,00	827	424	1.042,00	936	479	1.089,00	980	501	1.166,00
17	42,0	638	324	968,00	796	408	1.044,00	937	480	1.099,00	1061	543	1.153,00	1111	568	1.236,00
19	47,0	713	363	1.013,00	890	457	1.094,00	1047	537	1.157,00	1186	607	1.216,00	1242	635	1.304,00
21	52,0	789	401	1.058,00	984	505	1.145,00	1158	594	1.216,00	1311	671	1.280,00	1373	702	1.373,00
23	57,0	863	439	1.130,00	1077	553	1.225,00	1268	650	1.304,00	1435	735	1.377,00	1503	769	1.445,00
25	62,0	938	477	1.171,00	1171	601	1.278,00	1378	706	1.363,00	1560	799	1.442,00	1634	836	1.511,00
27	67,0	1013	515	1.217,00	1265	649	1.328,00	1488	763	1.422,00	1685	863	1.505,00	1765	903	1.580,00
29	72,0	1086	552	1.263,00	1358	697	1.381,00	1599	820	1.481,00	1810	927	1.571,00	1896	970	1.651,00
31	77,0	1163	591	1.305,00	1452	745	1.431,00	1709	876	1.537,00	1935	991	1.635,00	2026	1036	1.720,00
33	82,0	1238	630	1.352,00	1546	793	1.485,00									
35	87,0	1313	668	1.431,00	1639	841	1.574,00									
37	92,0	1388	706	1.478,00	1733	889	1.626,00									
39	97,0	1463	744	1.525,00	1827	937	1.681,00									

TRAME 28

Height (cm)		96			125			154			183			197,5		
No of El.	L (cm)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)	Watt ΔT. 50°C	Watt ΔT. 30°C	Price (€)
9	29,2	432	220	898,00	537	273	931,00	634	323	971,00	724	369	1.009,00	762	389	1.067,00
11	35,8	528	268	960,00	657	334	1.000,00	775	395	1.049,00	885	451	1.095,00	931	475	1.163,00
13	42,4	625	318	1.020,00	776	395	1.066,00	916	466	1.125,00	1046	533	1.179,00	1101	562	1.256,00
15	49,0	721	366	1.077,00	895	455	1.134,00	1057	538	1.202,00	1207	615	1.265,00	1270	648	1.351,00
17	55,6	817	415	1.139,00	1015	516	1.202,00	1198	610	1.280,00	1367	697	1.350,00	1439	734	1.447,00
19	62,2	913	464	1.199,00	1134	577	1.269,00	1339	682	1.356,00	1528	779	1.433,00	1609	821	1.542,00
21	68,8	1009	513	1.293,00	1253	638	1.371,00	1480	754	1.470,00	1689	861	1.557,00	1778	907	1.676,00
23	75,4	1105	562	1.353,00	1373	699	1.442,00	1620	825	1.549,00	1850	943	1.647,00	1947	993	1.770,00
25	82,0	1201	610	1.416,00	1492	759	1.510,00	1761	897	1.626,00						
27	88,6	1297	659	1.477,00	1612	820	1.579,00	1902	969	1.706,00						
29	95,2	1393	708	1.542,00	1731	881	1.650,00	2043	1040	1.786,00						
31	101,8	1489	757	1.600,00	1850	941	1.718,00	2184	1112	1.862,00						
33	108,4	1585	805	1.702,00	1970	1002	1.832,00	2325	1184	1.990,00						
35	115,0	1682	855	1.766,00	2089	1063	1.902,00	2466	1256	2.070,00						
37	121,6	1778	904	1.829,00	2208	1123	1.974,00	2607	1328	2.150,00						

Accessories for TRAME



Hanger code ZATRG#... / ZATR#...



Towel rail cod. ZATR20G#... / ZATR28G#...

Code	Description	Finishes	Price (€)
ZATRG#AP20CRO	*TRAME 20 single hook in GALVANIC brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	92,00
ZATR20G#PS525CRO	GALVANIC Towel rail L. 50,0 cm for TRAME 20 Horizontal L. 52,5 cm		211,00
ZATR20G#PS670CRO	GALVANIC Towel rail L. 65,0 cm for TRAME 20 Horizontal L. 67,0 cm		226,00
ZATR20G#PS960CRO	GALVANIC Towel rail L. 94,0 cm for TRAME 20 Horizontal L. 96,0 cm		238,00
ZATR#AP20	*TRAME 20 single hook in COLOURED brass	Tubes Colours cat. C0, C1, C2, C3	97,00
ZATR20#PS525	COLOURED Towel rail L. 50,0 cm for TRAME 20 Horizontal L. 52,5 cm		218,00
ZATR20#PS670	COLOURED Towel rail L. 65,0 cm for TRAME 20 Horizontal L. 67,0 cm		231,00
ZATR20#PS960	COLOURED Towel rail L. 94,0 cm for TRAME 20 Horizontal L. 96,0 cm		243,00
ZATRG#AP28CRO	*TRAME 28 single hook in GALVANIC brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	92,00
ZATR28G#PS525CRO	GALVANIC Towel rail L. 50,0 cm for TRAME 28 Horizontal L. 52,5 cm		211,00
ZATR28G#PS670CRO	GALVANIC Towel rail L. 65,0 cm for TRAME 28 Horizontal L. 67,0 cm		226,00
ZATR28G#PS960CRO	GALVANIC Towel rail L. 94,0 cm for TRAME 28 Horizontal L. 96,0 cm		238,00
ZATR#AP28	*TRAME 28 single hook in COLOURED brass	Tubes Colours cat. C0, C1, C2, C3	97,00
ZATR28#PS525	COLOURED Towel rail L. 50,0 cm for TRAME 28 Horizontal L. 52,5 cm		218,00
ZATR28#PS670	COLOURED Towel rail L. 65,0 cm for TRAME 28 Horizontal L. 67,0 cm		231,00
ZATR28#PS960	COLOURED Towel rail L. 94,0 cm for TRAME 28 Horizontal L. 96,0 cm		243,00

*Can be set up freely between the Trame model elements but only near the collectors





RADIATOR connection to GVR



Connection to the Remote Valve Assembly (GVR)



Product code **RFTV24SI#SX1409010R12**

RFTV24SI#SX140	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
LEFT	Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Heights available
H. = 100 cm
H. = 120 cm
H. = 140 cm
H. = 160 cm
H. = 180 cm
H. = 200 cm

Vertical Single - Hydraulic version RIGHT-LEFT

Model		H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
RFTV24SI#SX100	RFTV24SI#DX100	100,0	24,0	330	172	726,00	835,00	908,00
RFTV24SI#SX120	RFTV24SI#DX120	120,0	24,0	396	207	748,00	860,00	935,00
RFTV24SI#SX140	RFTV24SI#DX140	140,0	24,0	462	241	767,00	882,00	959,00
RFTV24SI#SX160	RFTV24SI#DX160	160,0	24,0	528	276	788,00	906,00	985,00
RFTV24SI#SX180	RFTV24SI#DX180	180,0	24,0	594	310	809,00	930,00	1.011,00
RFTV24SI#SX200	RFTV24SI#DX200	200,0	24,0	660	345	841,00	967,00	1.051,00

For RAL colours not included in the chart 30 % on the price of White C0 - request feasibility in advance.
(1) GRCR Chrome Grey colour NOT available for the RIFT model

RIFT accessories


Hook code ZAAPRFT#...


Towel rail code ZAPSRFT#...

Code	Description	Finishes	Price (€)
ZAAPRFT#... ZAPSRFT#...	RIFT hook in PLATED brass Towel Rail in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 € 111,00 €
ZAAPRFTC#... ZAPSRFTC#...	RIFT hook in COLOURED brass Towel Rail in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 € 127,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





RADIATOR connection to GVR



Connection to the Remote Valve Assembly (GVR)



Product code **RFTO24SI#SU1409010R12**

RFTO24SI#SU140	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Widths available

L. = 100 cm
L. = 120 cm
L. = 140 cm
L. = 160 cm
L. = 180 cm
L. = 200 cm

Single Horizontal Top Flap - Hydraulic

Model	H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
RFTO24SI#SU100	24,0	100,0	279	150	726,00	835,00	908,00
RFTO24SI#SU120	24,0	120,0	335	181	748,00	860,00	935,00
RFTO24SI#SU140	24,0	140,0	391	211	767,00	882,00	959,00
RFTO24SI#SU160	24,0	160,0	447	241	788,00	906,00	985,00
RFTO24SI#SU180	24,0	180,0	503	271	809,00	930,00	1.011,00
RFTO24SI#SU200	24,0	200,0	559	301	841,00	967,00	1.051,00

For RAL colours not included in the chart 30 % on the price of White C0 - request feasibility in advance.
(1) GRCR Chrome Grey colour NOT available for the RIFT model

RIFT accessories



Hook code ZAAPRFT#...



RIFT shelf
L 48 cm cod. ZAMRFT48#...
L 60 cm cod. ZAMRFT60#...

Code	Description	Finishes	Price (€)
ZAAPRFT#...	RIFT hook in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 €
ZAAPRFTC#...	RIFT hook in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 €
ZAMRFT4824#LNN ZAMRFT6024#LNN	Wooden storage shelf for RIFT 24 dim. 48x15 cm Wooden storage shelf for RIFT 24 dim. 60x15 cm	Natural Wood Finish	209,00 €
ZAMRFT4824#LBC ZAMRFT6024#LBC	Wooden storage shelf for RIFT 24 dim. 48x15 cm Wooden storage shelf for RIFT 24 dim. 60x15 cm	Matt White Finish	195,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





RADIATOR connection to GVR



Connection to the Remote Valve Assembly (GVR)



RIFT accessories



Hook code ZAAPRFT#...



Towel rail code ZAPSRFT#...

Code	Description	Finishes	Price (€)
ZAAPRFT#... ZAPSRFT#...	RIFT hook in PLATED brass Towel Rail in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 € 111,00 €
ZAAPRFTC#... ZAPSRFTC#...	RIFT hook in COLOURED brass Towel Rail in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 € 127,00 €

Product code **RFTV24DAI2#SX160ST9010R12**

RFTV24DAI2#SX160	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
LEFT	Flap on Left

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Heights available

H. = 140 cm
H. = 160 cm
H. = 180 cm
H. = 200 cm
H. = 220 cm

Double Aligned Vertical 24 - Hydraulic version RIGHT-LEFT-CENTRED

Model			H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	(1) Multi_Colour Price (€)
RFTV24DAI2#SX140	RFTV24DAI2#CC140	RFTV24DAI2#DX140	140,0	48,4	924	488	1.632,00	1.877,00	2.040,00	2.122,00
RFTV24DAI2#SX160	RFTV24DAI2#CC160	RFTV24DAI2#DX160	160,0	48,4	1056	558	1.717,00	1.975,00	2.146,00	2.232,00
RFTV24DAI2#SX180	RFTV24DAI2#CC180	RFTV24DAI2#DX180	180,0	48,4	1188	628	1.802,00	2.072,00	2.253,00	2.343,00
RFTV24DAI2#SX200	RFTV24DAI2#CC200	RFTV24DAI2#DX200	200,0	48,4	1320	697	1.887,00	2.170,00	2.359,00	2.453,00
RFTV24DAI2#SX220	RFTV24DAI2#CC220	RFTV24DAI2#DX220	220,0	48,4	1452	767	1.974,00	2.270,00	2.468,00	2.566,00

(1) In the MULTI-COLOUR version, the code is RFTV24DAI2M and the various colours must be specified

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





RADIATOR connection to GVR



Connection to the Remote Valve Assembly (GVR)



RIFT accessories



Hook code ZAAPRFT#...



Towel rail code ZAPSRFT#...

Code	Description	Finishes	Price (€)
ZAAPRFT#... ZAPSRFT#...	RIFT hook in PLATED brass Towel Rail in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 € 111,00 €
ZAAPRFTC#... ZAPSRFTC#...	RIFT hook in COLOURED brass Towel Rail in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 € 127,00 €

Product code **RFTVDAI2#SX1609010R12**

RFTVDAI2#SX160	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
LEFT	Flap on Left

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Double Aligned Vertical - Hydraulic version RIGHT-LEFT

Model		H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	(1) Multi_Colour Price (€)
RFTVDAI2#SX140	RFTVDAI2#DX140	140,0	39,4	770	407	1.516,00	1.743,00	1.895,00	1.971,00
RFTVDAI2#SX160	RFTVDAI2#DX160	160,0	39,4	881	465	1.601,00	1.841,00	2.001,00	2.081,00
RFTVDAI2#SX180	RFTVDAI2#DX180	180,0	39,4	991	524	1.689,00	1.942,00	2.111,00	2.196,00
RFTVDAI2#SX200	RFTVDAI2#DX200	200,0	39,4	1101	582	1.775,00	2.041,00	2.219,00	2.308,00

(1) In the MULTI-COLOUR version, the code is RFTVDAI2M and the various colours must be specified

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





RADIATOR connection to GVR



Connection to the Remote Valve Assembly (GVR)



RIFT accessories



Hook code ZAAPRFT#...



Towel rail code ZAPSRFT#...

Code	Description	Finishes	Price (€)
ZAAPRFT#... ZAPSRFT#...	RIFT hook in PLATED brass Towel Rail in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 € 111,00 €
ZAAPRFTC#... ZAPSRFTC#...	RIFT hook in COLOURED brass Towel Rail in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 € 127,00 €

Product code **RFTVDDI2#DX1201609010R12**

RFTVDDI2#DX120160	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
Rh	offset

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Double Left and Right Offset Vertical Hydraulic

Model		H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	[1] Multi_Colour Price (€)
RFTVDDI2#SX140100	RFTVDDI2#DX100140	148,5	39,4	700	365	1.339,00	1.540,00	1.674,00	1.741,00
RFTVDDI2#SX160120	RFTVDDI2#DX120160	168,5	39,4	821	428	1.507,00	1.733,00	1.884,00	1.959,00
RFTVDDI2#SX180120	RFTVDDI2#DX120180	188,5	39,4	870	453	1.687,00	1.940,00	2.109,00	2.193,00
RFTVDDI2#SX180140	RFTVDDI2#DX140180	188,5	39,4	942	491	1.883,00	2.165,00	2.354,00	2.448,00

(1) In the MULTI-COLOUR version, the code is VDDI2M and the various colours must be specified

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)







RADIATOR connection to GVR



Connection to the Remote Valve Assembly (GVR)



Accessori RIFT



Hook code ZAAPRFT#...



RIFT shelf
L 48 cm cod. ZAMRFT48#...
L 60 cm cod. ZAMRFT60#...

Code	Description	Finishes	Price (€)
ZAAPRFT#...	RIFT hook in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 €
ZAAPRFTC#...	RIFT hook in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 €
ZAMRFT4824#LNN ZAMRFT6024#LNN ZAMRFT4815#LNN ZAMRFT6015#LNN	Wooden storage shelf for RIFT 24 dim. 48x15 cm Wooden storage shelf for RIFT 24 dim. 60x15 cm Wooden storage shelf for RIFT 15 dim. 48x15 cm Wooden storage shelf for RIFT 15 dim. 60x15 cm	Natural Wood Finish	209,00 €
ZAMRFT4824#LBC ZAMRFT6024#LBC ZAMRFT4815#LBC ZAMRFT6015#LBC	Wooden storage shelf for RIFT 24 dim. 48x15 cm Wooden storage shelf for RIFT 24 dim. 60x15 cm Wooden storage shelf for RIFT 15 dim. 48x15 cm Wooden storage shelf for RIFT 15 dim. 60x15 cm	Matt White Finish	195,00 €

Product code **RFTODDI2#DX1201609010R12**

RFTODDI2#DX120160	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
Rh	offset

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Version offset to the Right



Version offset to the Left



Double Offset Horizontal - Hydraulic version

Model		H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	(1) Multi_Colour Price (€)
RFTODDI2#DX100140	RFTODDI2#SX100140	39,4	148,5	558	297	1.280,00	1.472,00	1.600,00	1.664,00
RFTODDI2#DX120160	RFTODDI2#SX120160	39,4	168,5	654	348	1.441,00	1.657,00	1.801,00	1.873,00
RFTODDI2#DX120180	RFTODDI2#SX120180	39,4	188,5	694	369	1.614,00	1.856,00	2.018,00	2.098,00
RFTODDI2#DX140180	RFTODDI2#SX140180	39,4	188,5	750	399	1.801,00	2.071,00	2.251,00	2.341,00

(1) In the MULTI-COLOUR version, the code is ODDI2M and the various colours must be specified

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





RADIATOR connection to GVR



Connection to the Remote Valve Assembly (GVR)



Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

Product code **RFTV15MDI3#SX1709010R12**

RFTV15MDI3#SX170	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
LEFT	Flap on Left

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.





MULTIPLE Left and Right Offset Vertical Hydraulic

Model		H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	(1) Multi_Colour Price (€)
RFTV15MDI3#SX150	RFTV15MDI3#DX150	148,5	45,8	794	419	1.691,00	1.945,00	2.114,00	2.198,00
RFTV15MDI3#SX170	RFTV15MDI3#DX170	168,5	45,8	926	489	1.765,00	2.030,00	2.206,00	2.295,00
RFTV15MDI3#SX190	RFTV15MDI3#DX190	188,5	45,8	1059	559	1.838,00	2.114,00	2.298,00	2.389,00
RFTV15MDI4#SX150	RFTV15MDI4#DX150	148,5	61,2	1059	559	2.059,00	2.368,00	2.574,00	2.677,00
RFTV15MDI4#SX170	RFTV15MDI4#DX170	168,5	61,2	1235	652	2.132,00	2.452,00	2.665,00	2.772,00
RFTV15MDI4#SX190	RFTV15MDI4#DX190	188,5	61,2	1412	746	2.207,00	2.538,00	2.759,00	2.869,00
RFTV15MDI5#SX190	RFTV15MDI5#DX190	188,5	76,6	1764	932	2.721,00	3.129,00	3.401,00	3.537,00

(1) In the MULTI-COLOUR version, the code is V15MDI3M and the various colours must be specified





RADIATOR connection to GVR



Connection to the Remote Valve Assembly (GVR)



RIFT accessories



Hook code ZAAPRFT#...



RIFT shelf
L 48 cm cod. ZAMRFT48#...
L 60 cm cod. ZAMRFT60#...

Code	Description	Finishes	Price (€)
ZAAPRFT#...	RIFT hook in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 €
ZAAPRFTC#...	RIFT hook in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 €
ZAMRFT4824#LNN ZAMRFT6024#LNN ZAMRFT4815#LNN ZAMRFT6015#LNN	Wooden storage shelf for RIFT 24 dim. 48x15 cm Wooden storage shelf for RIFT 24 dim. 60x15 cm Wooden storage shelf for RIFT 15 dim. 48x15 cm Wooden storage shelf for RIFT 15 dim. 60x15 cm	Natural Wood Finish	209,00 €
ZAMRFT4824#LBC ZAMRFT6024#LBC ZAMRFT4815#LBC ZAMRFT6015#LBC	Wooden storage shelf for RIFT 24 dim. 48x15 cm Wooden storage shelf for RIFT 24 dim. 60x15 cm Wooden storage shelf for RIFT 15 dim. 48x15 cm Wooden storage shelf for RIFT 15 dim. 60x15 cm	Matt White Finish	195,00 €

Product code **RFTO15MDI3#SX1709010R12**

RFTO15MDI3#SX170	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
LEFT	offset

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Version offset to the Right

O15MDi**3**#DX 150



O15MDi**3**#DX 170



O15MDi**3**#DX 190



Version offset to the Left

O15MDi**3**#SX 150



O15MDi**3**#SX 170



O15MDi**3**#SX 190



MULTIPLE 15 offset horizontal 15, hydraulic version RIGHT and LEFT

Model		H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Multi_Colour Price (€) [1]
RFTO15MDI3#DX150	RFTO15MDI3#SX150	45,8	148,5	838	445	1.738,00	1.999,00	2.173,00	2.259,00
RFTO15MDI3#DX170	RFTO15MDI3#SX170	45,8	168,5	970	516	1.814,00	2.086,00	2.268,00	2.358,00
RFTO15MDI3#DX190	RFTO15MDI3#SX190	45,8	188,5	1103	586	1.889,00	2.172,00	2.361,00	2.456,00

(1) In the MULTI-COLOUR version, the code is O15MDI3M and the various colours must be specified

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)



SINGLE module version



HYDRAULIC version



MIXED version (Hydraulic+Electric)



R05

Standard Rear connector
available at no additional charge. Connection to the system via Remote Valve Assembly (GVR) supplied as an accessory.

5 cm centred interaxis

C05

External connector
traditional type supplied with an additional charge of €70.00

Connection to the system via traditional valves supplied as an accessory.

5 cm centred interaxis

Electric version



In the MIXED version, the ECOdesign digital CHRONOTHERMOSTAT KIT NOT including the wireless receiver is supplied with a surcharge (code ZRF007).

Product code **SBS#SX180R05STBARGR12-SBS2#SX180R05STBARGR12**

SBS#SX180-SBS2#SX180	Article code specified in the price table
BARG	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
LEFT	Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SBS / SBSM - STEP-by-STEP - SINGLE module HYDRAULIC / MIXED version

HYDRAULIC version Flap on Left	HYDRAULIC version Flap on Right	MIXED version Flap on Left	MIXED version Flap on Right	H (cm)	L (cm)	Electrical* Resistance (Watts)	Heat output in Watts COLOURED version ΔT. 50°C	Heat output in Watts COLOURED version ΔT. 30°C	Price ** Hydraulic Version	Price ** Mixed Version
										
SBS#SX120	SBS#DX120	SBSM#SX120	SBSM#DX120	120,0	31,7	400 W	401	209	1.009,00	1.206,00
SBS#SX140	SBS#DX140	SBSM#SX140	SBSM#DX140	140,0	31,7	500 W	476	251	1.088,00	1.294,00
SBS#SX160	SBS#DX160	SBSM#SX160	SBSM#DX160	160,0	31,7	550 W	458	290	1.170,00	1.387,00
SBS#SX180	SBS#DX180	SBSM#SX180	SBSM#DX180	180,0	31,7	600 W	614	324	1.278,00	1.507,00
SBS#SX200	SBS#DX200	SBSM#SX200	SBSM#DX200	200,0	31,7	700 W	675	355	1.356,00	1.594,00

* Heating element for the MIXED version

** Standard colour: code BARG - Wrinkled White; code 907R - Wrinkled Grey Aluminium; code GRAN - Wrinkled Charcoal Metallic Grey; code 804R Wrinkled Copper Brown; code AVOR Wrinkled Ivory.
NON-standard colours: All MATT finishes of Tubes colour chart with 25% additional charge on the standard finishes price.

STEP BY STEP accessories



Hook code ZASBSG#AP...



Towel rail code ZASBSG#PS...

Code	Description	Finishes	Price (€)
ZASBS#AP	COLORURED hook for STEP-BY-STEP	Tubes Colours* cat. C0, C1, C2, C3	108,00 €
ZASBS#PS...	Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP COLOURED		260,00 €
ZASBSG#AP...	GALVANIC hook for STEP-BY-STEP	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	101,00 €
ZASBSG#PS	Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP GALVANIC		247,00 €

Standard convertible valves – Z1TLNR



Code	Description	Finishes	Price (€)
Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	95,00 € 119,00 €
2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	16,00 €
ZRCF2#	Kit with pipe collars for Radiator	Glossy Chrome	18,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €
Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)			



DOUBLE module version



HYDRAULIC version



MIXED version (Hydraulic+Electric)



Rear connector R05
(DOUBLE connection at the rear as per the diagram below, supplied as standard without any additional charge, ONLY CONNECTION METHOD AVAILABLE in the DOUBLE Module version)



DOUBLE Standard Rear Connector
available at no additional charge

Connection to the system via Remote Valve Assembly (GVR) supplied as an accessory.

Electric version



In the MIXED version, the ECOdesign digital CHRONOTHERMOSTAT KIT NOT including the wireless receiver is supplied with a surcharge (code ZRF007).

Product code **SBS2#SX180R05STBARGR12W3-SBS2M#SX180R05STBARGR12W8**

SBS2#SX180-SBS2M#SX180	Article code specified in the price table
BARG	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code
LEFT	Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SBS2 / SBS2M - STEP-by-STEP - DOUBLE module HYDRAULIC / MIXED version

HYDRAULIC version Flap on Left	HYDRAULIC version Flap on Right	MIXED version Flap on Left	MIXED version Flap on Right	H (cm)	L (cm)	Electrical* Resistance (Watts)	Heat output in Watts COLOURED version ΔT. 50°C	Heat output in Watts COLOURED version ΔT. 30°C	Price ** Hydraulic Version	Price ** Mixed Version
										
SBS2#SX120	SBS2#DX120	SBS2M#SX120	SBS2M#DX120	120,0	55,6	800 W	802	418	1.918,00	2.269,00
SBS2#SX140	SBS2#DX140	SBS2M#SX140	SBS2M#DX140	140,0	55,6	1000 W	952	502	2.068,00	2.437,00
SBS2#SX160	SBS2#DX160	SBS2M#SX160	SBS2M#DX160	160,0	55,6	1100 W	1096	580	2.224,00	2.608,00
SBS2#SX180	SBS2#DX180	SBS2M#SX180	SBS2M#DX180	180,0	55,6	1200 W	1228	648	2.427,00	2.835,00
SBS2#SX200	SBS2#DX200	SBS2M#SX200	SBS2M#DX200	200,0	55,6	1400 W	1350	710	2.576,00	3.000,00

* Heating element for the MIXED version

** Standard colour: code BARG - Wrinkled White; code 907R - Wrinkled Grey Aluminium; code GRAN - Wrinkled Charcoal Metallic Grey; code 804R Wrinkled Copper Brown; code AVOR Wrinkled Ivory.
NON-standard colours: All MATT finishes of Tubes colour chart with 25% additional charge on the standard finishes price.

STEP BY STEP accessories



Hook code ZASBSG#AP...



Towel rail code ZASBSG#PS...

Code	Description	Finishes	Price (€)
ZASBS#AP	COLORURED hook for STEP-BY-STEP	Tubes Colours* cat. C0, C1, C2, C3	108,00 €
ZASBS#PS...	Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP COLOURED		260,00 €
ZASBSG#AP...	GALVANIC hook for STEP-BY-STEP	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	101,00 €
ZASBSG#PS	Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP GALVANIC		247,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)





HYDRAULIC version



Rear connector R05
(DOUBLE connection at the rear as per the diagram below, supplied as standard without any additional charge, ONLY CONNECTION METHOD AVAILABLE in the DOUBLE Module version)



DOUBLE Standard Rear Connector
available at no additional charge

Connection to the system via Remote Valve Assembly (GVR) supplied as an accessory.

Product code **SBS2V#180R05STBARGR12**

SBS2V#180	Article code specified in the price table
BARG	Colour/finish code specified in the Official TUBES COLOUR CHART
R12	Connector code

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SBS2V - STEP-by-STEP - DIVERGENT HYDRAULIC version

DIVERGENT FLAPS	H (cm)	L (cm)	Heat output in Watts COLOURED version ΔT. 50°C	ΔT. 30°C	*Price (€)
					
SBS2V#120	120,0	65,0	802	418	1.995,00
SBS2V#140	140,0	65,0	952	502	2.151,00
SBS2V#160	160,0	65,0	1096	580	2.312,00
SBS2V#180	180,0	65,0	1228	648	2.525,00
SBS2V#200	200,0	65,0	1350	710	2.681,00

* Standard colouring: code BARG - Wrinkled White; code 907R - Wrinkled Aluminium Grey; code GRAN - Metallic Wrinkled Anthracite Grey; code 804R - Wrinkled Copper Brown; code AVOR - Wrinkled Ivory.. Non-standard colours: all the MATT finishes on the Tubes colour table with 25% surcharge on the price of the standard colours.

Accessori STEP BY STEP



Hook code ZASBSG#AP...

Code	Description	Finishes	Price (€)
ZASBS#AP	COLORURED hook for STEP-BY-STEP	Tubes Colours* cat. C0, C1, C2, C3	108,00 €
ZASBSG#AP…	GALVANIC hook for STEP-BY-STEP	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	101,00 €

Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed	210,00 €
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Plated	228,00 €
GVRC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured	210,00 €
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured	213,00 €

Plated finishes: See table of Tubes special finishes
Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart
* The price does not include the cost of the thermostatic head (see page 320)

BASICS BATHROOM
electric

ELECTRIC functioning products*

BASICS COLLECTION BATH ELECTRIC

BASICS 14 ELECTRIC BATHROOM	EL	page. 204
BATH CURVO ELECTRIC BATHROOM	EL	206
BASICS 20 ELECTRIC BATHROOM	EL	208
BASICS 25 ELECTRIC BATHROOM	EL	210
COLOR_X BATH ELECTRIC	EL	214
IXSTEEL BATH ELECTRIC	EL	216
KUBIK BATH ELECTRICAL	EL	218
RITMATI BATHROOM ELECTRIC	EL	220
SMART_K BATHROOM ELECTRIC	EL	222
SMART_20 BATHROOM ELECTRIC	EL	224
SMART_25 BATHROOM ELECTRIC	EL	226

*** All the electrical resistances of our products are in CLASS 2**



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **BA14EL#120050U2ST9010**

BA14EL#120050	Article code specified in the price table
U2	Heating element code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN*	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
BA14EL#080040	U1	V1	Z1	T6	82,6	40,0	300 W	602,00	692,00	753,00	1.194,00
BA14EL#080050	U1	V1	Z1	T6	82,6	50,0	300 W	618,00	711,00	773,00	1.211,00
BA14EL#080060	U2	V2	Z2	T8	82,6	60,0	600 W	631,00	726,00	789,00	1.226,00
BA14EL#120040	U2	V2	Z2	T8	116,2	40,0	600 W	756,00	869,00	945,00	1.462,00
BA14EL#120050	U2	V2	Z2	T8	116,2	50,0	600 W	766,00	881,00	958,00	1.511,00
BA14EL#120060	U3	V3	Z3	T9	116,2	60,0	900 W	777,00	894,00	971,00	1.615,00
BA14EL#150040	U2	V2	Z2	T8	149,8	40,0	600 W	835,00	960,00	1.044,00	1.639,00
BA14EL#150050	U3	V3	Z3	T9	149,8	50,0	900 W	858,00	987,00	1.073,00	1.666,00
BA14EL#150060	U3	V3	Z3	T9	149,8	60,0	900 W	871,00	1.002,00	1.089,00	1.771,00
BA14EL#190040	U3	V3	Z3	T9	195,4	40,0	900 W	926,00	1.065,00	1.158,00	2.039,00
BA14EL#190050	U3	V3	Z3	T9	195,4	50,0	900 W	942,00	1.083,00	1.178,00	2.108,00
BA14EL#190060	U4	V4	Z4	T0	195,4	60,0	1200 W	975,00	1.121,00	1.219,00	2.201,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H	L	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	ROOM*			RADIATOR**								
	White	Chrome	Matt Black	White	Chrome	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
BA14ET#080040	F5	F7	JO	N1	N5	82,6	40,0	300 W	737,00	848,00	921,00	1.337,00
BA14ET#080050	F5	F7	JO	N1	N5	82,6	50,0	300 W	752,00	865,00	940,00	1.352,00
BA14ET#080060	G5	G7	JQ	N2	N6	82,6	60,0	600 W	764,00	879,00	955,00	1.369,00
BA14ET#120040	G5	G7	JQ	N2	N6	116,2	40,0	600 W	888,00	1.021,00	1.110,00	1.604,00
BA14ET#120050	G5	G7	JQ	N2	N6	116,2	50,0	600 W	897,00	1.032,00	1.121,00	1.654,00
BA14ET#120060	H5	H7	JR	N3	N7	116,2	60,0	900 W	908,00	1.044,00	1.135,00	1.756,00
BA14ET#150040	G5	G7	JQ	N2	N6	149,8	40,0	600 W	965,00	1.110,00	1.206,00	1.781,00
BA14ET#150050	H5	H7	JR	N3	N7	149,8	50,0	900 W	988,00	1.136,00	1.235,00	1.809,00
BA14ET#150060	H5	H7	JR	N3	N7	149,8	60,0	900 W	1.000,00	1.150,00	1.250,00	1.914,00
BA14ET#190040	H5	H7	JR	N3	N7	195,4	40,0	900 W	1.052,00	1.210,00	1.315,00	2.181,00
BA14ET#190050	H5	H7	JR	N3	N7	195,4	50,0	900 W	1.070,00	1.231,00	1.338,00	2.250,00
BA14ET#190060	I5	I7	JS	N4	N8	195,4	60,0	1200 W	1.100,00	1.265,00	1.375,00	2.343,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN*	Adjustment code WIRELESS	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome	Edge Cap	THERMOSTAT	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
BA14EW#080040	U1	V1	Z1	T6	ZRF007	82,6	40,0	300 W	842,00	968,00	1.053,00	1.427,00
BA14EW#080050	U1	V1	Z1	T6	ZRF007	82,6	50,0	300 W	856,00	984,00	1.070,00	1.443,00
BA14EW#080060	U2	V2	Z2	T8	ZRF007	82,6	60,0	600 W	869,00	999,00	1.086,00	1.459,00
BA14EW#120040	U2	V2	Z2	T8	ZRF007	116,2	40,0	600 W	997,00	1.147,00	1.246,00	1.699,00
BA14EW#120050	U2	V2	Z2	T8	ZRF007	116,2	50,0	600 W	1.008,00	1.159,00	1.260,00	1.751,00
BA14EW#120060	U3	V3	Z3	T9	ZRF007	116,2	60,0	900 W	1.019,00	1.172,00	1.274,00	1.855,00
BA14EW#150040	U2	V2	Z2	T8	ZRF007	149,8	40,0	600 W	1.077,00	1.239,00	1.346,00	1.880,00
BA14EW#150050	U3	V3	Z3	T9	ZRF007	149,8	50,0	900 W	1.101,00	1.266,00	1.376,00	1.908,00
BA14EW#150060	U3	V3	Z3	T9	ZRF007	149,8	60,0	900 W	1.115,00	1.282,00	1.394,00	2.015,00
BA14EW#190040	U3	V3	Z3	T9	ZRF007	195,4	40,0	900 W	1.172,00	1.348,00	1.465,00	2.288,00
BA14EW#190050	U3	V3	Z3	T9	ZRF007	195,4	50,0	900 W	1.189,00	1.367,00	1.486,00	2.357,00
BA14EW#190060	U4	V4	Z4	T0	ZRF007	195,4	60,0	1200 W	1.222,00	1.405,00	1.528,00	2.451,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **BACUEL#120485U2ST9010**

BACUEL#120485	Article code specified in the price table
U2	Heating element code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome								
BACUEL#080485	U1	V1	Z1	T6	82,6	48,5	300 W	822,00	945,00	1.028,00	1.445,00
BACUEL#080585	U2	V2	Z2	T8	82,6	58,5	600 W	840,00	966,00	1.050,00	1.460,00
BACUEL#120485	U2	V2	Z2	T8	116,2	48,5	600 W	981,00	1.128,00	1.226,00	1.777,00
BACUEL#120585	U3	V3	Z3	T9	116,2	58,5	900 W	995,00	1.144,00	1.244,00	1.841,00
BACUEL#150485	U3	V3	Z3	T9	149,8	48,5	900 W	1.113,00	1.280,00	1.391,00	1.924,00
BACUEL#150585	U3	V3	Z3	T9	149,8	58,5	900 W	1.129,00	1.298,00	1.411,00	1.935,00
BACUEL#190485	U3	V3	Z3	T9	195,4	48,5	900 W	1.293,00	1.487,00	1.616,00	2.423,00
BACUEL#190585	U4	V4	Z4	T0	195,4	58,5	1200 W	1.338,00	1.539,00	1.673,00	2.553,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	ROOM*			RADIATOR**								
	White	Chrome	Matt Black	White	Chrome							
BACUET#080485	F5	F7	JO	N1	N5	82,6	48,5	300 W	973,00	1.119,00	1.216,00	1.596,00
BACUET#080585	G5	G7	JQ	N2	N6	82,6	58,5	600 W	991,00	1.140,00	1.239,00	1.612,00
BACUET#120485	G5	G7	JQ	N2	N6	116,2	48,5	600 W	1.132,00	1.302,00	1.415,00	1.929,00
BACUET#120585	H5	H7	JR	N3	N7	116,2	58,5	900 W	1.147,00	1.319,00	1.434,00	1.993,00
BACUET#150485	H5	H7	JR	N3	N7	149,8	48,5	900 W	1.265,00	1.455,00	1.581,00	2.075,00
BACUET#150585	H5	H7	JR	N3	N7	149,8	58,5	900 W	1.280,00	1.472,00	1.600,00	2.086,00
BACUET#190485	H5	H7	JR	N3	N7	195,4	48,5	900 W	1.445,00	1.662,00	1.806,00	2.575,00
BACUET#190585	I5	I7	JS	N4	N8	195,4	58,5	1200 W	1.488,00	1.711,00	1.860,00	2.705,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome									
BACUEW#080485	U1	V1	Z1	T6	ZRF007	82,6	48,5	300 W	1.129,00	1.298,00	1.411,00	1.805,00
BACUEW#080585	U2	V2	Z2	T8	ZRF007	82,6	58,5	600 W	1.143,00	1.314,00	1.429,00	1.823,00
BACUEW#120485	U2	V2	Z2	T8	ZRF007	116,2	48,5	600 W	1.279,00	1.471,00	1.599,00	2.138,00
BACUEW#120585	U3	V3	Z3	T9	ZRF007	116,2	58,5	900 W	1.293,00	1.487,00	1.616,00	2.204,00
BACUEW#150485	U3	V3	Z3	T9	ZRF007	149,8	48,5	900 W	1.405,00	1.616,00	1.756,00	2.285,00
BACUEW#150585	U3	V3	Z3	T9	ZRF007	149,8	58,5	900 W	1.420,00	1.633,00	1.775,00	2.296,00
BACUEW#190485	U3	V3	Z3	T9	ZRF007	195,4	48,5	900 W	1.575,00	1.811,00	1.969,00	2.785,00
BACUEW#190585	U4	V4	Z4	T0	ZRF007	195,4	58,5	1200 W	1.618,00	1.861,00	2.023,00	2.914,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Collegamento alla rete elettrica



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **BA20EL#120050U2ST9010**

BA20EL#120050	Article code specified in the price table
U2	Heating element code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN*	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
BA20EL#080040	U1	V1	Z1	T6	80,5	40,0	300 W	561,00	645,00	701,00
BA20EL#080050	U1	V1	Z1	T6	80,5	50,0	300 W	565,00	650,00	706,00
BA20EL#080060	U2	V2	Z2	T8	80,5	60,0	600 W	576,00	662,00	720,00
BA20EL#120040	U1	V1	Z1	T6	115,5	40,0	300 W	642,00	738,00	803,00
BA20EL#120050	U2	V2	Z2	T8	115,5	50,0	600 W	647,00	744,00	809,00
BA20EL#120060	U2	V2	Z2	T8	115,5	60,0	600 W	663,00	762,00	829,00
BA20EL#150040	U2	V2	Z2	T8	150,5	40,0	600 W	703,00	808,00	879,00
BA20EL#150050	U2	V2	Z2	T8	150,5	50,0	600 W	717,00	825,00	896,00
BA20EL#150060	U3	V3	Z3	T9	150,5	60,0	900 W	736,00	846,00	920,00
BA20EL#170040	U3	V3	Z3	T9	171,5	40,0	900 W	731,00	841,00	914,00
BA20EL#170050	U3	V3	Z3	T9	171,5	50,0	900 W	746,00	858,00	933,00
BA20EL#170060	U4	V4	Z4	T0	171,5	60,0	1200 W	768,00	883,00	960,00
BA20EL#190040	U3	V3	Z3	T9	196,0	40,0	900 W	756,00	869,00	945,00
BA20EL#190050	U3	V3	Z3	T9	196,0	50,0	900 W	776,00	892,00	970,00
BA20EL#190060	U4	V4	Z4	T0	196,0	60,0	1200 W	800,00	920,00	1.000,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H	L*	Electrical Resistance	Price Standard White	Price Category	Price Category
	ROOM*			RADIATOR**							
	White	Chrome	Matt Black	White	Chrome	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
BA20ET#080040	F5	F7	JO	N1	N5	80,5	40,0	300 W	707,00	813,00	884,00
BA20ET#080050	F5	F7	JO	N1	N5	80,5	50,0	300 W	713,00	820,00	891,00
BA20ET#080060	G5	G7	JQ	N2	N6	80,5	60,0	600 W	724,00	833,00	905,00
BA20ET#120040	F5	F7	JO	N1	N5	115,5	40,0	300 W	789,00	907,00	986,00
BA20ET#120050	G5	G7	JQ	N2	N6	115,5	50,0	600 W	796,00	915,00	995,00
BA20ET#120060	G5	G7	JQ	N2	N6	115,5	60,0	600 W	811,00	933,00	1.014,00
BA20ET#150040	G5	G7	JQ	N2	N6	150,5	40,0	600 W	851,00	979,00	1.064,00
BA20ET#150050	G5	G7	JQ	N2	N6	150,5	50,0	600 W	863,00	992,00	1.079,00
BA20ET#150060	H5	H7	JR	N3	N7	150,5	60,0	900 W	884,00	1.017,00	1.105,00
BA20ET#170040	H5	H7	JR	N3	N7	171,5	40,0	900 W	880,00	1.012,00	1.100,00
BA20ET#170050	H5	H7	JR	N3	N7	171,5	50,0	900 W	895,00	1.029,00	1.119,00
BA20ET#170060	I5	I7	JS	N4	N8	171,5	60,0	1200 W	917,00	1.055,00	1.146,00
BA20ET#190040	H5	H7	JR	N3	N7	196,0	40,0	900 W	905,00	1.041,00	1.131,00
BA20ET#190050	H5	H7	JR	N3	N7	196,0	50,0	900 W	924,00	1.063,00	1.155,00
BA20ET#190060	I5	I7	JS	N4	N8	196,0	60,0	1200 W	949,00	1.091,00	1.186,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN*	Adjustment code WIRELESS	H	L*	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap	THERMOSTAT	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
BA20EW#080040	U1	V1	Z1	T6	ZRF007	80,5	40,0	300 W	818,00	941,00	1.023,00
BA20EW#080050	U1	V1	Z1	T6	ZRF007	80,5	50,0	300 W	823,00	946,00	1.029,00
BA20EW#080060	U2	V2	Z2	T8	ZRF007	80,5	60,0	600 W	836,00	961,00	1.045,00
BA20EW#120040	U1	V1	Z1	T6	ZRF007	115,5	40,0	300 W	904,00	1.040,00	1.130,00
BA20EW#120050	U2	V2	Z2	T8	ZRF007	115,5	50,0	600 W	911,00	1.048,00	1.139,00
BA20EW#120060	U2	V2	Z2	T8	ZRF007	115,5	60,0	600 W	927,00	1.066,00	1.159,00
BA20EW#150040	U2	V2	Z2	T8	ZRF007	150,5	40,0	600 W	969,00	1.114,00	1.211,00
BA20EW#150050	U2	V2	Z2	T8	ZRF007	150,5	50,0	600 W	983,00	1.130,00	1.229,00
BA20EW#150060	U3	V3	Z3	T9	ZRF007	150,5	60,0	900 W	1.005,00	1.156,00	1.256,00
BA20EW#170040	U3	V3	Z3	T9	ZRF007	171,5	40,0	900 W	998,00	1.148,00	1.248,00
BA20EW#170050	U3	V3	Z3	T9	ZRF007	171,5	50,0	900 W	1.015,00	1.167,00	1.269,00
BA20EW#170060	U4	V4	Z4	T0	ZRF007	171,5	60,0	1200 W	1.038,00	1.194,00	1.298,00
BA20EW#190040	U3	V3	Z3	T9	ZRF007	196,0	40,0	900 W	1.026,00	1.180,00	1.283,00
BA20EW#190050	U3	V3	Z3	T9	ZRF007	196,0	50,0	900 W	1.046,00	1.203,00	1.308,00
BA20EW#190060	U4	V4	Z4	T0	ZRF007	196,0	60,0	1200 W	1.072,00	1.233,00	1.340,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

NOTE * Width 43.5, 53.5 and 63.5 only on request.



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **BA25EL#120050U2ST9010**

BA25EL#120050	Article code specified in the price table
U2	Heating element code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN*	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
BA25EL#070040	U1	V1	Z1	T6	70,5	40,0	300 W	607,00	698,00	759,00
BA25EL#070050	U1	V1	Z1	T6	70,5	50,0	300 W	620,00	713,00	775,00
BA25EL#070060	U2	V2	Z2	T8	70,5	60,0	600 W	632,00	727,00	790,00
BA25EL#120040	U2	V2	Z2	T8	119,5	40,0	600 W	693,00	797,00	866,00
BA25EL#120050	U2	V2	Z2	T8	119,5	50,0	600 W	702,00	807,00	878,00
BA25EL#120060	U3	V3	Z3	T9	119,5	60,0	900 W	717,00	825,00	896,00
BA25EL#150040	U2	V2	Z2	T8	144,5	40,0	600 W	760,00	874,00	950,00
BA25EL#150050	U3	V3	Z3	T9	144,5	50,0	900 W	777,00	894,00	971,00
BA25EL#150060	U3	V3	Z3	T9	144,5	60,0	900 W	790,00	909,00	988,00
BA25EL#190040	U3	V3	Z3	T9	193,5	40,0	900 W	839,00	965,00	1.049,00
BA25EL#190050	U3	V3	Z3	T9	193,5	50,0	900 W	855,00	983,00	1.069,00
BA25EL#190060	U4	V4	Z4	T0	193,5	60,0	1200 W	875,00	1.006,00	1.094,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	ROOM*			RADIATOR**							
	White	Chrome	Matt Black	White	Chrome	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
BA25ET#070040	F5	F7	JO	N1	N5	70,5	40,0	300 W	752,00	865,00	940,00
BA25ET#070050	F5	F7	JO	N1	N5	70,5	50,0	300 W	764,00	879,00	955,00
BA25ET#070060	G5	G7	JQ	N2	N6	70,5	60,0	600 W	777,00	894,00	971,00
BA25ET#120040	G5	G7	JQ	N2	N6	119,5	40,0	600 W	839,00	965,00	1.049,00
BA25ET#120050	G5	G7	JQ	N2	N6	119,5	50,0	600 W	846,00	973,00	1.058,00
BA25ET#120060	H5	H7	JR	N3	N7	119,5	60,0	900 W	863,00	992,00	1.079,00
BA25ET#150040	G5	G7	JQ	N2	N6	144,5	40,0	600 W	905,00	1.041,00	1.131,00
BA25ET#150050	H5	H7	JR	N3	N7	144,5	50,0	900 W	922,00	1.060,00	1.153,00
BA25ET#150060	H5	H7	JR	N3	N7	144,5	60,0	900 W	936,00	1.076,00	1.170,00
BA25ET#190040	H5	H7	JR	N3	N7	193,5	40,0	900 W	984,00	1.132,00	1.230,00
BA25ET#190050	H5	H7	JR	N3	N7	193,5	50,0	900 W	1.000,00	1.150,00	1.250,00
BA25ET#190060	I5	I7	JS	N4	N8	193,5	60,0	1200 W	1.020,00	1.173,00	1.275,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN*	Adjustment code WIRELESS	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap	THERMOSTAT	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
BA25EW#070040	U1	V1	Z1	T6	ZRF007	70,5	40,0	300 W	856,00	984,00	1.070,00
BA25EW#070050	U1	V1	Z1	T6	ZRF007	70,5	50,0	300 W	869,00	999,00	1.086,00
BA25EW#070060	U2	V2	Z2	T8	ZRF007	70,5	60,0	600 W	882,00	1.014,00	1.103,00
BA25EW#120040	U2	V2	Z2	T8	ZRF007	119,5	40,0	600 W	945,00	1.087,00	1.181,00
BA25EW#120050	U2	V2	Z2	T8	ZRF007	119,5	50,0	600 W	956,00	1.099,00	1.195,00
BA25EW#120060	U3	V3	Z3	T9	ZRF007	119,5	60,0	900 W	970,00	1.116,00	1.213,00
BA25EW#150040	U2	V2	Z2	T8	ZRF007	144,5	40,0	600 W	1.016,00	1.168,00	1.270,00
BA25EW#150050	U3	V3	Z3	T9	ZRF007	144,5	50,0	900 W	1.035,00	1.190,00	1.294,00
BA25EW#150060	U3	V3	Z3	T9	ZRF007	144,5	60,0	900 W	1.047,00	1.204,00	1.309,00
BA25EW#190040	U3	V3	Z3	T9	ZRF007	193,5	40,0	900 W	1.098,00	1.263,00	1.373,00
BA25EW#190050	U3	V3	Z3	T9	ZRF007	193,5	50,0	900 W	1.115,00	1.282,00	1.394,00
BA25EW#190060	U4	V4	Z4	T0	ZRF007	193,5	60,0	1200 W	1.137,00	1.308,00	1.421,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap





ECODesign digital wireless chronothermostat + Receiver

Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





Digital Chronothermostat (code ZRF007)

Product code **BA25ELG#120050U2STCRO**

BA25ELG#120050	Article code specified in the price table
U2	Heating element code
ST	Standard support code*
CRO	Finish code

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap		Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Chrome G0 (€)
	Anthracite Grey	Chrome					
BA25ELG#070040	V1	Z1	T6	75,8	40,0	300 W	1.220,00
BA25ELG#070050	V1	Z1	T6	75,8	50,0	300 W	1.239,00
BA25ELG#070060	V2	Z2	T8	75,8	60,0	600 W	1.255,00
BA25ELG#120040	V2	Z2	T8	120,3	40,0	600 W	1.528,00
BA25ELG#120050	V2	Z2	T8	120,3	50,0	600 W	1.537,00
BA25ELG#120060	V3	Z3	T9	120,3	60,0	900 W	1.554,00
BA25ELG#150040	V2	Z2	T8	148,2	40,0	600 W	1.670,00
BA25ELG#150050	V3	Z3	T9	148,2	50,0	900 W	1.687,00
BA25ELG#150060	V3	Z3	T9	148,2	60,0	900 W	1.699,00
BA25ELG#190040	V3	Z3	T9	188,0	40,0	900 W	2.091,00
BA25ELG#190050	V3	Z3	T9	188,0	50,0	900 W	2.106,00
BA25ELG#190060	V4	Z4	T0	188,0	60,0	1200 W	2.149,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code ROOM*		RADIATOR**		H (cm)	L (cm)	Electrical Resistance (Watts)	Price Chrome G0 (€)
	Chrome	Matt Black	White	Chrome				
BA25ETG#070040	F7	JO	N1	N5	75,8	40,0	300 W	1.365,00
BA25ETG#070050	F7	JO	N1	N5	75,8	50,0	300 W	1.384,00
BA25ETG#070060	G7	JQ	N2	N6	75,8	60,0	600 W	1.400,00
BA25ETG#120040	G7	JQ	N2	N6	120,3	40,0	600 W	1.674,00
BA25ETG#120050	G7	JQ	N2	N6	120,3	50,0	600 W	1.683,00
BA25ETG#120060	G7	JR	N2	N6	120,3	60,0	900 W	1.699,00
BA25ETG#150040	G7	JQ	N2	N6	148,2	40,0	600 W	1.813,00
BA25ETG#150050	H7	JR	N3	N7	148,2	50,0	900 W	1.833,00
BA25ETG#150060	H7	JR	N3	N7	148,2	60,0	900 W	1.844,00
BA25ETG#190040	H7	JR	N3	N7	188,0	40,0	900 W	2.237,00
BA25ETG#190050	I7	JR	N4	N8	188,0	50,0	900 W	2.251,00
BA25ETG#190060	I7	JS	N4	N8	188,0	60,0	1200 W	2.295,00

* The ROOM thermostat is available in CHROME and in the new MATT BLACK finish with a supplement of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap	Code DESIGN* Edge Cap	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Chrome G0 (€)
	Chrome						
BA25EWG#070040	Z1	T6	ZRF007	75,8	40,0	300 W	1.430,00
BA25EWG#070050	Z1	T6	ZRF007	75,8	50,0	300 W	1.450,00
BA25EWG#070060	Z2	T8	ZRF007	75,8	60,0	600 W	1.465,00
BA25EWG#120040	Z2	T8	ZRF007	120,3	40,0	600 W	1.739,00
BA25EWG#120050	Z2	T8	ZRF007	120,3	50,0	600 W	1.748,00
BA25EWG#120060	Z3	T9	ZRF007	120,3	60,0	900 W	1.764,00
BA25EWG#150040	Z2	T8	ZRF007	148,2	40,0	600 W	1.878,00
BA25EWG#150050	Z3	T9	ZRF007	148,2	50,0	900 W	1.897,00
BA25EWG#150060	Z3	T9	ZRF007	148,2	60,0	900 W	1.909,00
BA25EWG#190040	Z3	T9	ZRF007	188,0	40,0	900 W	2.301,00
BA25EWG#190050	Z3	T9	ZRF007	188,0	50,0	900 W	2.317,00
BA25EWG#190060	Z4	T0	ZRF007	188,0	60,0	1200 W	2.359,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **BA10EL#120050U2ST9010**

BA10EL#120050	Article code specified in the price table
U2	Heating element code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN*	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
BA10EL#080040	U1	V1	Z1	T6	80,5	40,0	300 W	1.031,00	1.186,00	1.289,00	1.448,00
BA10EL#080050	U1	V1	Z1	T6	80,5	50,0	300 W	1.040,00	1.196,00	1.300,00	1.457,00
BA10EL#080060	U2	V2	Z2	T8	80,5	60,0	600 W	1.049,00	1.206,00	1.311,00	1.469,00
BA10EL#120040	U2	V2	Z2	T8	119,5	40,0	600 W	1.180,00	1.357,00	1.475,00	1.760,00
BA10EL#120050	U2	V2	Z2	T8	119,5	50,0	600 W	1.196,00	1.375,00	1.495,00	1.776,00
BA10EL#120060	U3	V3	Z3	T9	119,5	60,0	900 W	1.210,00	1.392,00	1.513,00	1.790,00
BA10EL#150040	U2	V2	Z2	T8	149,5	40,0	600 W	1.292,00	1.486,00	1.615,00	1.973,00
BA10EL#150050	U3	V3	Z3	T9	149,5	50,0	900 W	1.307,00	1.503,00	1.634,00	1.990,00
BA10EL#150060	U3	V3	Z3	T9	149,5	60,0	900 W	1.326,00	1.525,00	1.658,00	2.011,00
BA10EL#180040	U3	V3	Z3	T9	181,0	40,0	900 W	1.442,00	1.658,00	1.803,00	2.478,00
BA10EL#180050	U3	V3	Z3	T9	181,0	50,0	900 W	1.463,00	1.682,00	1.829,00	2.499,00
BA10EL#180060	U4	V4	Z4	T0	181,0	60,0	1200 W	1.486,00	1.709,00	1.858,00	2.521,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H	L	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	ROOM*			RADIATOR**								
	White	Chrome	Matt Black	White	Chrome	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
BA10ET#080040	F5	F7	JO	N1	N5	80,5	40,0	300 W	1.169,00	1.344,00	1.461,00	1.586,00
BA10ET#080050	F5	F7	JO	N1	N5	80,5	50,0	300 W	1.178,00	1.355,00	1.473,00	1.596,00
BA10ET#080060	G5	G7	JQ	N2	N6	80,5	60,0	600 W	1.188,00	1.366,00	1.485,00	1.607,00
BA10ET#120040	G5	G7	JQ	N2	N6	119,5	40,0	600 W	1.318,00	1.516,00	1.648,00	1.897,00
BA10ET#120050	G5	G7	JQ	N2	N6	119,5	50,0	600 W	1.335,00	1.535,00	1.669,00	1.914,00
BA10ET#120060	H5	H7	JR	N3	N7	119,5	60,0	900 W	1.348,00	1.550,00	1.685,00	1.929,00
BA10ET#150040	G5	G7	JQ	N2	N6	149,5	40,0	600 W	1.430,00	1.645,00	1.788,00	2.112,00
BA10ET#150050	H5	H7	JR	N3	N7	149,5	50,0	900 W	1.446,00	1.663,00	1.808,00	2.128,00
BA10ET#150060	H5	H7	JR	N3	N7	149,5	60,0	900 W	1.464,00	1.684,00	1.830,00	2.149,00
BA10ET#180040	H5	H7	JR	N3	N7	181,0	40,0	900 W	1.580,00	1.817,00	1.975,00	2.617,00
BA10ET#180050	H5	H7	JR	N3	N7	181,0	50,0	900 W	1.601,00	1.841,00	2.001,00	2.638,00
BA10ET#180060	I5	I7	JS	N4	N8	181,0	60,0	1200 W	1.624,00	1.868,00	2.030,00	2.660,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN*	Adjustment code WIRELESS	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome	Edge Cap	THERMOSTAT	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
BA10EW#080040	U1	V1	Z1	T6	ZRF007	80,5	40,0	300 W	1.267,00	1.457,00	1.584,00	1.698,00
BA10EW#080050	U1	V1	Z1	T6	ZRF007	80,5	50,0	300 W	1.278,00	1.470,00	1.598,00	1.707,00
BA10EW#080060	U2	V2	Z2	T8	ZRF007	80,5	60,0	600 W	1.286,00	1.479,00	1.608,00	1.719,00
BA10EW#120040	U2	V2	Z2	T8	ZRF007	119,5	40,0	600 W	1.422,00	1.635,00	1.778,00	2.018,00
BA10EW#120050	U2	V2	Z2	T8	ZRF007	119,5	50,0	600 W	1.439,00	1.655,00	1.799,00	2.035,00
BA10EW#120060	U3	V3	Z3	T9	ZRF007	119,5	60,0	900 W	1.452,00	1.670,00	1.815,00	2.051,00
BA10EW#150040	U2	V2	Z2	T8	ZRF007	149,5	40,0	600 W	1.536,00	1.766,00	1.920,00	2.239,00
BA10EW#150050	U3	V3	Z3	T9	ZRF007	149,5	50,0	900 W	1.552,00	1.785,00	1.940,00	2.255,00
BA10EW#150060	U3	V3	Z3	T9	ZRF007	149,5	60,0	900 W	1.572,00	1.808,00	1.965,00	2.277,00
BA10EW#180040	U3	V3	Z3	T9	ZRF007	181,0	40,0	900 W	1.693,00	1.947,00	2.116,00	2.758,00
BA10EW#180050	U3	V3	Z3	T9	ZRF007	181,0	50,0	900 W	1.713,00	1.970,00	2.141,00	2.781,00
BA10EW#180060	U4	V4	Z4	T0	ZRF007	181,0	60,0	1200 W	1.737,00	1.998,00	2.171,00	2.804,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap





ECODesign digital wireless chronothermostat + Receiver

Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





Digital Chronothermostat (code ZRF007)

Product code **BA10XEW#120050U2ZRF007STSPA**

BA10XEW#120050	Article code specified in the price table
U2	Heating element code
ZRF007	Thermostat code
ST	Standard support code*
SPA	Finish code

* Special supports NOT available

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Inox(€)
	White	Anthracite Grey	Chrome					
BA10XEL#080040	U1	V1	Z1	T6	80,5	40,0	300 W	1.199,00
BA10XEL#080050	U1	V1	Z1	T6	80,5	50,0	300 W	1.274,00
BA10XEL#080060	U2	V2	Z2	T8	80,5	60,0	600 W	1.350,00
BA10XEL#120040	U2	V2	Z2	T8	119,5	40,0	600 W	1.488,00
BA10XEL#120050	U2	V2	Z2	T8	119,5	50,0	600 W	1.597,00
BA10XEL#120060	U3	V3	Z3	T9	119,5	60,0	900 W	1.700,00
BA10XEL#150040	U2	V2	Z2	T8	149,5	40,0	600 W	1.693,00
BA10XEL#150050	U3	V3	Z3	T9	149,5	50,0	900 W	1.823,00
BA10XEL#150060	U3	V3	Z3	T9	149,5	60,0	900 W	1.951,00
BA10XEL#180040	U3	V3	Z3	T9	181,0	40,0	900 W	1.989,00
BA10XEL#180050	U3	V3	Z3	T9	181,0	50,0	900 W	2.149,00
BA10XEL#180060	U4	V4	Z4	T0	181,0	60,0	1200 W	2.312,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H (cm)	L (cm)	Electrical Resistance (Watts)	Price Inox(€)
	ROOM*			RADIATOR**					
	White	Chrome	Matt Black	White	Chrome				
BA10XET#080040	F5	F7	JO	N1	N5	80,5	40,0	300 W	1.344,00
BA10XET#080050	F5	F7	JO	N1	N5	80,5	50,0	300 W	1.420,00
BA10XET#080060	G5	G7	JQ	N2	N6	80,5	60,0	600 W	1.496,00
BA10XET#120040	G5	G7	JQ	N2	N6	119,5	40,0	600 W	1.633,00
BA10XET#120050	G5	G7	JQ	N2	N6	119,5	50,0	600 W	1.742,00
BA10XET#120060	H5	H7	JR	N3	N7	119,5	60,0	900 W	1.845,00
BA10XET#150040	G5	G7	JQ	N2	N6	149,5	40,0	600 W	1.838,00
BA10XET#150050	H5	H7	JR	N3	N7	149,5	50,0	900 W	1.967,00
BA10XET#150060	H5	H7	JR	N3	N7	149,5	60,0	900 W	2.095,00
BA10XET#180040	H5	H7	JR	N3	N7	181,0	40,0	900 W	2.135,00
BA10XET#180050	H5	H7	JR	N3	N7	181,0	50,0	900 W	2.295,00
BA10XET#180060	I5	I7	JS	N4	N8	181,0	60,0	1200 W	2.458,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Inox(€)
	White	Anthracite Grey	Chrome						
BA10XEW#080040	U1	V1	Z1	T6	ZRF007	80,5	40,0	300 W	1.476,00
BA10XEW#080050	U1	V1	Z1	T6	ZRF007	80,5	50,0	300 W	1.553,00
BA10XEW#080060	U2	V2	Z2	T8	ZRF007	80,5	60,0	600 W	1.634,00
BA10XEW#120040	U2	V2	Z2	T8	ZRF007	119,5	40,0	600 W	1.780,00
BA10XEW#120050	U2	V2	Z2	T8	ZRF007	119,5	50,0	600 W	1.894,00
BA10XEW#120060	U3	V3	Z3	T9	ZRF007	119,5	60,0	900 W	2.001,00
BA10XEW#150040	U2	V2	Z2	T8	ZRF007	149,5	40,0	600 W	1.993,00
BA10XEW#150050	U3	V3	Z3	T9	ZRF007	149,5	50,0	900 W	2.130,00
BA10XEW#150060	U3	V3	Z3	T9	ZRF007	149,5	60,0	900 W	2.264,00
BA10XEW#180040	U3	V3	Z3	T9	ZRF007	181,0	40,0	900 W	2.303,00
BA10XEW#180050	U3	V3	Z3	T9	ZRF007	181,0	50,0	900 W	2.472,00
BA10XEW#180060	U4	V4	Z4	T0	ZRF007	181,0	60,0	1200 W	2.642,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **BA15KET#120050G5ST9010**

BA15KET#120050	Article code specified in the price table
G5	Heating element code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome								
BA15KEL#070040	U1	V1	Z1	T6	73,0	40,0	300 W	845,00	972,00	1.056,00	1.660,00
BA15KEL#070050	U1	V1	Z1	T6	73,0	50,0	300 W	856,00	984,00	1.070,00	1.675,00
BA15KEL#070060	U2	V2	Z2	T8	73,0	60,0	600 W	869,00	999,00	1.086,00	1.686,00
BA15KEL#120040	U2	V2	Z2	T8	113,0	40,0	600 W	941,00	1.082,00	1.176,00	2.036,00
BA15KEL#120050	U2	V2	Z2	T8	113,0	50,0	600 W	958,00	1.102,00	1.198,00	2.054,00
BA15KEL#120060	U3	V3	Z3	T9	113,0	60,0	900 W	980,00	1.127,00	1.225,00	2.071,00
BA15KEL#150040	U2	V2	Z2	T8	153,0	40,0	600 W	1.041,00	1.197,00	1.301,00	2.308,00
BA15KEL#150050	U3	V3	Z3	T9	153,0	50,0	900 W	1.064,00	1.224,00	1.330,00	2.331,00
BA15KEL#150060	U3	V3	Z3	T9	153,0	60,0	900 W	1.089,00	1.252,00	1.361,00	2.356,00
BA15KEL#190040	U3	V3	Z3	T9	193,0	40,0	900 W	1.137,00	1.308,00	1.421,00	2.877,00
BA15KEL#190050	U3	V3	Z3	T9	193,0	50,0	900 W	1.168,00	1.343,00	1.460,00	2.911,00
BA15KEL#190060	U4	V4	Z4	T0	193,0	60,0	1200 W	1.198,00	1.378,00	1.498,00	2.940,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	ROOM*			RADIATOR**								
	White	Chrome	Matt Black	White	Chrome							
BA15KET#070040	F5	F7	JO	N1	N5	73,0	40,0	300 W	996,00	1.145,00	1.245,00	1.805,00
BA15KET#070050	F5	F7	JO	N1	N5	73,0	50,0	300 W	1.008,00	1.159,00	1.260,00	1.820,00
BA15KET#070060	G5	G7	JQ	N2	N6	73,0	60,0	600 W	1.020,00	1.173,00	1.275,00	1.832,00
BA15KET#120040	G5	G7	JQ	N2	N6	113,0	40,0	600 W	1.092,00	1.256,00	1.365,00	2.182,00
BA15KET#120050	G5	G7	JQ	N2	N6	113,0	50,0	600 W	1.111,00	1.278,00	1.389,00	2.198,00
BA15KET#120060	H5	H7	JR	N3	N7	113,0	60,0	900 W	1.132,00	1.302,00	1.415,00	2.217,00
BA15KET#150040	G5	G7	JQ	N2	N6	153,0	40,0	600 W	1.194,00	1.373,00	1.493,00	2.452,00
BA15KET#150050	H5	H7	JR	N3	N7	153,0	50,0	900 W	1.217,00	1.400,00	1.521,00	2.475,00
BA15KET#150060	H5	H7	JR	N3	N7	153,0	60,0	900 W	1.242,00	1.428,00	1.553,00	2.501,00
BA15KET#190040	H5	H7	JR	N3	N7	193,0	40,0	900 W	1.289,00	1.482,00	1.611,00	3.023,00
BA15KET#190050	H5	H7	JR	N3	N7	193,0	50,0	900 W	1.319,00	1.517,00	1.649,00	3.057,00
BA15KET#190060	I5	I7	JS	N4	N8	193,0	60,0	1200 W	1.351,00	1.554,00	1.689,00	3.085,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome									
BA15KEW#070040	U1	V1	Z1	T6	ZRF007	73,0	40,0	300 W	1.113,00	1.280,00	1.391,00	1.870,00
BA15KEW#070050	U1	V1	Z1	T6	ZRF007	73,0	50,0	300 W	1.124,00	1.293,00	1.405,00	1.885,00
BA15KEW#070060	U2	V2	Z2	T8	ZRF007	73,0	60,0	600 W	1.139,00	1.310,00	1.424,00	1.895,00
BA15KEW#120040	U2	V2	Z2	T8	ZRF007	113,0	40,0	600 W	1.214,00	1.396,00	1.518,00	2.247,00
BA15KEW#120050	U2	V2	Z2	T8	ZRF007	113,0	50,0	600 W	1.231,00	1.416,00	1.539,00	2.263,00
BA15KEW#120060	U3	V3	Z3	T9	ZRF007	113,0	60,0	900 W	1.254,00	1.442,00	1.568,00	2.283,00
BA15KEW#150040	U2	V2	Z2	T8	ZRF007	153,0	40,0	600 W	1.318,00	1.516,00	1.648,00	2.518,00
BA15KEW#150050	U3	V3	Z3	T9	ZRF007	153,0	50,0	900 W	1.342,00	1.543,00	1.678,00	2.541,00
BA15KEW#150060	U3	V3	Z3	T9	ZRF007	153,0	60,0	900 W	1.369,00	1.574,00	1.711,00	2.566,00
BA15KEW#190040	U3	V3	Z3	T9	ZRF007	193,0	40,0	900 W	1.418,00	1.631,00	1.773,00	3.086,00
BA15KEW#190050	U3	V3	Z3	T9	ZRF007	193,0	50,0	900 W	1.451,00	1.669,00	1.814,00	3.122,00
BA15KEW#190060	U4	V4	Z4	T0	ZRF007	193,0	60,0	1200 W	1.482,00	1.704,00	1.853,00	3.151,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00



Ritmato KUBIK electric - RKO15SE..
All the thermostats referred to in the following articles comply with the ECOdesign standard.



The connection and control of the electric radiator can take place in THREE different ways, as described in the diagrams below



Ritmato 14 electric - RKO15SE..
All the thermostats referred to in the following articles comply with the ECOdesign standard.



The connection and control of the electric radiator can take place in THREE different ways, as described in the diagrams below



Ritmato 25 electric - RKO15SE..
All the thermostats referred to in the following articles comply with the ECOdesign standard.



The connection and control of the electric radiator can take place in THREE different ways, as described in the diagrams below

Method of connection and control of the electric radiator

Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with ECOdesign Thermostat





Connection to the electricity mains with ECOdesign Wireless Thermostat





All the thermostats referred to in the following articles comply with the ECOdesign standard.

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

RITMATO KUBIK electric - RKO15SE.. -

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Electric version with edge cap	Colour code of the edge cap			Code DESIGN*	L	H	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome*	Edge Cap*	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
RKO15SEL#080024	U6	V6	Z6	T7	80,0	60,4	400 W	754,00	867,00	943,00	1.967,00
RKO15SEL#100024	U2	V2	Z2	T8	100,0	60,4	600 W	796,00	915,00	995,00	2.083,00

Electric version with ECOdesign thermostat	Thermostat code ROOM*			L	H	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Chrome	Matt Black	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
RKO15SET#080024	J6	J8	JP	80,0	60,4	400 W	862,00	991,00	1.078,00	2.075,00
RKO15SET#100024	G5	G7	JQ	100,0	60,4	600 W	904,00	1.040,00	1.130,00	2.191,00

Electric version with wireless ECOdesign controls	Colour code of the edge cap			Code DESIGN*	L	H	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
RKO15SEW#080024	U6	V6	Z6	T7	80,0	60,4	400 W	1.079,00	1.241,00	1.349,00	2.292,00
RKO15SEW#100024	U2	V2	Z2	T8	100,0	60,4	600 W	1.119,00	1.287,00	1.399,00	2.406,00

RITMATO 14 electric - RO14SE.. -

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Electric version with edge cap	Colour code of the edge cap			Code DESIGN*	L	H	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome*	Edge Cap*	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
RO14SEL#080024	U6	V6	Z6	T7	80,0	58,6	400 W	625,00	719,00	781,00	1.346,00
RO14SEL#100024	U2	V2	Z2	T8	100,0	58,6	600 W	654,00	752,00	818,00	1.566,00

Electric version with ECOdesign thermostat	Thermostat code ROOM*			L	H	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Chrome	Matt Black	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
RO14SET#080024	J6	J8	JP	80,0	58,6	400 W	722,00	830,00	903,00	1.634,00
RO14SET#100024	G5	G7	JQ	100,0	58,6	600 W	753,00	866,00	941,00	1.665,00

Electric version with wireless ECOdesign controls	Colour code of the edge cap			Code DESIGN*	L	H	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome	Edge Cap*	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
RO14SEW#080024	U6	V6	Z6	T7	80,0	58,6	400 W	915,00	1.052,00	1.144,00	1.827,00
RO14SEW#100024	U2	V2	Z2	T8	100,0	58,6	600 W	946,00	1.088,00	1.183,00	1.858,00

RITMATO 25 electric - RO25SE.. -

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Electric version with edge cap	Colour code of the edge cap			Code DESIGN*	L	H	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome*	Edge Cap*	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
RO25SEL#080016	U6	V6	Z6	T7	80,0	56,5	400 W	645,00	742,00	806,00
RO25SEL#100016	U2	V2	Z2	T8	100,0	56,5	600 W	697,00	802,00	871,00

Electric version with ECOdesign thermostat	Thermostat code ROOM*			L	H	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Chrome	Matt Black	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
RO25SET#080016	J6	J8	JP	80,0	56,5	400 W	731,00	841,00	914,00
RO25SET#100016	G5	G7	JQ	100,0	56,5	600 W	783,00	900,00	979,00

Electric version with wireless ECOdesign controls	Colour code of the edge cap			Code DESIGN*	L	H	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap*	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
RO25SEW#080016	U6	V6	Z6	T7	80,0	56,5	400 W	904,00	1.040,00	1.130,00
RO25SEW#100016	U2	V2	Z2	T8	100,0	56,5	600 W	955,00	1.098,00	1.194,00

* Provided with an additional charge of € 15.00

** The DESIGN edge cap, painted in the same color as the towel warmer ordered, is supplied with a price supplement of € 65.00 for both the C1 / C2 / C3 and Chrome version.

Technical note:
Some elements in the lower and upper part of the electric versions of the RITMATO model warm up while working, but do not really heat up.



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **SM15KEW#120050U1ZRF007ST9010**

SM15KEW#120050	Article code specified in the price table
U1	Heating element code
ZRF007	Thermostat code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN*	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
SM15KEL#080040	U5	V5	Z5	T5	77,9	40,0	200 W	650,00	748,00	813,00	1.187,00
SM15KEL#080050	U5	V5	Z5	T5	77,9	50,0	200 W	663,00	762,00	829,00	1.205,00
SM15KEL#080060	U1	V1	Z1	T6	77,9	60,0	300 W	674,00	775,00	843,00	1.219,00
SM15KEL#120040	U1	V1	Z1	T6	122,9	40,0	300 W	715,00	822,00	894,00	1.422,00
SM15KEL#120050	U1	V1	Z1	T6	122,9	50,0	300 W	728,00	837,00	910,00	1.441,00
SM15KEL#120060	U6	V6	Z6	T7	122,9	60,0	400 W	739,00	850,00	924,00	1.454,00
SM15KEL#150040	U6	V6	Z6	T7	153,0	40,0	400 W	782,00	899,00	978,00	1.655,00
SM15KEL#150050	U6	V6	Z6	T7	153,0	50,0	400 W	794,00	913,00	993,00	1.675,00
SM15KEL#150060	U6	V6	Z6	T7	153,0	60,0	400 W	806,00	927,00	1.008,00	1.688,00
SM15KEL#175040	U6	V6	Z6	T7	175,4	40,0	400 W	847,00	974,00	1.059,00	1.892,00
SM15KEL#175050	U2	V2	Z2	T8	175,4	50,0	600 W	860,00	989,00	1.075,00	1.912,00
SM15KEL#175060	U2	V2	Z2	T8	175,4	60,0	600 W	871,00	1.002,00	1.089,00	1.925,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H	L	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	ROOM*			RADIATOR**								
	White	Chrome	Matt Black	White	Chrome	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
SM15KET#080040	J5	J7	JN	N0	N9	77,9	40,0	200 W	803,00	923,00	1.004,00	1.332,00
SM15KET#080050	J5	J7	JN	N0	N9	77,9	50,0	200 W	815,00	937,00	1.019,00	1.352,00
SM15KET#080060	F5	F7	JO	N1	N5	77,9	60,0	300 W	827,00	951,00	1.034,00	1.365,00
SM15KET#120040	F5	F7	JO	N1	N5	122,9	40,0	300 W	869,00	999,00	1.086,00	1.569,00
SM15KET#120050	F5	F7	JO	N1	N5	122,9	50,0	300 W	882,00	1.014,00	1.103,00	1.587,00
SM15KET#120060	J6	J8	JP	NB	NA	122,9	60,0	400 W	893,00	1.027,00	1.116,00	1.601,00
SM15KET#150040	J6	J8	JP	NB	NA	153,0	40,0	400 W	935,00	1.075,00	1.169,00	1.802,00
SM15KET#150050	J6	J8	JP	NB	NA	153,0	50,0	400 W	947,00	1.089,00	1.184,00	1.822,00
SM15KET#150060	J6	J8	JP	NB	NA	153,0	60,0	400 W	959,00	1.103,00	1.199,00	1.835,00
SM15KET#175040	J6	J6	JP	NB	NA	175,4	40,0	400 W	1.001,00	1.151,00	1.251,00	2.039,00
SM15KET#175050	G5	G7	JQ	N2	N6	175,4	50,0	600 W	1.014,00	1.166,00	1.268,00	2.058,00
SM15KET#175060	G5	G7	JQ	N2	N6	175,4	60,0	600 W	1.025,00	1.179,00	1.281,00	2.071,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN*	Adjustment code WIRELESS	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category	Price Chrome
	White	Anthracite Grey	Chrome	Edge Cap	THERMOSTAT	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)	G0 (€)
SM15KEW#080040	U5	V5	Z5	T5	ZRF007	77,9	40,0	200 W	911,00	1.048,00	1.139,00	1.425,00
SM15KEW#080050	U5	V5	Z5	T5	ZRF007	77,9	50,0	200 W	925,00	1.064,00	1.156,00	1.445,00
SM15KEW#080060	U1	V1	Z1	T6	ZRF007	77,9	60,0	300 W	936,00	1.076,00	1.170,00	1.458,00
SM15KEW#120040	U1	V1	Z1	T6	ZRF007	122,9	40,0	300 W	981,00	1.128,00	1.226,00	1.664,00
SM15KEW#120050	U1	V1	Z1	T6	ZRF007	122,9	50,0	300 W	994,00	1.143,00	1.243,00	1.684,00
SM15KEW#120060	U6	V6	Z6	T7	ZRF007	122,9	60,0	400 W	1.006,00	1.157,00	1.258,00	1.698,00
SM15KEW#150040	U6	V6	Z6	T7	ZRF007	153,0	40,0	400 W	1.050,00	1.208,00	1.313,00	1.904,00
SM15KEW#150050	U6	V6	Z6	T7	ZRF007	153,0	50,0	400 W	1.063,00	1.222,00	1.329,00	1.923,00
SM15KEW#150060	U6	V6	Z6	T7	ZRF007	153,0	60,0	400 W	1.074,00	1.235,00	1.343,00	1.937,00
SM15KEW#175040	U6	V6	Z6	T7	ZRF007	175,4	40,0	400 W	1.118,00	1.286,00	1.398,00	2.144,00
SM15KEW#175050	U2	V2	Z2	T8	ZRF007	175,4	50,0	600 W	1.133,00	1.303,00	1.416,00	2.165,00
SM15KEW#175060	U2	V2	Z2	T8	ZRF007	175,4	60,0	600 W	1.143,00	1.314,00	1.429,00	2.177,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver



Digital Chronothermostat (code ZRF007)

Product code **SM20EL#120050U1ST9010**

SM20EL#120050	Article code specified in the price table
U1	Heating element code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	White	Anthracite Grey	Chrome							
SM20EL#120040	U5	V5	Z5	T5	119,5	40,0	200 W	547,00	629,00	684,00
SM20EL#120050	U5	V5	Z5	T5	119,5	50,0	200 W	575,00	661,00	719,00
SM20EL#120060	U1	V1	Z1	T6	119,5	60,0	300 W	589,00	677,00	736,00
SM20EL#150040	U5	V5	Z5	T5	150,5	40,0	200 W	606,00	697,00	758,00
SM20EL#150050	U1	V1	Z1	T6	150,5	50,0	300 W	625,00	719,00	781,00
SM20EL#150060	U6	V6	Z6	T7	150,5	60,0	400 W	646,00	743,00	808,00
SM20EL#170040	U1	V1	Z1	T6	171,5	40,0	300 W	641,00	737,00	801,00
SM20EL#170050	U6	V6	Z6	T7	171,5	50,0	400 W	663,00	762,00	829,00
SM20EL#170060	U6	V6	Z6	T7	171,5	60,0	400 W	690,00	794,00	863,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	ROOM*			RADIATOR**							
	White	Chrome	Matt Black	White	Chrome						
SM20ET#120040	J5	J7	JN	N0	N9	119,5	40,0	200 W	654,00	752,00	818,00
SM20ET#120050	J5	J7	JN	N0	N9	119,5	50,0	200 W	681,00	783,00	851,00
SM20ET#120060	F5	F7	JO	N1	N5	119,5	60,0	300 W	698,00	803,00	873,00
SM20ET#150040	J5	J7	JN	N0	N9	150,5	40,0	200 W	717,00	825,00	896,00
SM20ET#150050	F5	F7	JO	N1	N5	150,5	50,0	300 W	736,00	846,00	920,00
SM20ET#150060	J6	J8	JP	NB	NA	150,5	60,0	400 W	758,00	872,00	948,00
SM20ET#170040	F5	F7	JO	N1	N5	171,5	40,0	300 W	755,00	868,00	944,00
SM20ET#170050	J6	J8	JP	NB	NA	171,5	50,0	400 W	777,00	894,00	971,00
SM20ET#170060	J6	J8	JP	NB	NA	171,5	60,0	400 W	804,00	925,00	1.005,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
	White	Anthracite Grey	Chrome								
SM20EW#120040	U5	V5	Z5	T5	ZRF007	119,5	40,0	200 W	896,00	1.030,00	1.120,00
SM20EW#120050	U5	V5	Z5	T5	ZRF007	119,5	50,0	200 W	923,00	1.061,00	1.154,00
SM20EW#120060	U1	V1	Z1	T6	ZRF007	119,5	60,0	300 W	938,00	1.079,00	1.173,00
SM20EW#150040	U5	V5	Z5	T5	ZRF007	150,5	40,0	200 W	964,00	1.109,00	1.205,00
SM20EW#150050	U1	V1	Z1	T6	ZRF007	150,5	50,0	300 W	984,00	1.132,00	1.230,00
SM20EW#150060	U6	V6	Z6	T7	ZRF007	150,5	60,0	400 W	1.007,00	1.158,00	1.259,00
SM20EW#170040	U1	V1	Z1	T6	ZRF007	171,5	40,0	300 W	1.010,00	1.162,00	1.263,00
SM20EW#170050	U6	V6	Z6	T7	ZRF007	171,5	50,0	400 W	1.033,00	1.188,00	1.291,00
SM20EW#170060	U6	V6	Z6	T7	ZRF007	171,5	60,0	400 W	1.060,00	1.219,00	1.325,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00



ELECTRIC VERSION WITH EDGE CAP

(Only available for the non EEC market and/or connected to a home automation system with characteristics complying with ECODesign regulations)



Connection to the electricity mains with Standard Edge Cap





Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)







ELECTRIC VERSION WITH ECODesign THERMOSTAT



Connection to the electricity mains



ECODesign Room Thermostat







ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Wireless connection with Standard Edge Cap





Digital Chronothermostat (code ZRF007)

Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver

Product code **SM25ET#125050F5ST9010**

SM25ET#125050	Article code specified in the price table
F5	Heating element code
ST	Standard support code*
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

* Special supports NOT available

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome								
SM25EL#120040	U5	V5	Z5	T5	119,5	40,0	200 W	589,00	677,00	736,00	1.229,00
SM25EL#120050	U1	V1	Z1	T6	119,5	50,0	300 W	605,00	696,00	756,00	1.259,00
SM25EL#120060	U6	V6	Z6	T7	119,5	60,0	400 W	626,00	720,00	783,00	1.279,00
SM25EL#150040	U1	V1	Z1	T6	150,5	40,0	300 W	637,00	733,00	796,00	1.418,00
SM25EL#150050	U6	V6	Z6	T7	150,5	50,0	400 W	661,00	760,00	826,00	1.446,00
SM25EL#150060	U6	V6	Z6	T7	150,5	60,0	400 W	680,00	782,00	850,00	1.465,00
SM25EL#170040	U6	V6	Z6	T7	171,5	40,0	400 W	668,00	768,00	835,00	1.529,00
SM25EL#170050	U6	V6	Z6	T7	171,5	50,0	400 W	697,00	802,00	871,00	1.556,00
SM25EL#170060	U2	V2	Z2	T8	171,5	60,0	600 W	716,00	823,00	895,00	1.577,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code					H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	ROOM*			RADIATOR**								
	White	Chrome	Matt Black	White	Chrome							
SM25ET#120040	J5	J7	JN	N0	N9	119,5	40,0	200 W	754,00	867,00	943,00	1.418,00
SM25ET#120050	F5	F7	JO	N1	N5	119,5	50,0	300 W	773,00	889,00	966,00	1.449,00
SM25ET#120060	J6	J8	JP	NB	NA	119,5	60,0	400 W	796,00	915,00	995,00	1.471,00
SM25ET#150040	F5	F7	JO	N1	N5	150,5	40,0	300 W	808,00	929,00	1.010,00	1.617,00
SM25ET#150050	J6	J8	JP	NB	NA	150,5	50,0	400 W	833,00	958,00	1.041,00	1.646,00
SM25ET#150060	J6	J8	JP	NB	NA	150,5	60,0	400 W	855,00	983,00	1.069,00	1.668,00
SM25ET#170040	J6	J8	JP	NB	NA	171,5	40,0	400 W	842,00	968,00	1.053,00	1.736,00
SM25ET#170050	J6	J8	JP	NB	NA	171,5	50,0	400 W	872,00	1.003,00	1.090,00	1.764,00
SM25ET#170060	G5	G7	JQ	N2	N6	171,5	60,0	600 W	895,00	1.029,00	1.119,00	1.786,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN* Edge Cap	Adjustment code WIRELESS THERMOSTAT	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Chrome G0 (€)
	White	Anthracite Grey	Chrome									
SM25EW#120040	U5	V5	Z5	T5	ZRF007	119,5	40,0	200 W	900,00	1.035,00	1.125,00	1.510,00
SM25EW#120050	U1	V1	Z1	T6	ZRF007	119,5	50,0	300 W	919,00	1.057,00	1.149,00	1.537,00
SM25EW#120060	U6	V6	Z6	T7	ZRF007	119,5	60,0	400 W	937,00	1.078,00	1.171,00	1.557,00
SM25EW#150040	U1	V1	Z1	T6	ZRF007	150,5	40,0	300 W	956,00	1.099,00	1.195,00	1.698,00
SM25EW#150050	U6	V6	Z6	T7	ZRF007	150,5	50,0	400 W	979,00	1.126,00	1.224,00	1.724,00
SM25EW#150060	U6	V6	Z6	T7	ZRF007	150,5	60,0	400 W	999,00	1.149,00	1.249,00	1.744,00
SM25EW#170040	U6	V6	Z6	T7	ZRF007	171,5	40,0	400 W	995,00	1.144,00	1.244,00	1.813,00
SM25EW#170050	U6	V6	Z6	T7	ZRF007	171,5	50,0	400 W	1.021,00	1.174,00	1.276,00	1.840,00
SM25EW#170060	U2	V2	Z2	T8	ZRF007	171,5	60,0	600 W	1.041,00	1.197,00	1.301,00	1.860,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELEMENTS
electric

ELECTRIC functioning products*

ELEMENTS COLLECTION ELECTRIC

ADD_ON ELECTRIC	EL	page.	230
ELECTRICAL MILANO	EL		234
MONTECARLO ELECTRIC	EL		240
SQUARE ELECTRIC	EL		242
T.B.T. ELECTRIC	EL		248
SOHO ELECTRIC	EL		254
TRAME ELECTRIC	EL		256
RIFT ELECTRIC	EL		260
STEP-BY-STEP ELECTRIC	EL		276
I-CHING ELECTRIC	EL		281

PLUG & PLAY COLLECTION

EVE	EL	page.	297
ASTRO	EL		298
SCALETTA	EL		299
ORIGAMI	EL		300
SQUARE BENCH	EL		302
MILANO FREE-STANDING	EL		303

*** All the electrical resistances of our products are in CLASS 2**

ADD_ON VERTICAL ELECTRIC









Product code **AD_RE#1680369010O2**

AD_RE#168036	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ACCESSORIES

ZRF007	Radio frequency WALL room thermostat kit with weekly PROGRAMMER

Height (cm)		120			144			168			192			216		
Code	L (cm)	Electrical Resistance (Watts)	dR (cm)	Price (€)	Electrical Resistance (Watts)	dR (cm)	Price (€)	Electrical Resistance (Watts)	dR (cm)	Price (€)	Electrical Resistance (Watts)	dR (cm)	Price (€)	Electrical Resistance (Watts)	dR (cm)	Price (€)
AD_RE#	36,0	300 W	18	3.751,00	300 W	18	4.174,00	600 W	18	4.696,00	600 W	18	5.020,00	600 W	18	5.558,00
AD_RE#	48,0	600 W	18	4.419,00	600 W	18	5.060,00	600 W	18	5.590,00	900 W	18	6.164,00	900 W	18	6.692,00
AD_RE#	60,0	600 W	30	5.163,00	600 W	30	5.818,00	900 W	30	6.570,00	1200 W	30	7.264,00	1200 W	30	8.022,00
AD_RE#	72,0	600 W	30	5.799,00	900 W	30	6.676,00	1200 W	30	7.451,00	1200 W	30	8.037,00			
AD_RE#	84,0	900 W	42	6.534,00	900 W	42	7.430,00	1200 W	42	8.435,00						
AD_RE#	96,0	900 W	42	7.169,00	1200 W	42	8.293,00									

COLOURS

The ADD_ON model in all its versions is supplied in the Standard White colour (code 9010) as standard and in all the colours specified in the Tubes colour chart without any variation in price. NO GRCR.

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €

ADD_ON HORIZONTAL ELECTRIC





Product code **AD_ROE#168036901002**

AD_ROE#168036	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ACCESSORIES

ZRF007	Radio frequency WALL room thermostat kit with weekly PROGRAMMER

Width (cm)		120			144			168		
Code	H (cm)	Electrical Resistance (Watts)	dR (cm)	Price (€)	Electrical Resistance (Watts)	dR (cm)	Price (€)	Electrical Resistance (Watts)	dR (cm)	Price (€)
AD_ROE#	24,0	300 W	6	3.281,00	600 W	6	3.554,00	300 W	6	4.069,00
AD_ROE#	36,0	300 W	6	3.751,00	300 W	6	4.174,00	300 W	6	4.696,00
AD_ROE#	48,0	600 W	6	4.419,00	600 W	6	5.060,00	600 W	6	5.590,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €

Price for Radiator/Towel warmer in Standard White/Chrome color (where specified) and standard connections - VAT and transport excluded.

ADD_ON FREE SHAPE







Product code **AD_FE#019010**

AD_FE#019010	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ACCESSORIES

ZRF007	Radio frequency WALL room thermostat kit with weekly PROGRAMMER

Code	Description	Watt	Price (€) Finish Ral 9010	Price (€) Finish NELC
AD_FE#01	Add_On Free shape L1 ELECTRIC	900 W	7.325,00	7.325,00

COLOURS

The ADD_ON model in all its versions is supplied in the Standard White colour (code 9010) as standard and in all the colours specified in the Tubes colour chart without any variation in price. NO GRCR.

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €

Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.



ELECTRIC BASE version



(with RECESSED connection or EXTERNAL CABLE)



Milano BASE recess

Product code **MLN2#200BAELI9010**

MLN2#200BAELI	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

MILANO BASE version with RECESSED CONNECTION

Model	H (cm)	L (cm)	Heat output in Watts	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
MLN2#170BAELI	171,5	25,8	800 W	3.293,00	3.787,00	4.116,00
MLN2#200BAELI	199,0	25,8	900 W	3.434,00	3.949,00	4.293,00
MLN2#230BAELI	227,0	25,8	1000 W	3.578,00	4.115,00	4.473,00

Set-up for Milano ELECTRIC FLOOR RECESS

Code	Description	Price (€)
INCMLNBA#ELI	Milano Floor Recess	120,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €

Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.



ELECTRIC WALL version





Milano WALL recess

Product code **MLN2#200PAELI9010**

MLN2#200PAELI	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

MILANO WALL VERSION with RECESSED PART

Model	H (cm)	L (cm)	Heat output in Watts	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
MLN2#170PAELI	171,5	31,3	800 W	3.385,00	3.893,00	4.231,00
MLN2#200PAELI	199,0	31,3	900 W	3.527,00	4.056,00	4.409,00
MLN2#230PAELI	227,0	31,3	1000 W	3.671,00	4.222,00	4.589,00

Set-up for Milano ELECTRIC WALL RECESS

Code	Description	Price (€)
INCMLNPA#ELI170	Milano 170 Wall Recess	203,00
INCMLNPA#ELI200	Milano 200 Wall Recess	203,00
INCMLNPA#ELI230	Milano 230 Wall Recess	203,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €



Milano 230









R Radius that identifies the position of the fixing tie rods "B" from the central axis "C" of Milano (see table).

D Distance from "C" (central axis of Milano) to the wall. "D" must be at least 10 cm more than "R".

C Central axis of Milano

N.B.: "D" must be more than "R"

H_Kit Height of the desired Tie Rod Kit

H_Tot Overall height of the ceiling-hanging Milano including the desired Tie Rod Kit. H_Tot must be at least 20 cm less than the height between the ceiling and the floor of the room in which the ceiling-hanging Milano is to be installed.

CAUTION:

for the correct installation of the ceiling-hanging Milano pay particular attention to the assembly instructions provided with the product

Product code **MLN2#200SOELI9010**

MLN2#200SOELI	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Ceiling-hanging Milano (MLN2#...)



MILANO CEILING VERSION with RECESSED PART

Model	Description	Heat output in Watts	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
MLN2#170SOELI	Ceiling-hanging Milano 170	800 W	3.231,00	3.716,00	4.039,00
MLN2#200SOELI	Ceiling-hanging Milano 200	900 W	3.364,00	3.869,00	4.205,00
MLN2#230SOELI	Ceiling-hanging Milano 230	1000 W	3.501,00	4.026,00	4.376,00

Set-up for ceiling-hanging Milano RECESS (INC-MSO#...)



Set-up for ceiling-hanging Milano RECESS

Model	Description	Price (€)
INCMSO#040	Ceiling recessed part of MLN2, for tie rod assembly for H 40 cm	217,00
INCMSO#050	Ceiling recessed part of MLN2, for tie rod assembly for H 50 cm	217,00
INCMSO#060	Ceiling recessed part of MLN2, for tie rod assembly for H 60 cm	217,00
INCMSO#075	Ceiling recessed part of MLN2, for tie rod assembly for H 75 cm	217,00
INCMSO#100	Ceiling recessed part of MLN2, for tie rod assembly for H 100 cm	217,00
INCMSO#125	Ceiling recessed part of MLN2, for tie rod assembly for H 125 cm	217,00
INCMSO#150	Ceiling recessed part of MLN2, for tie rod assembly for H 150 cm	217,00

Tie Rod KIT for Ceiling-hanging Milano (GRT#...)



Rope kit for ceiling fixing

Model	Description	Ropes height (cm)	Positioning radius Recessed ceiling	H_TOT (overall height Milano + tie rods) MLN2170	MLN2200	MLN2230	Price (€)
GRT#040	Tie Rod Kit 40 cm	40,0	R. 28 cm	204	232	259	237,00
GRT#050	Tie Rod Kit 50 cm	50,0	R. 33 cm	214	242	269	355,00
GRT#060	Tie Rod Kit 60 cm	60,0	R. 39 cm	224	252	279	367,00
GRT#075	Tie Rod Kit 75 cm	75,0	R. 48 cm	239	267	294	384,00
GRT#100	Tie Rod Kit 100 cm	100,0	R. 62 cm	264	292	319	393,00
GRT#125	Tie Rod Kit 125 cm	125,0	R. 77 cm	289	317	344	408,00
GRT#150	Tie Rod Kit 150 cm	150,0	R. 91 cm	314	342	369	417,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €

Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.



ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



MILANO HORIZONTAL FLOOR

(the prices do not include the set-up for recessing INCMLNOBA#... reported in the table below)

Model	H (cm)	L (cm)	Heat output in Watts	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
Electrical version with Connection Cable						
MLNOELC#170PV	38,0	175,0	550 W	2.492,00	2.866,00	3.115,00
MLNOELC#200PV	38,0	202,0	650 W	2.545,00	2.927,00	3.181,00
Electrical version with Connection Cable, adjustment and programming via Wireless Thermostat (ZRF007)						
MLNOEWC#170PV	38,0	175,0	550 W	2.884,00	3.317,00	3.605,00
MLNOEWC#200PV	38,0	202,0	650 W	2.939,00	3.380,00	3.674,00

Set-up for Milano HORIZONTAL FLOOR RECESS

Code	Description	Price (€)
INCMLNOBA#170	Milano HORIZONTAL electric FLOOR Recess 170	208,00
INCMLNOBA#200	Milano HORIZONTAL electric FLOOR Recess 200	208,00





Electric Control - ZRF007-



Code ZRF007
ECOdesign digital wireless room chronothermostat + receiver kit

ZRF007 electric control is included in the price of the MLNOEW version

The Milano HORIZONTAL is available upon request with an external cable and electrical plug; in this case the RECESSED set-up is no necessary.

Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.



ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



MILANO HORIZONTAL WALL-MOUNTED

(the prices do not include the set-up for recessing INCMLNOPA#... reported in the table below)

Model	P (cm)	L (cm)	Heat output in Watts	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
Electrical version with Connection Cable						
MLNOELC#170PA	33,0	175,0	550 W	2.688,00	3.091,00	3.360,00
MLNOELC#200PA	33,0	202,0	650 W	2.742,00	3.153,00	3.428,00
Electrical version with Connection Cable, adjustment and programming via Wireless Thermostat (ZRF007)						
MLNOEWC#170PA	33,0	175,0	550 W	3.090,00	3.554,00	3.863,00
MLNOEWC#200PA	33,0	202,0	650 W	3.145,00	3.617,00	3.931,00

Set-up for Milano HORIZONTAL WALL RECESS

Code	Description	Price (€)
INCMLNOPA#170	Set-up for Milano HORIZONTAL WALL RECESS	270,00
INCMLNOPA#200	Set-up for Milano HORIZONTAL WALL RECESS	270,00







Product code **MLNOEW#200PV9010ZRF007**

MLNOEW#200PV	Article code specified in the price table
ZRF007	Thermostat code
9010	Color / finish code shown in the TUBES COLOR CHART





Position of connection connectors

ELECTRIC Connection mod. MOEC#080







ELECTRIC Connection mod. MVEC#170, MVEC#140 and MQEC#050





Product code **MQEC#0509010P1**

MQEC#050	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Tubes Wi-Fi thermostats



Remote switch



Direct electrical plug



ELECTRIC VERSION

Model	L (cm)	H (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
HORIZONTAL						
MOEC#080	80,0	37,5	500 W	2.648,00	2.780,00	2.913,00
SQUARE						
MQEC#050	50,0	50,0	300 W	2.462,00	2.585,00	2.708,00
VERTICAL						
MVEC#140	37,5	140,0	600 W	3.331,00	3.498,00	3.664,00
MVEC#170	37,5	170,0	900 W	3.492,00	3.667,00	3.841,00

PRICE OF ACCESSORIES

Only for the Montecarlo vertical version

Model	Descrizione	Finiture	Prezzo (€)
ZAMM#MMWE	Wooden shelf dim. 30.5x17.5x2.5 cm for Montecarlo vertical	Wengè	262,00
ZAMM#MMRS	Wooden shelf dim. 30.5x17.5x2.5 cm for Montecarlo vertical	Limed oak	246,00
ZAMM#PMWE	Wooden towel rail dim. 30.5x175x2.5 cm for Montecarlo vertical	Wengè	274,00
ZAMM#PMRS	Wooden towel rail dim. 30.5x175x2.5 cm for Montecarlo vertical	Limed oak	262,00

SHELF



cod. ZAMM#MM

SHELF FOR TOWEL RAIL



cod. ZAMM#PM

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €

Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.









Product code **SQV#ELE1600569010---**

SQV#ELE160056 Article code specified in the price table
9010 Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

CONNECTION DIAGRAM



Model	L (cm)	H (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
SQV#ELE080081	81,0	80,0	630 W	1.897,00	2.182,00	2.371,00
SQV#ELE140056	56,0	140,0	840 W	2.053,00	2.361,00	2.566,00
SQV#ELE140081	81,0		1260 W	2.339,00	2.690,00	2.924,00
SQV#ELE160031	31,0	160,0	490 W	1.740,00	2.001,00	2.175,00
SQV#ELE160056	56,0		980 W	2.126,00	2.445,00	2.658,00
SQV#ELE180031	31,0	180,0	560 W	1.857,00	2.136,00	2.321,00
SQV#ELE180056	56,0		1120 W	2.259,00	2.598,00	2.824,00
SQV#ELE200031	31,0	200,0	630 W	1.922,00	2.210,00	2.403,00
SQV#ELE200056	56,0		1260 W	2.420,00	2.783,00	3.025,00
SQV#ELE220056	56,0	220,0	1400 W	2.511,00	2.888,00	3.139,00
SQV#ELE240056	56,0	240,0	1540 W	2.585,00	2.973,00	3.231,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €

Price per radiator/Towel warmer in White Standard colour code 9010 and standard connectors – VAT and transport excluded.





Product code **SQO#ELE1600569010---**

SQO#ELE160056 Article code specified in the price table
9010 Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

CONNECTION DIAGRAM

Direct connection



Connection to the electricity mains



Connection to Tubes WI-FI thermostats



Model	L (cm)	H (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
SQO#ELE080081	80,0	81,0	630 W	1.897,00	2.182,00	2.371,00
SQO#ELE140056	140,0	56,0	840 W	2.053,00	2.361,00	2.566,00
SQO#ELE140081		81,0	1260 W	2.339,00	2.690,00	2.924,00
SQO#ELE160031	160,0	31,0	490 W	1.740,00	2.001,00	2.175,00
SQO#ELE160056		56,0	980 W	2.126,00	2.445,00	2.658,00
SQO#ELE180031	180,0	31,0	560 W	1.857,00	2.136,00	2.321,00
SQO#ELE180056		56,0	1120 W	2.259,00	2.598,00	2.824,00
SQO#ELE200031	200,0	31,0	630 W	1.922,00	2.210,00	2.403,00
SQO#ELE200056		56,0	1260 W	2.420,00	2.783,00	3.025,00
SQO#ELE220056	220,0	56,0	1400 W	2.511,00	2.888,00	3.139,00
SQO#ELE240056	240,0	56,0	1540 W	2.585,00	2.973,00	3.231,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €





Product code **SQC09#ELE160056SQM100**

SQC09#ELE160056SQM100	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

Model	Ha (cm)	Lc (cm)	Electrical Resistance (Watts)	Price A and C white (€)	Price A coloured C white (€)	Price A white C coloured (€)	Price A and C coloured (€)
SQC09#ELE160056SQM100 SQV#ELE160056 SQM#ELE100	160,0	100,0	1040 W	2.425,00	2.789,00	2.668,00	3.068,00
SQC09#ELE160056SQM120 SQV#ELE160056 SQM#ELE120	160,0	120,0	1050 W	2.497,00	2.872,00	2.747,00	3.159,00
SQC09#ELE160056SQM150 SQV#ELE160056 SQM#ELE150	160,0	150,0	1075 W	2.577,00	2.964,00	2.835,00	3.260,00
SQC09#ELE180056SQM100 SQV#ELE180056 SQM#ELE100	180,0	100,0	1180 W	2.539,00	2.920,00	2.793,00	3.212,00
SQC09#ELE180056SQM120 SQV#ELE180056 SQM#ELE120	180,0	120,0	1190 W	2.613,00	3.005,00	2.874,00	3.305,00
SQC09#ELE180056SQM150 SQV#ELE180056 SQM#ELE150	180,0	150,0	1215 W	2.692,00	3.096,00	2.961,00	3.405,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €





Model	Ha (cm)	Lc (cm)	Electrical Resistance (Watts)	Price A and B white (€)	Price A coloured B white (€)	Price A white B coloured (€)	Price A and B color (€)
SQC10#ELE200056081081SQM120 SQV#ELE200056 SQV#ELE080081 SQM#ELE120	200,0	120,0	1960 W	4.397,00	5.057,00	4.837,00	5.562,00
SQC10#ELE200056081081SQM150 SQV#ELE200056 SQV#ELE080081 SQM#ELE150	200,0	150,0	1985 W	4.475,00	5.146,00	4.923,00	5.661,00

SQUARE COMPOSITION 09 ELECTRIC

ALUMINIUM electric DESIGN radiator

EL





Model	Ha (cm)	Lc (cm)	Electrical Resistance (Watts)	Price A and C white (€)	Price A coloured C white (€)	Price A white C coloured (€)	Price A and C coloured (€)
SQC09#ELE080081SQM100 SQV#ELE080081 SQM#ELE100	80,0	100,0	690 W	2.227,00	2.561,00	2.450,00	2.817,00
SQC09#ELE080081SQM120 SQV#ELE080081 SQM#ELE120	80,0	120,0	790 W	2.301,00	2.646,00	2.531,00	2.911,00

Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.





SET-UP FOR CONNECTION

SQUARE MANIGLIONE is connected to the mains electricity using a hidden connection, so the wall outlet needs to be set up with a flexible duct to thread the electrical wires not supplied, with a diameter of no more than 13 mm.
The outlet position is shown in the technical diagram with the symbol «•».
To turn the electric handle on and off, we recommend you install an ON/OFF switch and/or a timer (not supplied) to avoid wasting energy.
For further information consult the technical data sheet provided here.



Product code **SQM#ELE1000159010**

SQM#ELE100015	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

Model	**L** (cm)	**H** (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
SQM#ELE100	100,0	15,0	60 W	686,00	789,00	858,00
SQM#ELE120	120,0	15,0	70 W	773,00	889,00	966,00
SQM#ELE150	150,0	15,0	95 W	866,00	996,00	1.083,00
SQM#ELE180	180,0	15,0	120 W	895,00	1.029,00	1.119,00

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.





ELECTRIC VERSION



ELECTRIC VERSION





LAYOUT OF RECESSED PART



The complete price of the desired TBT is calculated by adding the price of the external part (external TBT) to the corresponding recessed part (recessed TBT) - VAT and transportation not included.

Product code **TBT#120OR2ELECRO**

TBT#120OR2	Article code specified in the price table
ELE	Electric system code
CRO	Colour/finish code specified in the Official TUBES COLOUR CHART

RECESSED PART

INCTBT#120OR2	Article code listed in the price list
ELE	Version

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

PRICE OF EXTERNAL PART ONLY (external TBT) It includes the external TBT and everything required for installing the recessed part (see below).

	COLOURED version	**L** (cm)	Watt Electric Version	Coloured Version (€)	**ChromedVersion**	Chromed Version (€)
SINGLE	TBTC#120OR1ELE	120,0	53 W	1.619,00	TBT#120OR1ELE	1.787,00
	TBTC#150OR1ELE	150,0	68 W	1.710,00	TBT#150OR1ELE	1.887,00
	TBTC#180OR1ELE	180,0	83 W	1.803,00	TBT#180OR1ELE	1.990,00
	TBTC#200OR1ELE	200,0	93 W	1.851,00	TBT#200OR1ELE	2.043,00
DOUBLE	TBTC#120OR2ELE	120,0	106 W	3.240,00	TBT#120OR2ELE	3.572,00
	TBTC#150OR2ELE	150,0	136 W	3.420,00	TBT#150OR2ELE	3.774,00
	TBTC#180OR2ELE	180,0	166 W	3.608,00	TBT#180OR2ELE	3.981,00
	TBTC#200OR2ELE	200,0	186 W	3.705,00	TBT#200OR2ELE	4.088,00
TRIPLE	TBTC#120OR3ELE	120,0	159 W	4.857,00	TBT#120OR3ELE	5.359,00
	TBTC#150OR3ELE	150,0	204 W	5.130,00	TBT#150OR3ELE	5.660,00
	TBTC#180OR3ELE	180,0	249 W	5.414,00	TBT#180OR3ELE	5.973,00
	TBTC#200OR3ELE	200,0	279 W	5.557,00	TBT#200OR3ELE	6.132,00

The above prices refer to the standard White color and to all colors of categories C1 / C2 and C3.
GRCR colour is not available.

PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the support for the external part of the TBT

Model		**ELECTRIC version**
SINGLE	INCTBT#1201ELE INCTBT#1501ELE INCTBT#1801ELE INCTBT#2001ELE	202,00
DOUBLE	INCTBT#1202ELE INCTBT#1502ELE INCTBT#1802ELE INCTBT#2002ELE	334,00
TRIPLE	INCTBT#1203ELE INCTBT#1503ELE INCTBT#1803ELE INCTBT#2003ELE	498,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €









ELECTRIC VERSION



ELECTRIC VERSION





LAYOUT OF RECESSED PART



The complete price of the desired TBT is calculated by adding the price of the external part (external TBT) to the corresponding recessed part (recessed TBT) - VAT and transportation not included.

Product code **TBT#120VE2ELECRO**

TBT#120VE2	Article code specified in the price table
ELE	Electric system code
CRO	Colour/finish code specified in the Official TUBES COLOUR CHART

RECESSED PART	Version
INCTBT#120VE2E	Article code listed in the price list

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

PRICE OF EXTERNAL PART ONLY (external TBT) It includes the external TBT and everything required for installing the recessed part (see below).

	COLOURED version	**H** (cm)	Watt Electric Version	Coloured Version (€)	**ChromedVersion**	Chromed Version (€)
SINGLE	TBTC#120VE1ELE	120,0	53 W	1.619,00	TBT#120VE1ELE	1.787,00
	TBTC#150VE1ELE	150,0	68 W	1.710,00	TBT#150VE1ELE	1.887,00
	TBTC#180VE1ELE	180,0	83 W	1.803,00	TBT#180VE1ELE	1.990,00
	TBTC#200VE1ELE	200,0	93 W	1.851,00	TBT#200VE1ELE	2.043,00
DOUBLE	TBTC#120VE2ELE	120,0	106 W	3.240,00	TBT#120VE2ELE	3.572,00
	TBTC#150VE2ELE	150,0	136 W	3.420,00	TBT#150VE2ELE	3.774,00
	TBTC#180VE2ELE	180,0	166 W	3.608,00	TBT#180VE2ELE	3.981,00
	TBTC#200VE2ELE	200,0	186 W	3.705,00	TBT#200VE2ELE	4.088,00
TRIPLE	TBTC#120VE3ELE	120,0	159 W	4.857,00	TBT#120VE3ELE	5.359,00
	TBTC#150VE3ELE	150,0	204 W	5.130,00	TBT#150VE3ELE	5.660,00
	TBTC#180VE3ELE	180,0	249 W	5.414,00	TBT#180VE3ELE	5.973,00
	TBTC#200VE3ELE	200,0	279 W	5.557,00	TBT#200VE3ELE	6.132,00

The above prices refer to the standard White color and to all colors of categories C1 / C2 and C3.
GRCR colour is not available.

PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the support for the external part of the TBT

Model		**ELECTRIC version**
SINGLE	INCTBT#1201ELE INCTBT#1501ELE INCTBT#1801ELE INCTBT#2001ELE	202,00
DOUBLE	INCTBT#1202ELE INCTBT#1502ELE INCTBT#1802ELE INCTBT#2002ELE	334,00
TRIPLE	INCTBT#1203ELE INCTBT#1503ELE INCTBT#1803ELE INCTBT#2003ELE	498,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €

Price per radiator/Towel warmer in White Standard colour code 9010 / Chrome-plated where specified – VAT and transport excluded.





VERSION WITH EXTERNAL CABLE



VERSION WITH RECESSED CABLE



Product code **TBTC#150 BA1 ELE 9010**

TBTC#150 BA1	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
ELE	Version

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Electric FLOOR version with RECESSED CABLE

COLOURED version	**H** (cm)	**L** (cm)	Watt Electric Version	Coloured Version (€)	**ChromedVersion**	Chromed Version (€)
TBTC#150BA1ELE	150,0	14,5	68	2.166,00	TBT#150BA1ELE	2.335,00
TBTC#180BA1ELE	180,0	14,5	83	2.248,00	TBT#180BA1ELE	2.424,00

Electric FLOOR version with EXTERNAL CABLE

COLOURED version	**H** (cm)	**L** (cm)	Watt Electric Version	Coloured Version (€)	**ChromedVersion**	Chromed Version (€)
TBTC#150BA1ELI	150,0	14,5	68	1.939,00	TBT#150BA1ELI	2.092,00
TBTC#180BA1ELI	180,0	14,5	83	1.991,00	TBT#180BA1ELI	2.148,00

The above prices refer to the Standard White colour and to all colours categories C1/C2 and C3.
Colour not available: GRCR

RECESSED PART (TBT recessed cable)

It includes the floor recessed part for connection to the electrical system and the support of the external part of the TBT.

Model		**ELECTRIC VERSION WITH RECESSED CABLE**
SINGLE	INCTBTBA#ELI	124,00

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €

Price per radiator in Standard Tubes colour / Anodised Silver if specified – VAT and transport excluded.



Method of connection for control using TOUCH switch



Method of connection to the Tubes ECOdesign wireless thermostat





ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SOHO ELECTRIC - Coloured and Anodised

Code Colour Version	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Code Anodised Version	Anodised Finish A0 Silver (€)
Electrical version with Connection Cable								
SHVELC#140003	140,0	17,6	500 W	1.096,00	1.260,00	1.370,00	SHVAELC#140003	1.164,00
SHVELC#140005	140,0	31,2	800 W	1.523,00	1.751,00	1.904,00	SHVAELC#140005	1.620,00
SHVELC#140007	140,0	44,8	1100 W	1.924,00	2.213,00	2.405,00	SHVAELC#140007	2.047,00
SHVELC#180003	180,0	17,6	650 W	1.124,00	1.293,00	1.405,00	SHVAELC#180003	1.196,00
SHVELC#180005	180,0	31,2	1000 W	1.569,00	1.804,00	1.961,00	SHVAELC#180005	1.672,00
SHVELC#180007	180,0	44,8	1350 W	1.986,00	2.284,00	2.483,00	SHVAELC#180007	1.986,00
Electrical version with Connection Cable, adjustment and programming via Wireless Thermostat (ZRF007)								
SHVEWC#140003	140,0	17,6	500 W	1.359,00	1.563,00	1.699,00	SHVAEWC#140003	1.434,00
SHVEWC#140005	140,0	31,2	800 W	1.786,00	2.054,00	2.233,00	SHVAEWC#140005	1.891,00
SHVEWC#140007	140,0	44,8	1100 W	2.188,00	2.516,00	2.735,00	SHVAEWC#140007	2.317,00
SHVEWC#180003	180,0	17,6	650 W	1.388,00	1.596,00	1.735,00	SHVAEWC#180003	1.467,00
SHVEWC#180005	180,0	31,2	1000 W	1.832,00	2.107,00	2.290,00	SHVAEWC#180005	1.942,00
SHVEWC#180007	180,0	44,8	1350 W	2.251,00	2.589,00	2.814,00	SHVAEWC#180007	2.386,00
Version with control and adjustment via TOUCH Switch								
SHVEL#140003	140,0	17,6	500 W	1.256,00	1.444,00	1.570,00	SHVAEL#140003	1.331,00
SHVEL#140005	140,0	31,2	800 W	1.725,00	1.984,00	2.156,00	SHVAEL#140005	1.833,00
SHVEL#140007	140,0	44,8	1100 W	2.167,00	2.492,00	2.709,00	SHVAEL#140007	2.302,00
SHVEL#180003	180,0	17,6	650 W	1.287,00	1.480,00	1.609,00	SHVAEL#180003	1.366,00
SHVEL#180005	180,0	31,2	1000 W	1.774,00	2.040,00	2.218,00	SHVAEL#180005	1.889,00
SHVEL#180007	180,0	44,8	1350 W	2.236,00	2.571,00	2.795,00	SHVAEL#180007	2.378,00



SOHO CHROME-PLATED towel rail



SOHO PLATED hook



Towel rail SOHO COLOURED



SOHO COLOURED hook

Model	Descrizione	Finishes	Price (€)
GALVANIC finish			
ZASHEG#AP...	Open galvanic hook for SOHO ELECTRICAL	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	261,00
ZASHEG#PS003...	Coloured Towel rail for SOHO ELECTRIC SHVE 3 elements		250,00
ZASHEG#PS005...	Coloured Towel rail for SOHO ELECTRIC SHVE 5 elements		264,00
ZASHEG#PS007...	Coloured Towel rail for SOHO ELECTRIC SHVE 7 elements		277,00
COLOURED finish			
ZASHE#AP...	Open coloured hook for SOHO ELECTRICAL	Tubes Colours* cat. C0, C1, C2, C3	197,00
ZASHE#PS003...	Coloured Towel rail for SOHO ELECTRIC SHVE 3 elements		250,00
ZASHE#PS005...	Coloured Towel rail for SOHO ELECTRIC SHVE 5 elements		264,00
ZASHE#PS007...	Coloured Towel rail for SOHO ELECTRIC SHVE 7 elements		277,00

Price per radiator in Matt White colour code 916P / Anodised Silver if specified – VAT and transport excluded.



Method of connection for control using TOUCH switch



Method of connection to the Tubes ECOdesign wireless thermostat





The SOHO BATHROOM ELECTRIC is provided with the towel rail in chrome finish.

Code Colour Version	**H** (cm)	**L** (cm)	Electrical Resistance (Watts)	Price Matt white/C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	**Code Anodised Version**	Anodised Finish A0 Silver (€)
Electrical version with Connection Cable								
SHVBELC#140005	140,0	31,2	800 W	1.630,00	1.875,00	2.038,00	SHVBAELC#140005	2.056,00
SHVBELC#140007	140,0	44,8	1100 W	2.014,00	2.316,00	2.518,00	SHVBAELC#140007	2.071,00
SHVBELC#180005	180,0	31,2	1000 W	1.673,00	1.924,00	2.091,00	SHVBAELC#180005	2.056,00
SHVBELC#180007	180,0	44,8	1350 W	2.071,00	2.382,00	2.589,00	SHVBAELC#180007	2.071,00
Electrical version with Connection Cable, adjustment and programming via Wireless Thermostat (ZRF007)								
SHVBEWC#140005	140,0	31,2	800 W	1.872,00	2.153,00	2.340,00	SHVBAEWC#140005	1.969,00
SHVBEWC#140007	140,0	44,8	1100 W	2.257,00	2.596,00	2.821,00	SHVBAEWC#140007	2.375,00
SHVBEWC#180005	180,0	31,2	1000 W	1.915,00	2.202,00	2.394,00	SHVBAEWC#180005	2.016,00
SHVBEWC#180007	180,0	44,8	1350 W	2.315,00	2.662,00	2.894,00	SHVBAEWC#180007	2.439,00
Version with control and adjustment via TOUCH Switch								
SHVBEL#140005	140,0	31,2	800 W	1.816,00	2.088,00	2.270,00	SHVBAEL#140005	1.915,00
SHVBEL#140007	140,0	44,8	1100 W	2.237,00	2.573,00	2.796,00	SHVBAEL#140007	2.362,00
SHVBEL#180005	180,0	31,2	1000 W	1.861,00	2.140,00	2.326,00	SHVBAEL#180005	1.967,00
SHVBEL#180007	180,0	44,8	1350 W	2.301,00	2.646,00	2.876,00	SHVBAEL#180007	2.432,00

Product code **SHVBEL#140005ST9010COP9010**

SHVBEL#140005	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
COP9010	Covering Code

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

TRAME 14



TRAME 20



TRAME 28



Standard Electric

Connection to the electricity mains with Standard Edge Cap

Connection to the electricity mains with Standard Edge Cap



Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)



* Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations





Electric with Room Thermostat

Connection to the electricity mains

Connection to the electricity mains



ECOdesign **Room Thermostat**





Electric with Room Thermostat

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Wireless connection with Standard Edge Cap



Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)





ECODesign digital wireless chronothermostat + Receiver

Digital Chronothermostat (code ZRF007)



Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.



TRAME 14

Product code **TRO14EW#05251312U3ZRF007ST9010**

TRO14EW#05251312	Article code specified in the price table
U3	Resistance code (see table opposite)
ZRF007	Thermostat code
9010	Color code (See TUBES colour chart)

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN*	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
TRO14EL#05250400	U1	V1	Z1	T6	40,0	52,5	300 w	1.306,00	1.502,00	1.633,00
TRO14EL#05250818	U2	V2	Z2	T8	81,8	52,5	600 w	1.763,00	2.027,00	2.204,00
TRO14EL#05251312	U3	V3	Z3	T9	131,2	52,5	900 w	2.323,00	2.671,00	2.904,00
TRO14EL#05251806	U4	V4	Z4	T0	180,6	52,5	1200 w	3.038,00	3.494,00	3.798,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code ROOM*			H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Chrome	Matt Black	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
TRO14ET#05250400	F5	F7	JO	40,0	52,5	300 w	1.375,00	1.581,00	1.719,00
TRO14ET#05250818	G5	G7	JQ	81,8	52,5	600 w	1.834,00	2.109,00	2.293,00
TRO14ET#05251312	H5	H7	JR	131,2	52,5	900 w	2.397,00	2.757,00	2.996,00
TRO14ET#05251806	I5	I7	JS	180,6	52,5	1200 w	3.117,00	3.585,00	3.896,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN*	Adjustment code WIRELESS THERMOSTAT	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap		(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
TRO14EW#05250400	U1	V1	Z1	T6	ZRF007	40,0	52,5	300 w	1.632,00	1.877,00	2.040,00
TRO14EW#05250818	U2	V2	Z2	T8	ZRF007	81,8	52,5	600 w	2.114,00	2.431,00	2.643,00
TRO14EW#05251312	U3	V3	Z3	T9	ZRF007	131,2	52,5	900 w	2.699,00	3.104,00	3.374,00
TRO14EW#05251806	U4	V4	Z4	T0	ZRF007	180,6	52,5	1200 w	3.460,00	3.979,00	4.325,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.



TRAME 20

Product code **TRO20EW#05251270U3ZRF007ST9010**

TRO20EW#05251270 Article code specified in the price table
U3 Resistance code (see table opposite)
ZRF007 Thermostat code
9010 Color code (See TUBES colour chart)

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN*	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
TRO20EL#05250420	U1	V1	Z1	T6	42,0	52,5	300 w	1.267,00	1.457,00	1.584,00
TRO20EL#05250820	U2	V2	Z2	T8	82,0	52,5	600 w	1.646,00	1.893,00	2.058,00
TRO20EL#05251270	U3	V3	Z3	T9	127,0	52,5	900 w	2.084,00	2.397,00	2.605,00
TRO20EL#05251820	U4	V4	Z4	T0	182,0	52,5	1200 w	2.746,00	3.158,00	3.433,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code ROOM*			H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Chrome	Matt Black	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
TRO20ET#05250420	F5	F7	JO	42,0	52,5	300 w	1.334,00	1.534,00	1.668,00
TRO20ET#05250820	G5	G7	JQ	82,0	52,5	600 w	1.715,00	1.972,00	2.144,00
TRO20ET#05251270	H5	H7	JR	127,0	52,5	900 w	2.156,00	2.479,00	2.695,00
TRO20ET#05251820	I5	I7	JS	182,0	52,5	1200 w	2.825,00	3.249,00	3.531,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN*	Adjustment code WIRELESS	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap	THERMOSTAT	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
TRO20EW#05250420	U1	V1	Z1	T6	ZRF007	42,0	52,5	300 w	1.594,00	1.833,00	1.993,00
TRO20EW#05250820	U2	V2	Z2	T8	ZRF007	82,0	52,5	600 w	1.992,00	2.291,00	2.490,00
TRO20EW#05251270	U3	V3	Z3	T9	ZRF007	127,0	52,5	900 w	2.455,00	2.823,00	3.069,00
TRO20EW#05251820	U4	V4	Z4	T0	ZRF007	182,0	52,5	1200 w	3.159,00	3.633,00	3.949,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

TRAME 28 HORIZONTAL TRO28 ELECTRIC

Radiator composed of 28 mm diameter horizontal steel elements fusion welded with 28 mm diameter manifolds

Price per radiator/Towel warmer in White Standard colour code 9010 – VAT and transport excluded.



TRAME 28

Product code **TRO28EW#05251282U3ZRF007ST9010**

TRO28EW#05251282	Article code specified in the price table
U3	Resistance code (see table opposite)
ZRF007	Thermostat code
9010	Color code (See TUBES colour chart)

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

Model	Colour code of the edge cap			Code DESIGN*	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
TRO28EL#05250424	U1	V1	Z1	T6	42,4	52,5	300 w	1.393,00	1.602,00	1.741,00
TRO28EL#05250820	U2	V2	Z2	T8	82,0	52,5	600 w	1.890,00	2.174,00	2.363,00
TRO28EL#05251282	U3	V3	Z3	T9	128,2	52,5	900 w	2.491,00	2.865,00	3.114,00
TRO28EL#05251810	U4	V4	Z4	T0	181,0	52,5	1200 w	3.341,00	3.842,00	4.176,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

Model	Thermostat code ROOM*			H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Chrome	Matt Black	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
TRO28ET#05250424	F5	F7	JO	42,4	52,5	300 w	1.462,00	1.681,00	1.828,00
TRO28ET#05250820	G5	G7	JQ	82,0	52,5	600 w	1.960,00	2.254,00	2.450,00
TRO28ET#05251282	H5	H7	JR	128,2	52,5	900 w	2.564,00	2.949,00	3.205,00
TRO28ET#05251810	I5	I7	JS	181,0	52,5	1200 w	3.418,00	3.931,00	4.273,00

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of € 18.00.
** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

Model	Colour code of the edge cap			Code DESIGN*	Adjustment code WIRELESS	H	L	Electrical Resistance	Price Standard White	Price Category	Price Category
	White	Anthracite Grey	Chrome	Edge Cap	THERMOSTAT	(cm)	(cm)	(Watts)	Cat. C0 (€)	C1/C2 (€)	Cat. C3 (€)
TRO28EW#05250424	U1	V1	Z1	T6	ZRF007	42,4	52,5	300 w	1.723,00	1.981,00	2.154,00
TRO28EW#05250820	U2	V2	Z2	T8	ZRF007	82,0	52,5	600 w	2.243,00	2.579,00	2.804,00
TRO28EW#05251282	U3	V3	Z3	T9	ZRF007	128,2	52,5	900 w	2.871,00	3.302,00	3.589,00
TRO28EW#05251810	U4	V4	Z4	T0	ZRF007	181,0	52,5	1200 w	3.770,00	4.336,00	4.713,00

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of € 65.00





CONNECTION DIAGRAM



Electric Control



code ZRF007
Digital wireless room chronothermostat + wi-fi receiver KIT

Connection cable to the electricity mains



Product code **RFTV24SE#SX140901003**

RFTV24SE#SX140	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
LEFT	Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Left and Right Single Vertical - ELECTRIC

Model		H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
RFTV24SE#SX100	RFTV24SE#DX100	100,0	24,0	210 W	775,00	891,00	969,00
RFTV24SE#SX120	RFTV24SE#DX120	120,0	24,0	280 W	816,00	938,00	1.020,00
RFTV24SE#SX140	RFTV24SE#DX140	140,0	24,0	350 W	858,00	987,00	1.073,00
RFTV24SE#SX160	RFTV24SE#DX160	160,0	24,0	500 W	900,00	1.035,00	1.125,00
RFTV24SE#SX180	RFTV24SE#DX180	180,0	24,0	560 W	941,00	1.082,00	1.176,00


Hook code ZAAPRFT#...


Towel rail code ZAPSRFT#...

RIFT accessories

Code	Description	Finishes	Price (€)
ZAAPRFT# ZAPSRFT#	RIFT hook in PLATED brass Towel Rail in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 € 111,00 €
ZAAPRFTC# ZAPSRFTC#	RIFT hook in COLOURED brass Towel Rail in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 € 127,00 €

* the GRCR Chrome Grey finish is NOT available

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €





CONNECTION DIAGRAM



Electric Control



code ZRF007
Digital wireless room chronothermostat + wi-fi receiver KIT

Connection cable to the electricity mains



Product code **RFTO24SE#SU140901003**

RFTO24SE#SU140	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
SU	Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Widths available

L. = 100 cm
L. = 120 cm
L. = 140 cm
L. = 160 cm
L. = 180 cm

Single Horizontal - ELECTRIC version

Model	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
RFTO24SE#SU100	24,0	100,0	210 W	738,00	849,00	923,00
RFTO24SE#SU120	24,0	120,0	280 W	777,00	894,00	971,00
RFTO24SE#SU140	24,0	140,0	350 W	816,00	938,00	1.020,00
RFTO24SE#SU160	24,0	160,0	500 W	858,00	987,00	1.073,00
RFTO24SE#SU180	24,0	180,0	560 W	897,00	1.032,00	1.121,00

Colour GRCR Chrome Grey NOT available for the RIFT model.



Hook code ZAAPRFT#...



RIFT shelf
L 48 cm cod. ZAMRFT48#...
L 60 cm cod. ZAMRFT60#...

RIFT accessories

Code	Description	Finishes	Price (€)
ZAAPRFT#...	RIFT hook in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 €
ZAAPRFTC#...	RIFT hook in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 €
ZAMRFT4824#LNN	Wooden storage shelf for RIFT 24 dim. 48x15 cm	Natural Wood	209,00 €
ZAMRFT6024#LNN	Wooden storage shelf for RIFT 24 dim. 60x15 cm		243,00 €
ZAMRFT4815#LNN	Wooden storage shelf for RIFT 15 dim. 48x15 cm		209,00 €
ZAMRFT6015#LNN	Wooden storage shelf for RIFT 15 dim. 60x15 cm		243,00 €
ZAMRFT4824#LBC	Wooden storage shelf for RIFT 24 dim. 48x15 cm	Matt White	195,00 €
ZAMRFT6024#LBC	Wooden storage shelf for RIFT 24 dim. 60x15 cm		229,00 €
ZAMRFT4815#LBC	Wooden storage shelf for RIFT 15 dim. 48x15 cm		195,00 €
ZAMRFT6015#LBC	Wooden storage shelf for RIFT 15 dim. 60x15 cm		229,00 €

* the GRCR Chrome Grey finish is NOT available

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €





CONNECTION DIAGRAM



Electric Control



code ZRF007
Digital wireless room chronothermostat + wi-fi receiver KIT

Connection cable to the electricity mains



Product code **RFTV24DE#DX180901011**

RFTV24DE#DX180	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
Rh	Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Heights available

H. = 140 cm
H. = 160 cm
H. = 180 cm

Double Left, Centre and Right Aligned Electric 24

Model			H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Multi_Color (2) (€)
RFTV24DE#SX140	RFTV24DE#CC140	RFTV24DE#DX140	140,0	48,4	700 W	1.571,00	1.807,00	1.964,00	2.042,00
RFTV24DE#SX160	RFTV24DE#CC160	RFTV24DE#DX160	160,0	48,4	1000 W	1.643,00	1.889,00	2.054,00	2.136,00
RFTV24DE#SX180	RFTV24DE#CC180	RFTV24DE#DX180	180,0	48,4	1120 W	1.697,00	1.952,00	2.121,00	2.206,00

Colour GRCR Chrome Grey NOT available for the RIFT model.
(1) In the MULTICOLOR version the code is V24DEM; in this case, the different colors must be specified.



Hook code ZAAPRFT#...



Towel rail code ZAPSRFT#...

RIFT accessories

Code	Description	Finishes	Price (€)
ZAAPRFT# ZAPSRFT#	RIFT hook in PLATED brass Towel Rail in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 € 111,00 €
ZAAPRFTC# ZAPSRFTC#	RIFT hook in COLOURED brass Towel Rail in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 € 127,00 €

* the GRCR Chrome Grey finish is NOT available

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €





CONNECTION DIAGRAM



Electric Control



code ZRF007
Digital wireless room chronothermostat + wi-fi receiver KIT

Connection cable to the electricity mains



Product code **RFTVDDE2#DX120160901007**

RFTVDDE2#DX120160 Article code specified in the price table
9010 Colour/finish code specified in the Official TUBES COLOUR CHART
Rh Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Double Left and Right Offset Vertical Electric

Model		H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Multi_Color (2) (€)
RFTVDDE2#SX140100	RFTVDDE2#DX100140	148,5	39,4	490 W	1.564,00	1.799,00	1.955,00	2.033,00
RFTVDDE2#SX160120	RFTVDDE2#DX120160	168,5	39,4	630 W	1.738,00	1.999,00	2.173,00	2.259,00
RFTVDDE2#SX180120	RFTVDDE2#DX120180	188,5	39,4	780 W	1.930,00	2.220,00	2.413,00	2.509,00

Colour GRCR Chrome Grey NOT available for the RIFT model.
(1) In the MULTICOLOR version the code is VDDE2M; in this case, the different colors must be specified.



Hook code ZAAPRFT#...



Towel rail code ZAPSRFT#...

RIFT accessories

Code	Description	Finishes	Price (€)
ZAAPRFT# ZAPSRFT#	RIFT hook in PLATED brass Towel Rail in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 € 111,00 €
ZAAPRFTC# ZAPSRFTC#	RIFT hook in COLOURED brass Towel Rail in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 € 127,00 €

* the GRCR Chrome Grey finish is NOT available

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €







CONNECTION DIAGRAM



Electric Control



code ZRF007
Digital wireless room chronothermostat + wi-fi receiver KIT

Connection cable to the electricity mains



Product code **RFTODDE2#DX120160901007**

RFTODDE2#DX120160 Article code specified in the price table
9010 Colour/finish code specified in the Official TUBES COLOUR CHART
Rh Offset

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

Version offset to the Right



Offset Version on left



Left and Right Offset Horizontal - Electric

Model		H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Multi_Color (2) (€)
RFTODDE2#DX100140	RFTODDE2#SX100140	39,4	148,5	490 W	1.496,00	1.720,00	1.870,00	1.945,00
RFTODDE2#DX120160	RFTODDE2#SX120160	39,4	168,5	630 W	1.662,00	1.911,00	2.078,00	2.161,00
RFTODDE2#DX120180	RFTODDE2#SX120180	39,4	188,5	780 W	1.846,00	2.123,00	2.308,00	2.400,00

Colour GRCR Chrome Grey NOT available for the RIFT model.
(1) In the MULTICOLOR version the code is ODDE2M; in this case, the different colors must be specified.



Hook code ZAAPRFT#...



RIFT shelf
L 48 cm cod. ZAMRFT48#...
L 60 cm cod. ZAMRFT60#...

RIFT accessories

Code	Description	Finishes	Price (€)
ZAAPRFT#...	RIFT hook in PLATED brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00 €
ZAAPRFTC#...	RIFT hook in COLOURED brass	Tubes Colours* cat. C0, C1, C2, C3	127,00 €
ZAMRFT4824#LNN	Wooden storage shelf for RIFT 24 dim. 48x15 cm	Natural Wood Finish	209,00 €
ZAMRFT6024#LNN	Wooden storage shelf for RIFT 24 dim. 60x15 cm		243,00 €
ZAMRFT4815#LNN	Wooden storage shelf for RIFT 15 dim. 48x15 cm		209,00 €
ZAMRFT6015#LNN	Wooden storage shelf for RIFT 15 dim. 60x15 cm		243,00 €
ZAMRFT4824#LBC	Wooden storage shelf for RIFT 24 dim. 48x15 cm	Matt White Finish	195,00 €
ZAMRFT6024#LBC	Wooden storage shelf for RIFT 24 dim. 60x15 cm		229,00 €
ZAMRFT4815#LBC	Wooden storage shelf for RIFT 15 dim. 48x15 cm		195,00 €
ZAMRFT6015#LBC	Wooden storage shelf for RIFT 15 dim. 60x15 cm		229,00 €

* the GRCR Chrome Grey finish is NOT available

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €





CONNECTION DIAGRAM



RIFT connection box



Product code **RFTV15MDE3#SX1909010**

RFTV15MDE3#SX190	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
LEFT	Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.



Multiple Offset Vertical 15 - Hydraulic version RIGHT-LEFT

Model	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Multi_Color (2) (€)
RFTV15MDE3#DX190	188,5	45,8	1100 W	2.149,00	2.471,00	2.686,00	2.794,00
RFTV15MDE3#SX190	188,5	45,8	1100 W	2.149,00	2.471,00	2.686,00	2.794,00
RFTV15MDE4#DX190	188,5	61,2	1450 W	2.614,00	3.006,00	3.268,00	3.398,00
RFTV15MDE4#SX190	188,5	61,2	1450 W	2.614,00	3.006,00	3.268,00	3.398,00
RFTV15MDE5#DX190	188,5	76,6	1800 W	3.231,00	3.716,00	4.039,00	4.200,00
RFTV15MDE5#SX190	188,5	76,6	1800 W	3.231,00	3.716,00	4.039,00	4.200,00

Colour GRCR Chrome Grey NOT available for the RIFT model.
(1) In the MULTICOLOR version the code is RFTV15MDE3M/ RFTV15MDE4M/ RFTV15MDE5M and the different colours must be specified

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €





CONNECTION DIAGRAM





Connection cable to the electricity mains



Product code **RFTO15MDE3#SX1909010**

RFTO15MDE3#SX190	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART
LEFT	Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.





MULTIPLE Horizontal - Electric version Left and Right

Model		H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)	Price Multi_Color (2) (€)
								
RFTO15MDE3#DX190	RFTO15MDE3#SX190	45,8	188,5	1100 w	2.175,00	2.501,00	2.719,00	2.828,00

Colour GRCR Chrome Grey NOT available for the RIFT model.
(1) In the MULTICOLOR version the code is RFTO15MDE3M and the different colours must be specified


RIFT shelf

RIFT accessories

Code	Description	Finishes	Price (€)
ZAMRFT4815#LNN	Wooden storage shelf for RIFT 15 dim. 48x15 cm	Natural Wood	209,00 €
ZAMRFT6015#LNN	Wooden storage shelf for RIFT 15 dim. 60x15 cm		243,00 €
ZAMRFT4815#LBC	Wooden storage shelf for RIFT 15 dim. 48x15 cm	Matt White	195,00 €
ZAMRFT6015#LBC	Wooden storage shelf for RIFT 15 dim. 60x15 cm		229,00 €

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €





CONNECTION DIAGRAM





Connection to the electricity mains





Product code **RFTREL#0609010**

RFTREL#060	Article code specified in the price table
9010	Colour/finish code specified in the Official TUBES COLOUR CHART

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

RIFT/reverse electric

Model	H (cm)	L (cm)	Electrical Resistance (Watts)	Price Standard White Cat. C0 (€)	Price Category C1/C2 (€)	Price Category Cat. C3 (€)
RIFT / reverse version with control and adjustment via TOUCH switch						
RFTREL#060	12,0	60,0	150 W	806,00	927,00	1.008,00
RFTREL#080	12,0	80,0	150 W	949,00	1.091,00	1.186,00
RFTREL#100	12,0	100,0	300 W	897,00	1.032,00	1.121,00
RFTREL#120	12,0	120,0	300 W	938,00	1.079,00	1.173,00
Version with control via TOUCH switch, adjustment and programming via wireless digital thermostat code ZRF007						
RFTREW#060	12,0	60,0	150 W	1.204,00	1.385,00	1.505,00
RFTREW#080	12,0	80,0	150 W	1.239,00	1.425,00	1.549,00
RFTREW#100	12,0	100,0	300 W	1.306,00	1.502,00	1.633,00
RFTREW#120	12,0	120,0	300 W	1.353,00	1.556,00	1.691,00



RIFT/reverse towel rail



RIFT/ reverse wooden shelf

RIFT accessories

The RIFT/Reverse heated towel rail must UNDER ALL CIRCUMSTANCES be ordered together with the radiator since it must be set up during production; the heated towel rail CANNOT be installed at a later date.

Code	Description	Finishes	Price (€)
ZAPSRFTRG#050... ZAPSRFTRG#065... ZAPSRFTRG#095...	RIFT/reverse towel rail* L.50.0xH.7.5 cm RIFT/reverse towel rail* L.65.0xH.7.5 cm (available only for Rift L.80, 100, 120 cm) Towel rail* RIFT/reverse L.95,0xH.7,5 cm (available only for Rift L.120 cm)	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	221,00 € 237,00 € 250,00 €
ZAPSRFTR#050 ZAPSRFTR#065 ZAPSRFTR#095	RIFT/reverse towel rail* L.50.0xH.7.5 cm RIFT/reverse towel rail* L.65.0xH.7.5 cm (available only for Rift L.80, 100, 120 cm) Towel rail* RIFT/reverse L.95,0xH.7,5 cm (available only for Rift L.80, 100, 120 cm)	Tubes Colours** cat. C0, C1, C2, C3	221,00 € 237,00 € 250,00 €
ZAMRFTREV	Wooden shelf for RIFT/reverse L.46.0x29.0 cm (Installable in width L.100/120 and only on the Right side of the RIFT/reverse using a magnetic attachment to be secured inside the shelf.	Natural Wood	355,00 €

* The RIFT/reverse towel rail must be set up specifically, so it must be ordered together with the radiator.
** the GRCR Chrome Grey finish is NOT available

ELECTRIC CONTROLS

cod. ZRF007
ECOdesign digital wireless room chronothermostat + receiver kit



cod. ZRF007

ZRF007 electric control is included in the price of the RFTREW version









Electric version



In the electric version, the ECOdesign digital CHRONOTHERMOSTAT KIT is supplied as standard and includes the wireless receiver. (code ZRF007)

Product code **SBSE#DX160STBARGW2**

SBSE#DX160ST	Article code specified in the price table
BARG	Colour/finish code specified in the Official TUBES COLOUR CHART
Rh	Flap

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SBSE - STEP-by-STEP - SINGLE Module ELECTRIC version

Flap on Left	Flap on Right	H (cm)	L (cm)	Electrical Resistance (Watts)	Price ** (€)
					
SBSE#SX120	SBSE#DX120	120,0	31,7	400 W	1.099,00
SBSE#SX140	SBSE#DX140	140,0	31,7	500 W	1.178,00
SBSE#SX160	SBSE#DX160	160,0	31,7	550 W	1.263,00
SBSE#SX180	SBSE#DX180	180,0	31,7	600 W	1.372,00
SBSE#SX200	SBSE#DX200	200,0	31,7	700 W	1.452,00

** Standard colouring: code BARG - Wrinkled White; code 907R - Wrinkled Aluminium Grey; code GRAN - Metallic Wrinkled Anthracite Grey.
Non-standard colors: All the MATT finishes in the Tubes color chart, with a 25% surcharge on the price of the standard colors.

STEP BY STEP accessories



Hook code ZASBSG#AP...



Towel rail code ZASBSG#PS...

Code	Description	Finishes	Price (€)
ZASBS#AP ZASBS#PS...	COLORURED hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP COLOURED	Tubes Colours* cat. C0, C1, C2, C3	108,00 € 260,00 €
ZASBSG#AP... ZASBSG#PS	GALVANIC hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP GALVANIC	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	101,00 € 247,00 €

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €



DOUBLE module version





DIVERGENT Version





Electric version



In the electric version, the ECOdesign digital CHRONOTHERMOSTAT KIT is supplied as standard and includes the wireless receiver. (code ZRF007)

ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

SBS2E - STEP-by-STEP - DOUBLE Module ELECTRIC version

Flap on Left	Flap on Right	H (cm)	L (cm)	Electrical Resistance (Watts)	Price ** (€)
					
SBS2E#SX120	SBS2E#DX120	120,0	55,6	800 W	2.088,00
SBS2E#SX140	SBS2E#DX140	140,0	55,6	1000 W	2.240,00
SBS2E#SX160	SBS2E#DX160	160,0	55,6	1100 W	2.398,00
SBS2E#SX180	SBS2E#DX180	180,0	55,6	1200 W	2.608,00
SBS2E#SX200	SBS2E#DX200	200,0	55,6	1400 W	2.760,00

** Standard colouring: code BARG - Wrinkled White; code 907R - Wrinkled Aluminium Grey; code GRAN - Metallic Wrinkled Anthracite Grey.
Non-standard colors: All the MATT finishes in the Tubes color chart, with a 25% surcharge on the price of the standard colors.

SBS2E - STEP-by-STEP - DIVERGENT Module ELECTRIC version

REVERSE FLAPS	H (cm)	L (cm)	Electrical Resistance (Watts)	Price ** (€)
				
SBS2EV#120	120,0	65,0	800 W	2.170,00
SBS2EV#140	140,0	65,0	1000 W	2.331,00
SBS2EV#160	160,0	65,0	1100 W	2.495,00
SBS2EV#180	180,0	65,0	1200 W	2.712,00
SBS2EV#200	200,0	65,0	1400 W	2.870,00

** Standard colouring: code BARG - Wrinkled White; code 907R - Wrinkled Aluminium Grey; code GRAN - Metallic Wrinkled Anthracite Grey.
Non-standard colors: All the MATT finishes in the Tubes color chart, with a 25% surcharge on the price of the standard colors.

STEP BY STEP accessories



Hook code ZASBSG#AP...



Towel rail code ZASBSG#PS...

Code	Description	Finishes	Price (€)
ZASBS#AP ZASBS#PS...	COLORURED hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP COLOURED (*)	Tubes Colours* cat. C0, C1, C2, C3	108,00 € 260,00 €
ZASBSG#AP... ZASBSG#PS	GALVANIC hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP GALVANIC (*)	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	101,00 € 247,00 €

(*) NOT available for the DIVERGENT version

ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



cod. ZRF007

Code	Description	Finishes	Price (€)
ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	299,00 €



POSITIONING

I-CHING can be installed either Vertically or Horizontally in all sizes; the appliance is set up for positioning during installation of the recessed part.

ELECTRIC VERSION (24 Volts)

I-CHING can be ordered with or without ON/OFF switch. Since it operates at 24 Volts, the heated towel rail is supplied as standard with the transformer and with the wall-recessed housing box.
The switch-free version must be connected to the electrical system by any control devices, including home automation.
The model with a switch is supplied as standard with the switch-transformer connection cable. The maximum length of the cable is 4 metres and it can be shortened as needed.
The model with a switch is supplied as standard with the switch-transformer connection cable. The maximum length of the cable is 4 metres and it can be shortened as needed.

FINISHES

All the finishes of I-Ching, whether galvanic or coloured, are applied directly to stainless steel, the material used to build the heated towel rail.

GALVANIC FINISHES

standard finish

Satin finish STAINLESS STEEL (code G0_XSA)

most requested special finishes

(supplied with an additional charge)

Polished STAINLESS STEEL (code G1_XLU)

Matt Brushed BLACK NICKEL (code G2_NNS)

Matt Brushed TIN (code G2_SSO)

Matt Brushed COPPER (code G2_RMO)

SPECIAL GALVANIC FINISHES for I_CHING

Code	**G0** G0_XSA	**G1** G1_NIS	**G2** G2_XLU	**G2** G2_BRP	**G2** G2_NIK	**G2** G2_NNO	**G2** G2_NNS	**G2** G2_OSO	**G2** G2_SSO	**G2** G2_NNE	**G3** G3_OTO	**G3** G3_RMO	**G5** G5_O14
Description	INOX Satin	Nichel Satin	INOX Lucido	Matt Brushed Bronze	Matt Brushed Nickel	Matt Black Nickel	Matt Brushed Black Nickel	Matt Brushed Brass	Matt Brushed Tin (1)	Glossy Black Nickel	Matt Brass	Matt Brushed Copper (1)	14 K Gold Finish
Categoria finiture	**G0**	**G1**	**G2**								**G3**		**G5**
Surcharges calculated on a G0 basis (STAINLESS STEEL) in %	**0%**	**15%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**40%**	**40%**	**40%**	**40%**

(1) Manual finish subject to accentuated colour variations, making each product different from the other

COLOUR FINISHES

finishes upon request

Matt WHITE (cod.916P)

Matt BLACK (code 9005)

finishes upon request
(Colour category C0/C1/C3)

“Finishes upon request” are understood to be all those colours in the TUBES Colour Chart with category C0/C1/C3. Glossy Grey Chrome code GRCR is not available for this model.



How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.

E.g.: ordering I-CHING - 1 element with switch

External part	**ICH1E#063...**
ICH1E	I-CHING 1 Element
063	Length of element 63 cm
...	Specify colour (see Tubes colour chart)
Recessed part	**INC_ICH#E01INT**
	Recess for I-Ching - 1 element WITH pre-arrangement for switch
Switch	**INT_ICH#**
INT_ICH	Switch for I-Ching
Transformer KIT	**KIT_ICH#01INT**
	Transformer kit for I-Ching to be installed for the switch

Electric with switch







Electric without switch





I-CHING 1 Element

EXTERNAL part

Model	Description	L (cm) Ext. P.	H (cm) Ext. P.	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH1EG#053...	External part I-CHING 01 L.53 cm	53,0	4,0	15 W	574,00	718,00	ICH1E#053...	660,00	689,00
ICH1EG#063...	External part I-CHING 01 L.63 cm	63,0	4,0	19 W	661,00	826,00	ICH1E#063...	760,00	793,00
ICH1EG#078...	External part I-CHING 01 L.78 cm	78,0	4,0	24 W	847,00	1.059,00	ICH1E#078...	974,00	1.016,00
ICH1EG#135...	External part I-CHING 01 L.153 cm	135,0	4,0	40 W	933,00	1.166,00	ICH1E#135...	1.073,00	1.120,00

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part

Model	Description	Price (€)
INC_ICH#15E01	Recess for I-CHING - 1 element Without pre-arrangement for switch	309,00
INC_ICH#15E01INT	Recess for I-CHING - 1 element With pre arrangement for switch	315,00

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.



How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.

E.g.: ordering I-CHING - 2 element with switch

External part	**ICH2E#063...**
ICH2E	I-Ching 2 elements
063	Length of element 63 cm
...	Specify colour (see Tubes colour chart)
Recessed part	**INC_ICH#E02INT**
	Recess for I-Ching - 2 element WITH pre-arrangement for switch
Switch	**INT_ICH#**
INT_ICH	Switch for I-Ching
Transformer KIT	**KIT_ICH#01INT**
	Transformer kit for I-Ching to be installed for the switch

Electric with switch







Electric without switch





I-CHING 2 Elements

EXTERNAL part

Model	Description	L (cm) Ext. P.	H (cm) Ext. P.	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH2EG#053...	External part I-CHING 02 L.53 cm	53,0	19,0	30 W	1.148,00	1.435,00	ICH2E#053...	1.320,00	1.378,00
ICH2EG#063...	External part I-CHING 02 L.63 cm	63,0	19,0	38 W	1.322,00	1.653,00	ICH2E#063...	1.520,00	1.586,00
ICH2EG#078...	External part I-CHING 02 L.78 cm	78,0	19,0	48 W	1.694,00	2.118,00	ICH2E#078...	1.948,00	2.033,00
ICH2EG#135...	External part I-CHING 02 L.153 cm	135,0	19,0	80 W	1.866,00	2.333,00	ICH2E#135...	2.146,00	2.239,00

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part

Model	Description	Price (€)
INC_ICH#15E02	Recess for I-CHING - 2 elements without pre-arrangement for switch	411,00
INC_ICH#15E02INT	Recess for I-CHING - 2 elements with pre-arrangement for switch	413,00

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.



How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.

E.g.: ordering I-CHING - 3 element with switch

External part	**ICH3E#063...**
ICH3E	I-Ching 3 elements
063	Length of element 63 cm
...	Specify colour (see Tubes colour chart)
Recessed part	**INC_ICH#E03INT**
	Recess for I-Ching - 3 elements with pre-arrangement for switch
Switch	**INT_ICH#**
INT_ICH	Switch for I-Ching
Transformer KIT	**KIT_ICH#01INT**
	Transformer kit for I-Ching to be installed for the switch

Electric with switch







Electric without switch





I-CHING 3 Elements

EXTERNAL part

Model	Description	L (cm) Ext. P.	H (cm) Ext. P.	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH3EG#053...	External part I-CHING 03 L.53 cm	53,0	34,0	45 W	1.723,00	2.154,00	ICH3E#053...	1.981,00	2.068,00
ICH3EG#063...	External part I-CHING 03 L.63 cm	63,0	34,0	57 W	1.983,00	2.479,00	ICH3E#063...	2.280,00	2.380,00
ICH3EG#078...	External part I-CHING 03 L.78 cm	78,0	34,0	72 W	2.541,00	3.176,00	ICH3E#078...	2.922,00	3.049,00
ICH3EG#135...	External part I-CHING 03 L.153 cm	135,0	34,0	120 W	2.809,00	3.511,00	ICH3E#135...	3.230,00	3.371,00

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part

Model	Description	Price (€)
INC_ICH#15E03	Recess for I-CHING - 3 elements without pre-arrangement for switch	518,00
INC_ICH#15E03INT	Recess for I-CHING - 3 Elements with pre-arrangement for switch	522,00

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.



How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.

E.g.: ordering I-CHING - 4 element with switch

External part	**ICH4E#063...**
ICH4E	I-Ching 4 elements
063	Length of element 63 cm
...	Specify colour (see Tubes colour chart)
Recessed part	**INC_ICH#E04INT**
	Recess for I-Ching - 4 elements with pre-arrangement for switch
Switch	**INT_ICH#**
INT_ICH	Switch for I-Ching
Transformer KIT	**KIT_ICH#01INT**
	Transformer kit for I-Ching to be installed for the switch

Electric with switch



Electric without switch





I-CHING 4 Elements

EXTERNAL part

Model	Description	L (cm) Ext. P.	H (cm) Ext. P.	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH4EG#053...	External part I-CHING 04 L.53 cm	53,0	49,0	60 W	2.297,00	2.871,00	ICH4E#053...	2.642,00	2.756,00
ICH4EG#063...	External part I-CHING 04 L.63 cm	63,0	49,0	76 W	2.644,00	3.305,00	ICH4E#063...	3.041,00	3.173,00
ICH4EG#078...	External part I-CHING 04 L.78 cm	78,0	49,0	96 W	3.388,00	4.235,00	ICH4E#078...	3.896,00	4.066,00

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

Recessed part

Model	Description	Price (€)
INC_ICH#15E04	Recess for I-CHING - 4 elements without pre-arrangement for switch	627,00
INC_ICH#15E04INT	Recess for I-CHING - 4 elements with pre-arrangement for switch	634,00

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.



How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.

E.g.: ordering I-CHING - 5 elements with switch

External part	**ICH5E#078...**
ICH5E	I-Ching 5 elements
078	Length of element 78cm
...	Specify colour (see Tubes colour chart)
Recessed part	**INC_ICH#E05INT**
	Recess for I-CHING - 5 elements with pre-arrangement for switch
Switch	**INT_ICH#**
INT_ICH	Switch for I-Ching
Transformer KIT	**KIT_ICH#01INT**
	Transformer kit for I-Ching to be installed for the switch

Electric with switch



Electric without switch







I-CHING 5 Elements

EXTERNAL part

Model	Description	L (cm) Ext. P.	H (cm) Ext. P.	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH5EG#053...	External part I-CHING 05 L.53 cm	53,0	64,0	75 W	2.871,00	3.589,00	ICH5E#053...	3.302,00	3.445,00
ICH5EG#063...	External part I-CHING 05 L.63 cm	63,0	64,0	95 W	3.306,00	4.133,00	ICH5E#063...	3.802,00	3.967,00
ICH5EG#078...	External part I-CHING 05 L.78 cm	78,0	64,0	120 W	4.235,00	5.294,00	ICH5E#078...	4.870,00	5.082,00

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part

Model	Description	Price (€)
INC_ICH#15E05	Recess for I-CHING - 5 elements without pre-arrangement for switch	738,00
INC_ICH#15E05INT	Recess for I-CHING - 5 elements with pre-arrangement for switch	792,00

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.







How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.



E.g.: ordering I-CHING - 1 element with switch

External part	**ICH1E#135...**
ICH1	I-CHING 1 Element
063	Height of element 135 cm
...	Specify colour (see Tubes colour chart)
Recessed part	**INC_ICH#E01INT**
	Recess for I-Ching - 1 element WITH pre-arrangement for switch
Switch	**INT_ICH#**
INT_ICH	Switch for I-Ching
Transformer KIT	**KIT_ICH#01INT**
	Transformer kit for I-Ching to be installed for the switch

I-CHING 1 Element

EXTERNAL part

Model	Description	L (cm) Ext. P.	H (cm) Ext. P.	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH1EG#078...	External part I-CHING 01 L.78 cm	4,0	78,0	24 W	847,00	1.059,00	ICH1E#078...	974,00	1.016,00
ICH1EG#135...	External part I-CHING 01 L.153 cm	4,0	135,0	40 W	933,00	1.166,00	ICH1E#135...	1.073,00	1.120,00

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part

Model	Description	Price (€)
INC_ICH#15E01	Recess for I-CHING - 1 element Without pre-arrangement for switch	309,00
INC_ICH#15E01INT	Recess for I-CHING - 1 element With pre arrangement for switch	315,00

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.





How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.



E.g.: ordering I-CHING - 2 elements without switch

External part	**ICH2E#135...**
ICH2	I-Ching 2 elements
135	Height of element 135 cm
...	Specify colour (see Tubes colour chart)
Recessed part	**INC_ICH#E02**
	Recess for I-Ching - 2 element WITHOUT pre-arrangement for switch
Transformer KIT	**KIT_ICH#01--**
	Transformer kit for I-Ching WITHOUT the switch

I-CHING 2 Elements

EXTERNAL part

Model	Description	L (cm) Ext. P.	H (cm) Ext. P.	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH2EG#078...	External part I-CHING 02 L.78 cm	19,0	78,0	48 W	1.694,00	2.118,00	ICH2E#078...	1.948,00	2.033,00
ICH2EG#135...	External part I-CHING 02 L.153 cm	19,0	135,0	80 W	1.866,00	2.333,00	ICH2E#135...	2.146,00	2.239,00

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part

Model	Description	Price (€)
INC_ICH#15E02	Recess for I-CHING - 2 elements without pre-arrangement for switch	411,00
INC_ICH#15E02INT	Recess for I-CHING - 2 elements with pre-arrangement for switch	413,00

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.





How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.



E.g.: ordering I-CHING - 3 element with switch

External part	**ICH3E#135...**
ICH3	I-Ching 3 elements
135	Height of element 135 cm
...	Specify colour (see Tubes colour chart)
Recessed part	**INC_ICH#E03INT**
	Recess for I-Ching - 3 elements with pre-arrangement for switch
Switch	**INT_ICH#**
INT_ICH	Switch for I-Ching
Transformer KIT	**KIT_ICH#01INT**
	Transformer kit for I-Ching to be installed for the switch

I-CHING 3 Elements

EXTERNAL part

Model	Description	L (cm) Ext. P.	H (cm) Ext. P.	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH3EG#078...	External part I-CHING 03 L.78 cm	34,0	78,0	72 W	2.541,00	3.176,00	ICH3E#078...	2.922,00	3.049,00
ICH3EG#135...	External part I-CHING 03 L.153 cm	34,0	135,0	120 W	2.809,00	3.511,00	ICH3E#135...	3.230,00	3.371,00

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part

Model	Description	Price (€)
INC_ICH#15E03	Recess for I-CHING - 3 elements without pre-arrangement for switch	518,00
INC_ICH#15E03INT	Recess for I-CHING - 3 Elements with pre-arrangement for switch	522,00

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.





How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.

E.g.: ordering I-CHING Composition_03 electric with switch

External part	**ICH2E#063... + ICH1E#135...**	**Recessed part**	**INC_ICH#E02INT + INC_ICH#E01**
ICH2E#063	I-Ching - 2 elements electric, size 63 cm	INC_ICH#E02INT	Recess for I-Ching - 2 element WITH pre-arrangement for switch
ICH2E#135	I-Ching - 1 element electric, size 135 cm	INC_ICH#E01	Recess for I-Ching - 2 element WITHOUT pre-arrangement for switch
063, 135	Length of elements in cm		
...	Specify colour (see Tubes colour chart)	**Transformer KIT**	**KIT_ICH#01INT**
			Transformer kit for I-Ching to be installed for the switch
Switch	**INT_ICH#**		
INT_ICH	Switch for I-Ching		

I-CHING Composition_3

EXTERNAL part I-Ching Composition_03

Model	Description	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH2EG#063...	External part I-CHING 02 L.63 cm	38 W	1.322,00	1.653,00	ICH2E#063...	1.520,00	1.586,00
ICH1EG#135...	External part I-CHING 01 L.153 cm	40 W	933,00	1.166,00	ICH1E#135...	1.073,00	1.120,00
	Total I-CHING Composition_03 External part	**78 W**	**2.255,00**	**2.819,00**		**2.593,00**	**2.706,00**

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part I-Ching Composition_03 with and without pre-arrangement for switch

Model	Description	Price (€)
INC_ICH#15E02	Recess for I-CHING - 2 elements without pre-arrangement for switch	411,00
INC_ICH#15E01	Recess for I-CHING - 1 element Without pre-arrangement for switch	309,00
Total Recessed Part of I-Ching Composition_03 without pre-arrangement for switch		**720,00**
INC_ICH#15E02INT	Recess for I-CHING - 2 elements with pre-arrangement for switch	413,00
INC_ICH#15E01INT	Recess for I-CHING - 1 element With pre arrangement for switch	315,00
Total Recessed Part of I-Ching Composition_03 with pre-arrangement for switch		**728,00**

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.





How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.

E.g.: ordering I-CHING Composition_04 electric with switch

External part	**ICH2E#063... + ICH2E#053...**
ICH2E#063	I-Ching - 2 elements electric, size 63 cm
ICH2E#053	I-Ching - 1 element electric, size 53 cm
063, 135	Length of elements in cm
...	Specify colour (see Tubes colour chart)
Switch	**INT_ICH#**
INT_ICH	Switch for I-Ching
Recessed part	**INC_ICH#E04INT**
INC_ICH#E04INT	Recess for I-Ching - 4 element WITH pre-arrangement for switch
Transformer KIT	**KIT_ICH#01INT**
	Transformer kit for I-Ching to be installed for the switch

I-CHING Composition_4

EXTERNAL part I-Ching Composition_04

Model	Description	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH2EG#063...	External part I-CHING 02 L.63 cm	38 W	1.322,00	1.653,00	ICH2E#063...	1.520,00	1.586,00
ICH2EG#053...	External part I-CHING 02 L.53 cm	30 W	1.148,00	1.435,00	ICH2E#053...	1.320,00	1.378,00
	Total I-CHING Composition_04 External part	**68 W**	**2.470,00**	**3.088,00**		**2.840,00**	**2.964,00**

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part

Model	Description	Price (€)
INC_ICH#15E04	Recess for I-CHING - 4 elements without pre-arrangement for switch	627,00
INC_ICH#15E04INT	Recess for I-CHING - 4 elements with pre-arrangement for switch	634,00

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.





How to order I-Ching

I-Ching consists of two elements, a visible external part, and a recessed part which must be set up when the plumbing is installed and can therefore be shipped in advance.

I-Ching is available with or without a switch and it operates at 24 V.

E.g.: ordering I-CHING Composition_05 electric with switch

External part	**ICH1E#053... + ICH1E#063... + ICH1E#135...**	**Recessed part**	**INC_ICH#E02INT + INC_ICH#E01**
ICH1E#053	I-Ching - 1 element electric, size 53 cm	INC_ICH#E02INT	Recess for I-Ching - 2 element WITH pre-arrangement for switch
ICH1E#063	I-Ching - 1 element electric, size 63 cm	INC_ICH#E01	Recess for I-Ching - 2 element WITHOUT pre-arrangement for switch
ICH1E#135	I-Ching - 1 element electric, size 135 cm		
063, 078, 135	Length of elements in cm	**Transformer KIT**	**KIT_ICH#01INT**
...	Specify colour (see Tubes colour chart)		Transformer kit for I-Ching to be installed for the switch
Switch	**INT_ICH#**		
INT_ICH	Switch for I-Ching		

I-CHING Composition_5

EXTERNAL part I-Ching Composition_05

Model	Description	Output	Stainless Steel and Galvanic Finishes* Stainless steel Satin	Stainless steel Polished	Model	Coloured Finishes* standard finishes	Colours C0/C1/C2
ICH1EG#053...	External part I-CHING 01 L.53 cm	15 W	574,00	718,00	ICH1E#053...	660,00	689,00
ICH1EG#063...	External part I-CHING 01 L.63 cm	19 W	661,00	826,00	ICH1E#063...	760,00	793,00
ICH1EG#135...	External part I-CHING 01 L.153 cm	40 W	933,00	1.166,00	ICH1E#135...	1.073,00	1.120,00
	Total I-CHING Composition_05 External part	**74 W**	**2.128,00**	**2.710,00**		**2.493,00**	**2.602,00**

For the other available finishes, i.e. for the C3 Category Colours, the price will be calculated with a supplement equal to +25% compared to the prices illustrated for the Satin Stainless steel finish. For the Galvanic finishes, see the table on page. 281.

RECESSED part I-Ching Composition_05 with and without pre-arrangement for switch

Model	Description	Price (€)
INC_ICH#15E02	Recess for I-CHING - 2 elements without pre-arrangement for switch	411,00
INC_ICH#15E01	Recess for I-CHING - 1 element Without pre-arrangement for switch	309,00
Total Recessed Part of I-Ching Composition_05 without pre-arrangement for switch		**720,00**
INC_ICH#15E02INT	Recess for I-CHING - 2 elements with pre-arrangement for switch	413,00
INC_ICH#15E01INT	Recess for I-CHING - 1 element With pre arrangement for switch	315,00
Total Recessed Part of I-Ching Composition_05 with pre-arrangement for switch		**728,00**

Switch

Model	Description	Price (€)
INT_ICH#...	Switch for I-Ching Coloured	279,00
INT_ICHG#...	Switch for I-Ching Galvanic	279,00

Transformer KIT** Required component

Model	Description	Price (€)
KIT_ICH#01	Transformer kit without switch set up (max120W)	127,00
KIT_ICH#01INT	Transformer kit with switch set up (max120W)	168,00

** The recessed part also includes the 24V transformer and set-up for electrical connections.

I-CHING requires correct installation of the recessed part. Assembly instructions, technical data sheets and video tutorial consultable using the QR code or on the website www.tubesradiatori.com.

PLUG & PLAY

ELECTRIC functioning products

PLUG & PLAY COLLECTION

EVE	EL	page.	297
ASTRO	EL		298
SCALETTA	EL		299
ORIGAMI	EL		300
SQUARE BENCH	EL		302
MILANO FREE-STANDING	EL		303

EVE

DESIGN LUDOVICA + ROBERTO PALOMBA

800 W MAX





MATERIAL: STRUCTURAL RIGID POLYURETHANE WITH HIGH MECHANICAL STRENGTH.

DEVICE MANAGEMENT THROUGH TOUCH CONTROLS AND/OR MOBILE APP VIA WI-FI.

HEATING REGULATION ON TWO INTENSITY LEVELS (400 WATTS OR 800 WATTS), 2H BOOSTER FUNCTION AND DIMMABLE LIGHTING.

MATT WHITE	916P	A*	
GLOSSY OXIDE RED	RAL 3009	A*	
MATT BLACK	RAL 9005 O20	A*	
MATT GOLD		B*	

KEYS: MATT BLACKISH GREY	RAL 7021 O20
CONNECTION CABLE: BLACK COATING	

Model	**L** (cm)	**H** (cm)	Watt	A*	B*
EVE#---SH	35,0	40,0	800W	1.263,00	1.389,00

ASTRO
DESIGN LUCA NICHETTO

1200 W MAX





TWO STANDARD SETS OF FEET WITH DIFFERENT HEIGHTS.

WITH LOW FEET

WITH HIGH FEET

MATERIAL: STRUCTURAL RIGID POLYURETHANE WITH HIGH MECHANICAL STRENGTH.

GESTIONE DEL DISPOSITIVO MEDIANTE COMANDI TOUCH E/O APP MOBILE VIA WI-FI.

THE DEVICE IS DESIGNED TO HEAT TO THREE DIFFERENT POWER SETTINGS (FROM 500 WATTS TO A MAXIMUM OF 1200 WATTS)
AND PROVIDES TWO ADDITIONAL FUNCTIONS: AIR PURIFICATION AND ODOUR REMOVAL THANKS TO AN ACTIVATED CARBON FILTER.

MATT QUARTZ GREY	RAL 7039 O20
MATT OCEAN BLUE	RAL 5020 O20
MATT SILK GREY	RAL 7044 O20
MATT CORAL RED	RAL 3016 O20

KEYS, GRID AND LEGS: MATT BLACKISH GREY	RAL 7021 O20
CONNECTION CABLE: BLACK COATING	

Model	Description	L (cm)	H (cm)	W	Watt	Price (€)
ASTRO#...	Including a spare filter and low and long feet set	38,0	44,0/80,0	23,0	1200W	2.217,00
ASTRO#FILTRO	Spare 300h air filter					48,00

SCALETTA
DESIGN ELISA GIOVANNONI

300 W MAX









SCALETTA 185



SCALETTA 140



SCALETTA FREE-STANDING

Model	L (cm)	H (cm)	Watt	Price Standard Colours (€)	Price Category C1/C2 (€)*	Price Category Cat. C3 (€)*	Price Gold (€)**
SCF4#100...	51,0	104,0	150	991,00	1.090,00	1.189,00	1.288,00
SCM5#140...	48,0	139,0	250	951,00	1.046,00	1.141,00	1.236,00
SCM7#185...	51,5	187,0	300	1.075,00	1.183,00	1.290,00	1.398,00

* See the official Tubes colour chart
** Special Polished Gold color

STANDARD COLOURS

- cod.9010 Tubes Standard White
- code NELC Glossy Black
- code 916P Matt Traffic White Ral 9016
- code 3003 Glossy Ruby Red Ral 3003
- code 7022 Glossy Shadow Grey Ral 7022
- code 7042 Glossy Traffic Grey Ral 7042

SCALETTA IS EQUIPPED WITH A PULLEY FOR HOUSING THE ELECTRIC CABLE.
CONNECTION CABLE AND PULLEY: RAL 7001 SILVER GREY



Regman device
Manual regulator of the towel rail surface temperature

Model	Price (€)
REGMAN#01B	181,00
REGMAN#01G	181,00



Storage shelf
(only for the Free-Standing version)

Model	Price (€)
ZASCF#LBC	160,00

ORIGAMI
DESIGN ALBERTO MEDA

1200 W MAX





FREE-STANDING





Cable length of the free-standing model: 1,80 m

FREE-STANDING TOTEM

TRAFFIC WHITE MATT	RAL 9016 O20	FEET AND HINGES IN ANODISED SILVER ALUMINIUM	A*
SATIN FINISH LIGHT GREY	GCST	FEET AND HINGES IN GLOSSY ALUMINIUM	B*
PEARL MOUSE GREY	RAL 1048 PEARL	FEET AND HINGES IN COLOURED ALUMINIUM	C*
MICA BLACK	NOMC	CONNECTION CABLE: RED COATING	
MATT RUBY RED	RAL 3003 O20	CONNECTION CABLE: ON REQUEST, BLUE COATING	

On request, Origami is also available in the matt colours of the Tubes range supplied with 25% additional charge on the pricelist.







Open



Close

MATERIAL: ALUMINIUM
DEVICE MANAGEMENT THROUGH TOUCH CONTROLS.
HEATING REGULATION THROUGH FOUR DIFFERENT MODES: COMFORT WITH THREE LEVELS OF INTENSITY, 2H BOOSTER, TIMER 12 AND TIMER 24.

WALL MOUNTED – DOUBLE MODULE







Cable length of the wall model: 1 m

WALL MOUNTED – SINGLE MODULE

Model	Description	H (cm)	Watt	A*	B*	C*
ORGMF#0835...	ORIGAMI FREE-STANDING	83,5	600W	2.218,00	2.386,00	2.442,00
ORGMF#1035...		103,5	700W	2.341,00	2.509,00	2.565,00
ORGMF#1235...		123,5	850W	2.488,00	2.656,00	2.712,00
ORGMF#1635...		163,5	1200W	2.710,00	2.878,00	2.934,00
ORGMT#1635...	ORIGAMI FREE-STANDING — TOTEM	163,5	1200W	3.413,00	3.559,00	3.615,00
ORGMS#1200...	ORIGAMI WALL VERSION — SINGLE MODULE	120,0	250W	1.147,00	1.259,00	1.315,00
ORGMS#1600...		160,0	400W	1.236,00	1.348,00	1.404,00
ORGMD#1200...	ORIGAMI WALL VERSION — DOUBLE MODULE	120,0	550W	1.925,00	2.059,00	2.115,00
ORGMD#1600...		160,0	800W	2.057,00	2.191,00	2.247,00

Hook



Model	Description	Price (€)
ZAORG#APCRS	Chrome satin	115,00
ZAORG#APCRO	Chrome glossy	115,00
ZAORGC#AP...	Color	105,00

SQUARE BENCH

DESIGN LUDOVICA + ROBERTO PALOMBA

80 W MAX







SQUARE BENCH 120





SQUARE BENCH 170

MATERIAL: ALUMINIUM AND STEEL

CONNECTION CABLE: WHITE

SQUARE BENCH IS AVAILABLE IN ALL COLORS OF THE TUBES RANGE, except chrome grey GRCR.

Model	**L** (cm)	**H** (cm)	W	Watt	Price Category C0 (€)*	Price Category C1/C2 (€)**	Price Category Cat. C3 (€)**
SQB#120	120,0	40,0	35,0	210W	1.160,00	1.276,00	1.392,00
SQB#170	170,0	40,0	35,0	350W	1.402,00	1.542,00	1.682,00

* Standard White TUBES

** See the official Tubes colour chart

MILANO FREE-STANDING

DESIGN ANTONIA ASTORI E NICOLA DE PONTI

100 W MAX





MILANO FREE-STANDING 170



MILANO FREE STANDING 200



MILANO FREE-STANDING 230

MATERIAL: STEEL. BASE SUPPORT AND UPPER TIP: STAINLESS STEEL.

CONNECTION CABLE: BLACK COATING

MILANO FREE-STANDING IS AVAILABLE IN ALL COLORS OF THE TUBES RANGE, except chrome grey GRCR.

Model	L (cm)	H (cm)	Watt	Price Category C0 (€)*	Price Category C1/C2/TRAS (€)**	Price Category Cat. C3 (€)**
MLN2#170BMELE	25,8	171,5	800W	3.501,00	4.026,00	4.376,00
MLN2#200BMELE	25,8	199,0	900W	3.647,00	4.194,00	4.559,00
MLN2#230BMELE	25,8	227,0	1000W	3.797,00	4.367,00	4.746,00

* Standard White Tubes

** See the official Tubes colour chart

accessories and spare parts

ACCESSORIES, VALVES AND SPARE PARTS

BATHROOM ACCESSORIES	page.	305
ELEMENTS BATHROOM ACCESSORIES		306
BASICS BATHROOM ACCESSORIES		308
VALVES AND LOCKSHIELDS		310
VALVES POSITIONING DIAGRAM FOR BASICS		310
VALVES POSITIONING DIAGRAM FOR ELEMENTS		312
VALVES THAT CAN BE FITTED WITH THERMOSTAT		314
THERMOSTATIC VALVES		315
SINGLE PIPE AND TWIN PIPE VALVES		316
VALVES (THAT CAN BE FITTED WITH THERMOSTAT) WITH 5 CM INTERAXIS		316
STAINLESS STEEL VALVES		317
REVERSE VALVES THAT CAN BE FITTED WITH THERMOSTAT		317
VALVES FOR MIXED SYSTEM		318
UNIONS FOR COPPER/MULTILAYER SYSTEMS		319
GVR - REMOTE VALVE ASSEMBLY		320
THERMOSTATIC HEADS		320
HOW TO INSTALL THE GVR		321
SPARE PARTS		322

BATHROOM ACCESSORIES FOR ELEMENTS

Colors outside the color chart and GRCR Grey Chrome are not available for accessories.
Price for accessory - VAT and transport costs not included

Bathroom accessories for RIFT

Model	Description	Finishes	Price (€)
ZAAPRFT#	RIFT hook in GALVANIC brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	111,00
ZAPSRFT#	Towel rail in GALVANIC brass		154,00
ZAAPRFTC#	RIFT hook in COLOURED Brass	Tubes Colours* cat. C0, C1, C2, C3	127,00
ZAPSRFTC#	Towel rail in COLOURED Brass		179,00
ZAMRFT4824#LNN	Wooden storage shelf for RIFT 24 dim. 60x15 cm	Natural Wood Finish	209,00
ZAMRFT6024#LNN	Wooden storage shelf for RIFT 24 dim. 48x15 cm		243,00
ZAMRFT4815#LNN	Wooden storage shelf for RIFT 15 dim. 60x15 cm		209,00
ZAMRFT6015#LNN	Wooden storage shelf for RIFT 15 dim. 48x15 cm		243,00
ZAMRFT4824#LBC	Wooden storage shelf for RIFT 24 dim. 60x15 cm	Matt White Finish	195,00
ZAMRFT6024#LBC	Wooden storage shelf for RIFT 24 dim. 48x15 cm		229,00
ZAMRFT4815#LBC	Wooden storage shelf for RIFT 15 dim. 60x15 cm		195,00
ZAMRFT6015#LBC	Wooden storage shelf for RIFT 15 dim. 60x15 cm		229,00

Bathroom accessories for RIFT/REVERSE

Model	Description	Finishes	Price (€)
ZAPSRFTRG#050	Towel rail RIFT REVERSE L. 50 cm in GALVANIC brass (spare part)	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	221,00
ZAPSRFTRG#065	Towel rail RIFT REVERSE L. 65 cm in GALVANIC brass (spare part)		237,00
ZAPSRFTRG#095	Towel rail RIFT REVERSE L. 95 cm in GALVANIC brass (spare part)		250,00
ZAPSRFTR#050	Towel rail RIFT REVERSE L. 50 cm in COLOURED Brass (spare part)	Tubes Colours cat. C0, C1, C2, C3	221,00
ZAPSRFTR#065	Towel rail RIFT REVERSE L. 65 cm in COLOURED Brass (spare part)		237,00
ZAPSRFTR#095	Towel rail RIFT REVERSE L. 95 cm in COLOURED Brass (spare part)		250,00
ZAMRFTREV	Wooden shelf for RIFT/REVERSE	Natural Wood Finish	355,00

Bathroom accessories for TRAME

Model	Description	Finishes	Price (€)
ZATRG#AP14CRO	*TRAME 14 single hook in GALVANIC brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	92,00
ZATR14G#PS525CRO	GALVANIC Towel rail L. 50,0 cm for TRAME 14 Horizontal L. 52,5 cm		211,00
ZATR14G#PS670CRO	GALVANIC Towel rail L. 65,0 cm for TRAME 14 Horizontal L. 67,0 cm		226,00
ZATR14G#PS960CRO	GALVANIC Towel rail L. 94,0 cm for TRAME 14 Horizontal L. 96,0 cm		238,00
ZATR#AP14	*TRAME 14 single hook in COLOURED brass	Tubes Colours cat. C0, C1, C2, C3	97,00
ZATR14#PS525	COLOURED Towel rail L. 50,0 cm for TRAME 14 Horizontal L. 52,5 cm		218,00
ZATR14#PS670	COLOURED Towel rail L. 65,0 cm for TRAME 14 Horizontal L. 67,0 cm		231,00
ZATR14#PS960	COLOURED Towel rail L. 94,0 cm for TRAME 14 Horizontal L. 96,0 cm		243,00
ZATRG#AP20CRO	*TRAME 20 single hook in GALVANIC brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	92,00
ZATR20G#PS525CRO	GALVANIC Towel rail L. 50,0 cm for TRAME 20 Horizontal L. 52,5 cm		211,00
ZATR20G#PS670CRO	GALVANIC Towel rail L. 65,0 cm for TRAME 20 Horizontal L. 67,0 cm		226,00
ZATR20G#PS960CRO	GALVANIC Towel rail L. 94,0 cm for TRAME 20 Horizontal L. 96,0 cm		238,00
ZATR#AP20	*TRAME 20 single hook in COLOURED brass	Tubes Colours cat. C0, C1, C2, C3	97,00
ZATR20#PS525	COLOURED Towel rail L. 50,0 cm for TRAME 20 Horizontal L. 52,5 cm		218,00
ZATR20#PS670	COLOURED Towel rail L. 65,0 cm for TRAME 20 Horizontal L. 67,0 cm		231,00
ZATR20#PS960	COLOURED Towel rail L. 94,0 cm for TRAME 20 Horizontal L. 96,0 cm		243,00
ZATRG#AP28CRO	*TRAME 28 single hook in GALVANIC brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	92,00
ZATR28G#PS525CRO	GALVANIC Towel rail L. 50,0 cm for TRAME 28 Horizontal L. 52,5 cm		211,00
ZATR28G#PS670CRO	GALVANIC Towel rail L. 65,0 cm for TRAME 28 Horizontal L. 67,0 cm		226,00
ZATR28G#PS960CRO	GALVANIC Towel rail L. 94,0 cm for TRAME 28 Horizontal L. 96,0 cm		238,00
ZATR#AP28	*TRAME 28 single hook in COLOURED brass	Tubes Colours cat. C0, C1, C2, C3	97,00
ZATR28#PS525	COLOURED Towel rail L. 50,0 cm for TRAME 28 Horizontal L. 52,5 cm		218,00
ZATR28#PS670	COLOURED Towel rail L. 65,0 cm for TRAME 28 Horizontal L. 67,0 cm		231,00
ZATR28#PS960	COLOURED Towel rail L. 94,0 cm for TRAME 28 Horizontal L. 96,0 cm		243,00

*Can be set up freely between the Trame model elements but only near the collectors

Bathroom accessories for SQUARE

Model	Description		Finishes	Price (€)
ZASQVG#PS031	Towel rail L.32,5 x 4,0 cm for SQUARE L. 31 cm GALVANIC		Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	291,00
ZASQVG#PS046	Towel rail L.47,5 x 4,5 cm for SQUARE L. 46 cm GALVANIC			318,00
ZASQVG#PS056	Towel rail L.57,5 x 4,5 cm for SQUARE L. 56 cm GALVANIC			337,00
ZASQVG#PS071	Towel rail L.72,5 x 4,5 cm for SQUARE L. 71 cm GALVANIC			355,00
ZASQV#PS031	Towel rail L.32,5 x 4,0 cm for SQUARE L. 31 cm COLOURED		Tubes Colours cat. C0, C1, C2, C3	303,00
ZASQV#PS046	Towel rail L.47,5 x 4,5 cm for SQUARE L. 46 cm COLOURED			315,00
ZASQV#PS056	Towel rail L.57,5 x 4,5 cm for SQUARE L. 56 cm COLOURED			334,00
ZASQV#PS071	Towel rail L.72,5 x 4,5 cm for SQUARE L. 71 cm COLOURED			353,00
ZASQ2#IDR	For HYDRAULIC version	Multifunction accessory in aluminium CIRCLE[1]model for Square	Tubes Colours cat. C0, C1, C2, C3	388,00
ZASQ2#ELE	For ELECTRIC version			388,00

1 CIRCLE is a multifunctional accessory, Towel/Bathrobe rail that can be installed in any position even after the wall mounting of the Square.

Bathroom accessories for MONTECARLO

Model	Description	Finishes	Price (€)
ZAMM#MMRS	30.5x17.5x2.5 cm Wooden shelf for MONTECARLO vertical	Wengè bleached oak	246,00
ZAMM#MMWE	30.5x17.5x2.5 cm Wooden shelf for MONTECARLO vertical		262,00
ZAMM#PMRS	Wooden towel rail size 30.5x17.5x2.5 cm for MONTECARLO vertical	Wengè bleached oak	262,00
ZAMM#PMWE	Wooden towel rail size 30.5x17.5x2.5 cm for MONTECARLO vertical		274,00

Bathroom accessories for STEP-by-STEP

Model	Description	Finishes	Price (€)
ZASBSG#PS	Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP GALVANIC	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	247,00
ZASBSG#AP...	GALVANIC hook 12,0 x 4,0 cm for STEP-BY-STEP		101,00
ZASBS#PS...	Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP COLOURED	Tubes Colours cat. C0, C1, C2, C3	260,00
ZASBS#AP...	COLORURED hook 12,0 x 4,0 cm for STEP-BY-STEP		108,00

Bathroom accessories SOHO hydraulic

Model	Description	Finishes	Price (€)
ZASHG#AP...	SOHO hook in GALVANIC brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	250,00
ZASHG#PA...	OPEN towel rail x SOHO Vertical, GALVANIC		200,00
ZASHG#PS005...	Towel rail L. 32.5 cm for SOHO vertical 5 el. GALVANIC		250,00
ZASHG#PS007...	Towel rail L. 46.0 cm for SOHO vertical 7 el. GALVANIC		264,00
ZASHG#PS008...	Towel rail L. 53.0 cm for SOHO vertical 8 el. GALVANIC		277,00
ZASH#AP...	SOHO hook in COLOURED brass	Tubes Colours cat. C0, C1, C2, C3	249,00
ZASH#PA...	OPEN towel rail x SOHO Vertical, COLOURED		206,00
ZASH#PS005...	Towel rail L. 32.5 cm for SOHO vertical 5 el COLOURED		249,00
ZASH#PS007...	Towel rail L. 46.0 cm for SOHO vertical 7 el. COLOURED		265,00
ZASH#PS008...	Towel rail L. 53.0 cm for SOHO vertical 8 el. COLOURED		276,00

Bathroom accessories SOHO electric

Model	Description	Finishes	Price (€)
ZASHEG#AP...	SOHO ELECTRIC hook in GALVANIC brass	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	250,00
ZASHEG#PS003...	Chrome towel rail for Electric SOHO SHVE 3 elements		250,00
ZASHEG#PS005...	Chrome towel rail for Electric SOHO SHVE 5 elements		264,00
ZASHEG#PS007...	Chrome towel rail for Electric SOHO SHVE 7 elements		277,00
ZASHE#AP...	SOHO ELECTRIC hook in COLOURED brass	Tubes Colours cat. C0, C1, C2, C3	249,00
ZASHE#PS003...	Coloured towel rail for Electric SOHO SHVE 3 elements		249,00
ZASHE#PS005...	Coloured towel rail for Electric SOHO SHVE 5 elements		265,00
ZASHE#PS007...	Coloured towel rail for Electric SOHO SHVE 7 elements		276,00

Range of accessories for KUBIK



Single hook for KUBIK model

Can be freely installed between the elements of the KUBIK model including the heated towel rails.

CHROMED version cod. ZAKG#APCRO — Chromed finish — € 180,00



Towel rail L. 30 cm for KUBIK horizontal and vertical model

Can be freely installed between the elements of the KUBIK model including the heated towel rails, with the following limitations.

Single column version No. of El.Minimum 12
Double column version No. of El.Minimum 12 No. of El.Max 24

Chromed finish — € 264,00

CHROMED version cod. ZAKG#PS040CRO



Towel rail L. 40 cm for KUBIK horizontal and vertical model

Can be freely installed between the elements of the KUBIK model including the heated towel rails, with the following limitations

Single column version No. of El.Minimum16
Double column version No. of El.Minimum 16 No. of El.Max 28

Chromed finish — € 277,00

CHROMED version cod. ZAKG#PS050CRO



Towel rail L. 50 cm for KUBIK horizontal and vertical model

Can be freely installed between the elements of the KUBIK model including the heated towel rails, with the following limitations.

Single column version No. of El.Minimum 20
Double column version No. of El.Minimum 20 No. of El.Max 32

Chromed finish — € 290,00

CHROMED version cod. ZAKG#PS060CRO

Bathroom accessories for BASICS 20, BASICS 25 and COLOR_X



Model	Code	Description	Finishes	Price (€)
BASICS 20	ZA20#AP... ZA20G#AP...	Coloured Hanger Basics 20 GALVANIC Hanger Basics 20	All TUBES colours All TUBES Galvanic finishes	92,00 92,00
BASICS 25	ZA25#AP... ZA25G#AP...	Coloured Hanger Basics 25 (NO BA25G) GALVANIC Hanger Basics 25 (NO BA25G)	All TUBES colours All TUBES Galvanic finishes	92,00 92,00
colour_X	ZA10#AP... ZA10G#AP...	Coloured Hanger COLOR_X GALVANIC Hanger COLOR_X	All TUBES colours All TUBES Galvanic finishes	92,00 97,00

Bathroom accessories for PLAIN



Model	Code	Description	Finishes	Price (€)
PLAIN	ZATPV#04... ZATPV#06... ZATPV#08...	Towel rail cm. 28 for coloured PLAIN (only 4 elements) Towel rail cm. 42 for coloured PLAIN (only 6 elements) Towel rail cm. 56 for coloured PLAIN (only 8 elements)	All TUBES colours	224,00 238,00 249,00
	ZATPVG#04... ZATPVG#06... ZATPVG#08...	Towel rail cm. 28 for GALVANIC PLAIN (only 4 elements) Towel rail cm. 42 for GALVANIC PLAIN (only 6 elements) Towel rail cm. 56 for GALVANIC PLAIN (only 8 elements)	All TUBES Galvanic finishes	214,00 227,00 238,00

Range of accessories for BASICS 14



Horizontal and Vertical single hook for family BASICS 14

Can be freely installed between the elements of the BASICS 14 model including the heated towel rails.

CHROMED version cod. ZA14G#APCRO Chromed finish € 166,00



Towel rail L. 30 cm for the family BASICS 14 Horizontal and Vertical

Can be freely installed between the elements of the BASICS 14 model including the heated towel rails.

Single column version No. of El.Minimum 12
Double column version No. of El.Minimum 12 No. of El.Max 26

Chromed finish € 220,00

ZA14G#PS040CRO



Towel rail L. 40 cm for the family BASICS 14 Horizontal and Vertical

Can be freely installed between the elements of the BASICS 14 model including the heated towel rails.

Single column version No. of El.Minimum16
Double column version No. of El.Minimum 16 No. of El.Max 30

Chromed finish € 236,00

CHROMED version cod. ZA14G#PS050CRO



Towel rail L. 50 cm for the family BASICS 14 Horizontal and Vertical

Can be freely installed between the elements of the BASICS 14 model including the heated towel rails.

Single column version No. of El.Minimum 20
Double column version No. of El.Minimum 20 No. of El.Max 34

Chromed finish € 248,00

CHROMED version cod. ZA14G#PS060CRO

TOWEL WARMERS

HYDRAULIC AND MIXED VERSIONS

Type of Valve	System connection	Direction	Finish	Valves Codes: CONVERTIBLE (FOR THERMOSTATIC HEADS)	Valves Codes: THERMOSTATIC	Connectors code: 0B1	B2R	0C2	0S2	0D2	MS2	MD2	S2M	D2M	i5
Valve and lockshield pair that can be fitted with a THERMOSTAT AND THERMOSTATIC	COPPER/MULTI-LAYER system	Angle	Colour	Z1TLNR#ANR12...	Z1TLNR#ANR12...	✓		✓	✓	✓			✓	✓	✓
			Chrome	Z1TLNRG#ANR12...	Z1TLNRG#ANR12...	✓		✓	✓	✓			✓	✓	✓
		Straight	Colour	Z1TLNR#DDR12...	Z1TLNR#DDR12...	✓		✓	✓	✓			✓	✓	✓
			Chrome	Z1TLNR#DDR12...	Z1TLNR#DDR12...	✓		✓	✓	✓			✓	✓	✓
	IRON system	Angle	Colour	Z1TLNR#ANF22	Z1TLNR#ANF22	✓		✓	✓	✓			✓	✓	✓
			Chrome	Z1TLNRG#ANF22	Z1TLNRG#ANF22	✓		✓	✓	✓			✓	✓	✓
			Colour	Z1TLNR#ANF23	Z1TLNR#ANF23	✓		✓	✓	✓			✓	✓	✓
			Chrome	Z1TLNRG#ANF23	Z1TLNRG#ANF23	✓		✓	✓	✓			✓	✓	✓
		Straight	Colour	Z1TLNR#DRF22	Z1TLNR#DRF22	✓		✓	✓	✓			✓	✓	✓
			Chrome	Z1TLNRG#DRF22	Z1TLNRG#DRF22	✓		✓	✓	✓			✓	✓	✓
			Colour	Z1TLNR#DRF23	Z1TLNR#DRF23	✓		✓	✓	✓			✓	✓	✓
			Chrome	Z1TLNRG#DRF23	Z1TLNRG#DRF23	✓		✓	✓	✓			✓	✓	✓

Type of Valve	System connection	Direction	Finish	Valves Codes: CONVERTIBLE (FOR THERMOSTATIC HEADS)	Valves Codes: THERMOSTATIC	Connectors code: 0B1	B2R	0C2	0S2	0D2	MS2	MD2	S2M	D2M	i5
SINGLE PIPE and TWIN PIPE Valves	SINGLE PIPE Plant COPPER / MULTI-LAYER	Vertical 90° RIGHT	Colour	Z1MNNR#VESQDX...	Z1BTNR#VESQDX...						✓	✓			
			Chrome	Z1MNNRG#VESQDX...	Z1BTNRG#VESQDX...						✓	✓			
		Vertical 90° LEFT	Colour	Z1MNNR#VESQSX...	Z1BTNR#VESQSX...						✓	✓			
			Chrome	Z1MNNRG#VESQSX...	Z1BTNRG#VESQSX...						✓	✓			
		Vertical STRAIGHT	Colour	Z1MNNR#VEDR...	Z1BTNR#VEDR...						✓	✓			
			Chrome	Z1MNNRG#VEDR...	Z1BTNRG#VEDR...						✓	✓			
		HORIZONTAL	Colour	Z1MNNR#OR...	Z1BTNR#OR...										
			Chrome	Z1MNNRG#OR...	Z1BTNRG#OR...										
CONNECTION 5 valves (that can be fitted with Thermostat)	COPPER/MULTI-LAYER system	Right handle	Colour	Z1TL5NR#ANR12DX...											✓
			Chrome	Z1TL5NRG#ANR12DX...											✓
		Left handle	Colour	Z1TL5NR#ANR12SX...											✓
			Chrome	Z1TL5NRG#ANR12SX...											✓
STAINLESS STEEL Valves	COPPER/MULTI-LAYER system	THERMOSTATIC Angolo	INOX	Z1TCXNR#ANR12SPA		✓		✓	✓	✓			✓	✓	✓
		MANUAL Angle	INOX	Z1TMNR#ANR		✓		✓	✓	✓			✓	✓	✓
REVERSE valves (that can be fitted with Thermostat)	COPPER/MULTI-LAYER system	Vertical control RIGHT	Colour	Z1RLNR#DX12...		✓									
			Chrome	Z1RLNRG#DX12...		✓									
		Vertical control LEFT	Colour	Z1RLNR#SX12...		✓									
			Chrome	Z1RLNRG#SX12...		✓									
GVR - REMOTE Valve Assembly	Pair Valve/Lockshield REMOTE Connector Female 1/2 "	Standard	Colour	GVRC#...			✓								
			Chrome	GVR#...			✓								
		x ADD_ON	Colour	GVR_AD#...											

BASICS Collection - Connectors Codes

RADIATORS

			VERTICAL radiators									HORIZONTAL Radiators							
			Connectors code																
	Mixed Tradizional Valves	Mixed Recessed Valves and Lockshield	0C1	B2R	0B2	0B5	0S1	0D1	MS1	MD1	B2M	0B1	0S2	0D2	0C2	MS2	MD2	S2M	D2M
	✓		✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
	✓		✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
			✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
			✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
	✓		✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
	✓		✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
	✓		✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
	✓		✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
			✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
			✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
			✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓
			✓		✓		✓	✓			✓	✓	✓	✓	✓			✓	✓

			Connectors code																
	Mixed Tradizional Valves	Mixed Recessed Valves and Lockshield	0C1	B2R	0B2	0B5	0S1	0D1	MS1	MD1	B2M	0B1	0S2	0D2	0C2	MS2	MD2	S2M	D2M
																✓	✓		
																✓	✓		
																✓	✓		
																✓	✓		
																✓	✓		
																✓	✓		
									✓	✓									
									✓	✓									
						✓													
						✓													
						✓													
						✓													
	✓		✓		✓	✓	✓	✓			✓	✓	✓	✓	✓			✓	✓
	✓		✓		✓	✓	✓	✓			✓	✓	✓	✓	✓			✓	✓
												✓							
												✓							
												✓							
												✓							
		✓		✓															
		✓		✓															

Type of Valve	System connection	Direction	Finish	Valves Codes		Model	ADD_ON	MILANO	MONTECARLO	SQUARE	TBT	RIFT	
GVR - REMOTE Valve Assembly	Pair Valve/Lockshield REMOTE Connector Female 1/2 "	Standard	Colour	GVRC#..				✓	✓	✓	✓	✓	
			Chrome	GVR#...				✓	✓	✓	✓	✓	
		x ADD_ON	Colour	GVR_AD#...			✓						

Type of Valve	System connection	Direction	Finish	CONVERTIBLE (FOR THERMOSTATIC HEADS)	THERMOSTATIC							
Valve and lockshield pair that can be fitted with a THERMOSTAT	COPPER/MULTI-LAYER system	Angle	Colour	Z1TLNR#ANR12...	Z1TLNR#ANR12...							
			Chrome	Z1TLNRG#ANR12...	Z1TLNRG#ANR12...							
		Straight	Colour	Z1TLNR#DDR12...	Z1TLNR#DDR12...							
			Chrome	Z1TLNR#DDR12...	Z1TLNR#DDR12...							
	IRON system	Angle	Colour	Z1TLNR#ANF22	Z1TLNR#ANF22							
			Chrome	Z1TLNRG#ANF22	Z1TLNRG#ANF22							
			Colour	Z1TLNR#ANF23	Z1TLNR#ANF23							
			Chrome	Z1TLNRG#ANF23	Z1TLNRG#ANF23							
		Straight	Colour	Z1TLNR#DRF22	Z1TLNR#DRF22							
			Chrome	Z1TLNRG#DRF22	Z1TLNRG#DRF22							
			Colour	Z1TLNR#DRF23	Z1TLNR#DRF23							
			Chrome	Z1TLNRG#DRF23	Z1TLNRG#DRF23							

CONNECTION 5 valves (that can be fitted with Thermostat)	COPPER/MULTI-LAYER system	Right handle	Colour	Z1TL5NR#ANR12DX...									
			Chrome	Z1TL5NRG#ANR12DX...									
		Left handle	Colour	Z1TL5NR#ANR12SX...									
			Chrome	Z1TL5NRG#ANR12SX...									

ELEMENTS Collection

SOHO VERTICAL AGORÀ									TRAME VERTICAL						STEP-by-STEP		SOHO HORIZONTAL TRAME Horizontal			
							Only AGORÀ													
Connectors code																				
R05	R05	RD1	C05	B2M	R2M	0S2	0D2	S2M	D2M	R05	RS1	RD1	R2M	B2M	0B2	R05	C05	0R1	RS2	RD2	0B2
✓	✓	✓			✓					✓	✓	✓	✓			✓		✓	✓	✓	
✓	✓	✓			✓					✓	✓	✓	✓			✓		✓	✓	✓	

R05	R05	RD1	C05	B2M	R2M	0S2	0D2	S2M	D2M	R05	RS1	RD1	R2M	B2M	0B2	R05	C05	0R1	RS2	RD2	0B2
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓
			✓	✓			✓	✓	✓					✓	✓		✓				✓

			✓																		
			✓																		
			✓																		
			✓																		

VALVES THAT CAN BE FITTED WITH THERMOSTAT (UNIONS NOT INCLUDED)

The prices of the valves shown below DO NOT include the cost of unions for connection to the system which must be ordered separately.

The valves that can be fitted with a THERMOSTAT are manually operated valves that, at a later time, at the user's discretion, can be transformed into THERMOSTATIC.This transformation takes place by applying the THERMOSTATIC HEAD, purchased as an accessory, (see page 320 of this price list) that can be of the LIQUID type instead of the manual operating handle which is eliminated.

COPPER / MULTILAYER PIPES



Valve + Lockshield that can be fitted with a THERMOSTAT pair, COPPER ANGLE or MULTI-LAYER

Radiator connection	1/2"
Connection type*	Z1RAC#...
Color version cod.	Z1TLNR#ANR12...
CHROMED version cod.	Z1TLNRG#ANR12...

Colour category	C0 Standard White	€ 95,00
	C1/C2/C3	€ 119,00
Galvanic category	G0	€ 98,00
	G1/G2/G3	€ 133,00
	G5	€ 143,00



Valve that can be fitted with a THERMOSTAT + Lockshield, STRAIGHT COPPER or MULTI-LAYER pair

Radiator connection	1/2"
Connection type*	Z1RAC#...
Color version cod.	Z1TLNR#DRR12...
CHROMED version cod.	Z1TLNRG#DRR12...

Colour category	C0 Standard White	€ 101,00
	C1/C2/C3	€ 126,00
Galvanic category	G0	€ 116,00
	G1/G2/G3	€ 162,00
	G5	€ 174,00

IRON PIPES



Valve that can be fitted with a THERMOSTAT + Lockshield pair, IRON ANGLE

Radiator connection	1/2"
System Connection	1/2"
Color version cod.	Z1TLNR#ANF22...
CHROMED version cod.	Z1TLNRG#ANF22...

Colour category	C0 Standard White	€ 98,00
	C1/C2/C3	€ 123,00
Galvanic category	G0	€ 124,00
	G1/G2/G3	€ 174,00
	G5	€ 186,00



Valve that can be fitted with a THERMOSTAT + Lockshield pair, IRON ANGLE

Radiator connection	1/2"
System Connection	3/8"
Color version cod.	Z1TLNR#ANF23...
CHROMED version cod.	Z1TLNRG#ANF23...

Colour category	C0 Standard White	€ 98,00
	C1/C2/C3	€ 123,00
Galvanic category	G0	€ 124,00
	G1/G2/G3	€ 174,00
	G5	€ 186,00



Valve that can be fitted with a THERMOSTAT + Lockshield, STRAIGHT IRON pair

Radiator connection	1/2"
System Connection	1/2"
Color version cod.	Z1TLNR#DRF22...
CHROMED version cod.	Z1TLNRG#DRF22...

Colour category	C0 Standard White	€ 101,00
	C1/C2/C3	€ 126,00
Galvanic category	G0	€ 116,00
	G1/G2/G3	€ 162,00
	G5	€ 174,00



Valve that can be fitted with a THERMOSTAT + Lockshield, STRAIGHT IRON pair

Radiator connection	1/2"
System Connection	3/8"
Color version cod.	Z1TLNR#DRF23...
CHROMED version cod.	Z1TLNRG#DRF23

Colour category	C0 Standard White	€ 101,00
	C1/C2/C3	€ 126,00
Galvanic category	G0	€ 116,00
	G1/G2/G3	€ 162,00
	G5	€ 174,00

The prices of the above valves DO NOT include the cost of the sealing fittings for connection to the system which can be for a COPPER or MULTI-LAYER system and must be ordered separately. In the absence of the order of the fittings, the sealing fittings for connection to the COPPER system with a diameter of 12 mm will be inserted as by official rule. For your choice other than the standard one, consult this price list on page. 319 (Copper / Multi-layer sealing fittings).

THERMOSTATIC VALVES (UNIONS NOT INCLUDED)

The prices of the valves shown below DO NOT include the cost of unions for connection to the system which must be ordered separately.

The valve is turned into a THERMOSTATIC valve by adding the required THERMOSTATIC HEAD to the valve (purchased as an accessory, see page 320 herein). To choose the thermostatic head required see the technical chart of thermostatic heads on page 320. The thermostatic head is supplied on request, disassembled and packed separately.

COPPER / MULTILAYER PIPES



THERMOSTATIC valve pair + Lockshield, COPPER ANGLE or MULTI-LAYER

Radiator connection	1/2”
Connection type*	Z1RAC#...
Color version cod.	Z1TCNR#ANR12...
CHROMED version cod.	Z1TCNRG#ANR12...

Colour category	C0 Standard White	€ 92,00
	C1/C2/C3	€ 115,00
Galvanic category	G0	€ 96,00
	G1/G2/G3	€ 134,00
	G5	€ 144,00



THERMOSTATIC valve pair + Lockshield, STRAIGHT COPPER or MULTI-LAYER

Radiator connection	1/2”
Connection type*	Z1RAC#...
Color version cod.	Z1TCNR#DRR12...
CHROMED version cod.	Z1TCNRG#DRR12...

Colour category	C0 Standard White	€ 113,00
	C1/C2/C3	€ 141,00
Galvanic category	G0	€ 124,00
	G1/G2/G3	€ 174,00
	G5	€ 186,00

IRON PIPES



THERMOSTATIC Valve pair + Lockshield, IRON ANGLE

Radiator connection	1/2”
System Connection	1/2”
Color version cod.	Z1TCNR#ANF22...
CHROMED version cod.	Z1TCNRG#ANF22...

Colour category	C0 Standard White	€ 101,00
	C1/C2/C3	€ 126,00
Galvanic category	G0	€ 116,00
	G1/G2/G3	€ 162,00
	G5	€ 174,00



THERMOSTATIC Valve pair + Lockshield, IRON ANGLE

Radiator connection	1/2”
System Connection	3/8”
Color version cod.	Z1TCNR#ANF23...
CHROMED version cod.	Z1TCNRG#ANF23...

Colour category	C0 Standard White	€ 101,00
	C1/C2/C3	€ 126,00
Galvanic category	G0	€ 116,00
	Gold	€ 162,00
		€ 174,00



THERMOSTATIC valve pair + Lockshield, STRAIGHT IRON

Radiator connection	1/2”
System Connection	1/2”
Color version cod.	Z1TCNR#DRF22...
CHROMED version cod.	Z1TCNRG#DRF22...

Colour category	C0 Standard White	€ 117,00
	C1/C2/C3	€ 146,00
Galvanic category	G0	€ 136,00
	G1/G2/G3	€ 190,00
	G5	€ 204,00



THERMOSTATIC valve pair + Lockshield, STRAIGHT IRON

Radiator connection	1/2”
System Connection	3/8”
Color version cod.	Z1TCNR#DRF23...
CHROMED version cod.	Z1TCNRG#DRF23

Colour category	C0 Standard White	€ 117,00
	C1/C2/C3	€ 146,00
Galvanic category	G0	€ 136,00
	G1/G2/G3	€ 190,00
	G5	€ 204,00

The prices of the above valves DO NOT include the cost of the sealing fittings for connection to the system which can be for a COPPER or MULTI-LAYER system and must be ordered separately. In the absence of the order of the fittings, the sealing fittings for connection to the COPPER system with a diameter of 12 mm will be inserted as by official rule. For your choice other than the standard one, consult this price list on page. 319 (Copper / Multi-layer sealing fittings).

SINGLE PIPE AND TWIN PIPE VALVES (UNIONS NOT INCLUDED)

The prices of the valves shown below DO NOT include the cost of unions for connection to the system which must be ordered separately.

SINGLE PIPE and DOUBLE PIPE valves are available for COPPER or MULTI-LAYER piping and are supplied with a 10 mm diameter metal probe, 100 cm long. The use of the SINGLE PIPE valve is advisable on the “ring” single pipe systems while the TWO-TYPE valve is advisable on traditional systems with independent flow and return.

SINGLE-TWIN PIPE diagrams | **SINGLE PIPE VALVES** | **TWIN PIPE VALVES**



Single Pipe Valve Vertical 90° LEFT

Handle position	Rh
Radiator connection	1/2”
Connection type*	Z1RAC#...
White version cod.	Z1MNNR#VESQDX...
CHROMED version cod.	Z1MNNRG#VESQDX...

Twin Pipe Valve Vertical 90° RIGHT

Handle position	Rh
Radiator connection	1/2”
Connection type*	Z1RAC#...
White version cod.	Z1BTNR#VESQDX...
CHROMED version cod.	Z1BTNRG#VESQDX...

Category C0 Standard White € 139,00

Chrome plated G0 category € 146,00



Single Pipe Valve Vertical 90° RIGHT

Handle position	LEFT
Radiator connection	1/2”
Connection type*	Z1RAC#...
White version cod.	Z1MNNR#VESQSX...
CHROMED version cod.	Z1MNNRG#VESQSX...

Twin Pipe Valve Vertical 90° LEFT

Handle position	LEFT
Radiator connection	1/2”
Connection type*	Z1RAC#...
White version cod.	Z1BTNR#VESQSX...
CHROMED version cod.	Z1BTNRG#VESQSX...

Category C0 Standard White € 139,00

Chrome plated G0 category € 146,00



Single Pipe Valve Vertical STRAIGHT

Handle position	
Radiator connection	1/2”
Connection type*	Z1RAC#...
White version cod.	Z1MNNR#VEDR...
CHROMED version cod.	Z1MNNRG#VEDR...

Twin Pipe Valve Vertical STRAIGHT

Handle position	
Radiator connection	1/2”
Connection type*	Z1RAC#...
CHROMED version cod.	Z1BTNRG#VEDR...
White version cod.	Z1BTNR#VEDR...

Category C0 Standard White € 139,00

Chrome plated G0 category € 146,00



Single Pipe Valve HORIZONTAL

Handle position	
Radiator connection	1/2”
Connection type*	Z1RAC#...
White version cod.	Z1MNNR#OR...
CHROMED version cod.	Z1MNNRG#OR...

Twin Pipe Valve HORIZONTAL

Handle position	
Radiator connection	1/2”
Connection type*	Z1RAC#...
White version cod.	Z1BTNR#OR...
CHROMED version cod.	Z1BTNRG#OR...

Category C0 Standard White € 139,00

Chrome plated G0 category € 146,00

CONVERTIBLE VALVES CONNECTION 5 (THE ONLY ONE VALVE WITH 5 CM INTERAXIS FOR MODELS I5)

The prices of the valves shown below DO NOT include the cost of unions for connection to the system which must be ordered separately.



VALVE (CAN BE FITTED WITH THERMOSTAT) with 5 cm interaxis for copper pipes or multilayer pipes, knob on right

Radiator connection	1/2”
Connection type*	Z1RAC#...
Color version cod.	Z1TL5NR#ANR12DX...
CHROMED version cod.	Z1TL5NRG#ANR12DX...

Colour category — C0 Standard White € 123,00; C1/C2/C3 € 154,00

Category G0 — Chrome € 129,00



VALVE (CAN BE FITTED WITH THERMOSTAT) with 5 cm interaxis for copper pipes or multilayer pipes, knob on left

Radiator connection	1/2”
Connection type*	Z1RAC#...
Color version cod.	Z1TL5NR#ANR12SX...
CHROMED version cod.	Z1TL5NRG#ANR12SX...

Colour category — C0 Standard White € 123,00; C1/C2/C3 € 154,00

Category G0 — Chrome € 129,00

The prices of the above valves DO NOT include the cost of the sealing fittings for connection to the system which can be for a COPPER or MULTI-LAYER system and must be ordered separately. In the absence of the order of the fittings, the sealing fittings for connection to the COPPER system with a diameter of 12 mm will be inserted as by official rule. For your choice other than the standard one, consult this price list on page. 319 (Copper / Multi-layer sealing fittings).

STAINLESS STEEL VALVES (UNIONS NOT INCLUDED)

The prices of the valves shown below DO NOT include the cost of unions for connection to the system which must be ordered separately.

The stainless steel THERMOSTATIC valve has to be ordered along with a THERMOSTATIC HEAD (purchased as an accessory, see page 320 herein)

COPPER - MULTILAYER PIPES



Pair of THERMOSTATIC valves + Lockshield, STAINLESS STEEL COPPER ANGLE or MULTI-LAYER — INOX finish — € 151,00

Radiator connection	1/2”
Connection type*	Z1RACX
STAINLESS STEEL version code	Z1TCXNR#ANR12SPA



Pair of MANUAL valve + Lockshield, STAINLESS STEEL COPPER ANGLE or MULTI-LAYER — INOX finish — € 158,00

Radiator connection	1/2”
Connection type*	Z1RACX
STAINLESS STEEL version code	Z1TMNR#ANR

REVERSE VALVES THAT CAN BE FITTED WITH THERMOSTAT (UNIONS NOT INCLUDED)

The prices of the valves shown below DO NOT include the cost of unions for connection to the system which must be ordered separately.

The manual operating REVERSE valves (that can be fitted with thermostat) are valves that at a lager stage the user can fit with a thermostat and thus turn them into THERMOSTATIC valves. The change is made by fitting a LIQUID THERMOSTATIC HEAD purchased as an accessory (see page 320 herein) in place of the manual control knob which is being eliminated.



Valve that can be fitted with a THERMOSTAT + Lockshield, REVERSE with RIGHT VERTICAL control pair

Colour category	C0 Standard White	€ 109,00
	C1/C2/C3	€ 136,00
Category G0	Chrome	€ 118,00

Radiator connection	1/2”
Connection type*	Z1RAC#...
Color version cod.	Z1RLNR#DX12...
CHROMED version cod.	Z1RLNRG#DX12...



Valve that can be fitted with a THERMOSTAT + Lockshield, REVERSE with LEFT VERTICAL control pair

Colour category	C0 Standard White	€ 109,00
	C1/C2/C3	€ 136,00
Category G0	Chrome	€ 118,00

Radiator connection	1/2”
Connection type*	Z1RAC#...
Color version cod.	Z1RLNR#SX12...
CHROMED version cod.	Z1RLNRG#SX12...

The prices of the above valves DO NOT include the cost of the sealing fittings for connection to the system which can be for a COPPER or MULTI-LAYER system and must be ordered separately. In the absence of the order of the fittings, the sealing fittings for connection to the COPPER system with a diameter of 12 mm will be inserted as by official rule. For your choice other than the standard one, consult this price list on page. 319 (Copper / Multi-layer sealing fittings).

VALVES FOR MIXED SYSTEM

The prices of the valves shown below DO NOT include the cost of unions for connection to the system which must be ordered separately.

The MIXED valves allow you to transform the hydraulic towel warmer into Mixed: hydraulic / electric. The valve, in fact, allows the installation of the electrical resistance while maintaining the center distance of the hydraulic towel warmer unchanged.

MIXED-operation valves



Paired Thermostat-controlled Valve and Lockshield for Mixed version (unions not included)
RIGHT HANDLE

Handle position	Rh	Colour category	C0 Standard White	€ 135,00
Radiator connection	1/2”			
Connection type*	Z1RAC#...	Galvanic category	G0	€ 137,00
White version	Z1MXNR#DX9010			
Chromed Version	Z1MXNRG#DXCRO			

Paired Thermostat-controlled Valve and Lockshield for Mixed version (unions not included)
LEFT HANDLE

Handle position	LEFT	Colour category	C0 Standard White	€ 135,00
Radiator connection	1/2”			
Connection type*	Z1RAC#...	Galvanic category	G0	€ 137,00
White version	Z1MXNR#SX9010			
Chromed Version	Z1MXNRG#SXCRO			

The prices of the above valves DO NOT include the cost of the sealing fittings for connection to the system which can be for a COPPER or MULTI-LAYER system and must be ordered separately. In the absence of the order of the fittings, the sealing fittings for connection to the COPPER system with a diameter of 12 mm will be inserted as by official rule. For your choice other than the standard one, consult this price list on page. 319 (Copper / Multi-layer sealing fittings).

UNIONS FOR COPPER OR MULTI-LAYER SYSTEMS

The prices of the valves shown below DO NOT include the cost of unions for connection to the system which must be ordered separately.

unions Z1RAC

This type of fittings can be installed on the following TUBES valves
- Z1TLNR#ANR-Z1TCNR#ANR-Z1MNR# - Z1BTNR# - Z1RLNR# - Z1TL5NR#



COPPER fitting

Z1RAC#R10CRO	O-RING copper sealing fitting for system 10 mm diameter	copper	€ 8,00
Z1RAC#R12CRO	O-RING copper sealing fitting for system 12 mm diameter	copper	€ 8,00
Z1RAC#R14CRO	O-RING copper sealing fitting for system 14 mm diameter	copper	€ 8,00
Z1RAC#R15CRO	O-RING copper sealing fitting for system 15 mm diameter	copper	€ 8,00
Z1RAC#R16CRO	O-RING copper sealing fitting for system 16 mm diameter	copper	€ 8,00
Z1RAC#R18CRO	O-RING copper sealing fitting for system 18 mm diameter	copper	€ 8,00



MULTI-LAYER fitting

Z1RAC#M01CRO	Multi-layer sealing fitting for system 24x19x10-14x2 mm diameter	multi-layer	€ 9,00
Z1RAC#M03CRO	Multi-layer sealing fitting for system 24x19x12-16x2 mm diameter	multi-layer	€ 9,00
Z1RAC#M04CRO	Multi-layer sealing fitting for system 24x19x14-18x2 mm diameter	multi-layer	€ 9,00
Z1RAC#M05CRO	Multi-layer sealing fitting for system 24x19x8-12x2 mm diameter	multi-layer	€ 9,00
Z1RAC#M06CRO	Multi-layer sealing fitting for system 24x19x16-20x2 mm diameter	multi-layer	€ 9,00
Z1RAC#M07CRO	Multi-layer sealing fitting for system 24x19x10-15x2,5 mm diameter	multi-layer	€ 9,00
Z1RAC#M08CRO	Multi-layer sealing fitting for system 24x19x13-17x2 mm diameter	multi-layer	€ 9,00
Z1RAC#M09CRO	Multi-layer sealing fitting for system 24x19x13-18x2,5 mm diameter	multi-layer	€ 9,00
Z1RAC#M10CRO	Multi-layer sealing fitting for system 24x19x14-20x3 mm diameter	multi-layer	€ 9,00
Z1RAC#M12CRO	Multi-layer sealing fitting for system 24x19x11-15x2 mm diameter	multi-layer	€ 9,00
Z1RAC#M13CRO	Multi-layer sealing fitting for system 24x19x14,5/15-20 mm diameter	multi-layer	€ 9,00
Z1RAC#M14CRO	Multi-layer sealing fitting for system 24x19x11,5/12-17 mm diameter	multi-layer	€ 9,00
Z1RAC#M15CRO	Multi-layer sealing fitting for system 24x19x11-16X2,5 mm diameter	multi-layer	€ 9,00

Connectors kit

Z1KITRAC#001	6-part connector KIT: 2X Z1RAC#R12CRO + 2X Z1RAC#R14CRO + 2X Z1RAC#M03CRO	€ 26,00
Z1KITRAC#002	8-part connector KIT: 2X Z1RAC#R12CRO + 2X Z1RAC#R14CRO + 2X Z1RAC#M03CRO + 2X Z1RAC#M01CRO	€ 33,00
Z1KITRAC#003	Kit with 6 connectors: 2X Z1RAC#R15CRO + 2X Z1RAC#M03CRO + 2X Z1RAC#M15CRO	€ 33,00

stainless steel unions Z1RACX

This type of fittings can be installed on the following INOX TUBES valves
- Z1TMNR#ANR - Z1TCXNR#ANR



COPPER fitting — MULTI-LAYER fitting

Z1RACX#M01SPA	Brushed stainless steel multi-layer sealing fitting for Z1TMNR 24x19x10-15x2.5 mm		€ 9,00
Z1RACX#M03SPA	Brushed stainless steel multi-layer sealing fitting for Z1TMNR 24x19x12-16x2 mm		€ 9,00
Z1RACX#M05SPA	Brushed stainless steel pipe union for multi-ply system diameter 24x19x8-12x2 mm		€ 9,00
Z1RACX#M07SPA	Brushed stainless steel multi-layer sealing fitting for Z1TMNR 24x19x10-15x2.5 mm		€ 9,00
Z1RACX#M12SPA	Brushed stainless steel multi-layer sealing fitting for Z1TMNR 24x19x11-15x2 mm		€ 9,00
Z1RACX#M15SPA	Multi-layer sealing fitting for system 24x19x11-16X2,5 mm diameter		€ 9,00
Z1RACX#R10SPA	Brushed Stainless Steel union for COPPER system - diameter 10 mm		€ 9,00
Z1RACX#R12SPA	Brushed Stainless Steel union for COPPER system - diameter 12 mm		€ 9,00
Z1RACX#R14SPA	Brushed Stainless Steel union for COPPER system - diameter 14 mm		€ 9,00
Z1RACX#R15SPA	Brushed Stainless Steel union for COPPER system - diameter 15 mm		€ 9,00
Z1RACX#R16SPA	Brushed Stainless Steel union for COPPER system - diameter 16 mm		€ 9,00

Art. Z1RAC#R - Fitting for copper pipe





Art. Z1RAC#M - Fitting for multi-layer pipe





GVR REMOTE VALVE ASSEMBLY

The prices of the valves shown below DO NOT include the cost of unions for connection to the system which must be ordered separately.



CONVERTIBLE version for ADD_ON with 1/2" system connection

Colour version cod.	GVR_AD#19010	Colour category	C0 Standard White	€ 210,00
	GVR_AD#1...		C0/C1/C2/C3	€ 210,00



CONVERTIBLE version with 1/2" system connection

Chrome version cod.	GVR#1CRO	Chrome	G0	€ 210,00
Galvanic version cod.	GVRG#1...	Galvanic category	G1/G2/G3	€ 263,00
			G5	€ 315,00
Color version cod.	GVRC#19010	Colour category	C0 Standard White	€ 210,00
	GVRC#1...		C1/C2/C3	€ 210,00

***THERMOSTATIC version** with 1/2" connection to the system

Chrome version cod.	GVRTG#1CRO	Chrome	G0	€ 199,00
Galvanic version cod.	GVRTG#1...	Galvanic category	G1/G2/G3	€ 249,00
			G5	€ 299,00
Color version cod.	GVRTC#19010	Colour category	C0 Standard White	€ 213,00
	GVRTC#1...		C1/C2/C3	€ 213,00

*The Thermostatic Head is supplied as an accessory, see the table below.

Code	Description	Finishes	Price (€)
Z1GI	Remote reversible/thermostatic Valve Assembly (ONLY RECESSED PART)		133,00
Z1PEC#... Z1PEG#...	External part of convertible remote valves (GVR) coloured External part of convertible remote valves (GVR) chromed	Coloured Plated	97,00 97,00
Z1PETC#... Z1PETG#...	External part of Thermostatic remote valves (GVR) coloured External part of Thermostatic remote valves (GVR) chromed	Coloured Plated	169,00 155,00

THERMOSTATIC HEADS

The prices refer to the chosen thermostatic head supplied separately packaged and not mounted on the valve.



White, chromed or stainless steel LIQUID type thermostatic valve head/div>

Valve connection	M30x1,5	Colour category	C0 Standard White	€ 40,00
		Category G0	Chrome	€ 68,00
White version cod.	ZTTL13B			
CHROMED version cod.	ZTTL13C			
STAINLESS STEEL version code	ZTTL13A	Finish category	stainless steel	€ 76,00



ELECTRIC 220V thermostatic head normally CLOSED with auxiliary SWITCH

Valve connection	M30x1,5	Colour category	C0 Standard White	€ 222,00
White version cod.	ZTE#22002			



GVR - REMOTE Valve Assembly

The GVR allows the REMOTE connection of radiators and heated towel rails with rear connectors, so that the model chosen is free from technical components. With these types of valves, the pipes are positioned undercurrent, inside the wall.

Type of Recessed Valves and Lockshield

THERMOSTATIZABLE version		
GVR	Chrome	
GVRC	Coloured	
GVRG	Galvanic	CONVERTIBLE (FOR THERMOSTATIC HEADS)

THERMOSTATIC version	
GVRT*	Chrome
GVRTC*	Coloured
GVRTG*	Galvanic

To meet the installation needs of the GVR, it is possible to request an advance payment of the recessed part that must be installed during the construction phase of the system.

* The thermostatic head must be ordered separately.

The GVR can be installed up to a maximum of 6 meters from the desired radiator and below its level.



GVR mounting on masonry wall



Assembly of GVR on Plasterboard Wall



Drawing	Code	Description	Price (€)
	ZFIS#02	SHORT heated towel rail mounting kit (3.5cm) for ALBATROS models Available in all colors and galvanic finishes. The Kit includes: N ° 04 wall supports complete with foot N ° 04 lockable dowel supports N ° 01 vent valve manual Kit of screws and plugs for wall mounting	41,00
	ZFIS#11	Mounting kit for TOTEM model Available in all colors. The Kit includes: N ° 02 wall supports complete with pin N ° 04 lockable dowel supports N ° 01 vent valve manual Kit of screws and plugs for wall mounting	85,00
	ZFIS#12	Mounting kit for KEY model Available in all colors. The Kit includes: N ° 02 wall supports complete with pin N ° 04 lockable dowel supports N ° 01 vent valve manual Kit of screws and plugs for wall mounting	72,00
	ZFIS#03	Mounting kit for COLUMN CL35 model radiators Available in all colors. The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	24,00
	ZFIS#04	Mounting kit for CO14D, CO25D, TPV70D, TPO70D model radiators Available in all colors. The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	24,00
	ZFIS#05	Mounting kit for CV14, CV14D, JOBA, HOLA, RF14, RV14, RF14D, RV14D model radiators Available in all colors. The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	36,00
	ZFIS#07	Mounting kit for CV25, CV25D, AK, AK2, MT, RF25, RF25D, RV25, RV25D, AKD, AK2 model radiators Available in all colors. The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	34,00
	ZFIS#17	Mounting kit for PLAIN TPV70 - TPO70 model radiators Available in all colors. The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	20,00
	ZFIS#21	Mounting kit for vertical IXSTEEL XV10 - XV10D model radiators Available in brushed stainless steel The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	35,00
	ZFIS#22	Mounting kit for single horizontal IXSTEEL XO10 model radiators Available in brushed stainless steel The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	68,00

Drawing	Code	Description	Price (€)
	ZFIS#23	Mounting kit for double horizontal IXSTEEL XO10D model radiators Available in brushed stainless steel The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	68,00
	ZFIS#24	STANDARD heated towel rail mounting kit for IXSTEEL models Available in brushed stainless steel The Kit includes: N ° 04 wall supports complete with foot N ° 04 lockable dowel supports N ° 01 vent valve manual Kit of screws and plugs for wall mounting	71,00
	ZFIS#25	Mounting kit for vertical KUBIK KV15 - KV15D model radiators Available in all colors. The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	39,00
	ZFIS#26	Mounting kit for single horizontal KUBIK KO15 model radiators Available in all colors. The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	24,00
	ZFIS#27	Mounting kit for double horizontal KUBIK KO15D model radiators Available in all colors. The Kit includes: N°03/04 wall brackets (depending on size) complete with plastic cover N°01 manual vent valve	24,00
	ZFIS#28	STANDARD heated towel rail fixing kit Available in all colors and galvanic finishes. The Kit includes: N ° 04 wall supports complete with foot N ° 04 lockable dowel supports N ° 01 vent valve manual Kit of screws and plugs for wall mounting	36,00
	ZT#... ZTG#...	“T” accessory for heated towel rail MIXED Electric Available for all heated towel rails in all colours “T” accessory for heated towel rail MIXED Electric Available for all heated towel rails in all the galvanic finishes (Chrome...)	34,00 41,00
	ZSFI14VOL ZSFI14 ZSFI18VOL ZSFI ZSFI14AUT ZSFI18AUT	1/4” diam. Vent valve with wheel 1/4” diam. Vent valve Available for the following models: CV10, CV10D, CV10G, KV15, KV15D, KV15G 1/4” diam. Vent valve with wheel Vent valve diam. 1/8” Automatic 1/4” vent valve Automatic 1/8” vent valve	5,00 4,00 4,00 3,00 5,00 8,00
	ZT12 ZT18 ZT14 ZT38	1/2” Chrome cap 1/8” Chrome cap Chrome 1/4” plug for manifold (single-pipe, electric) Chrome 3/8” plug for manifold (COMP306)	4,00 3,00 4,00 4,00

Drawing	Code	Description	Price (€)
	ZPAV#...	Pair of feet for bracket supports except IXSTEEL model Available in all colors. The kit includes: N°02 feet to fix to the floor N°02 extensions with a 12.5 cm length N°04 lockable dowel supports	136,00
	ZXPAV#SPA	Pair of feet for bracket supports for IXSTEEL model Available in brushed stainless steel The kit includes: N°02 feet to fix to the floor brushed stainless steel finish N°02 extensions with a 12.5 cm length, brushed stainless steel finish N°04 lockable dowel supports	202,00
	ZSUP#SO...	Spare part for CEILING bracket supports except for IXSTEEL model (detached part) Available in brushed stainless steel The kit includes: N°02 feet to fix to the ceiling N°02 extensions with a 20 mm diameter, 60 cm length N°04 lockable dowel supports	111,00
	ZXSUP#SO	Spare part for CEILING bracket supports for IXSTEEL model (detached part) Available in brushed stainless steel The kit includes: N°02 feet to fix to the ceiling brushed stainless steel finish N°02 extensions with a 20 mm diameter, 60 cm length brushed stainless steel finish N°04 lockable dowel supports	194,00
	ZSUP#MU	Spare part for WALL bracket supports except IXSTEEL model (detached part) Available in all colors. The Kit includes: N°01 support to be fixed to the WALL N°01 foot to be screwed on the predisposition of the radiator or heated towel rail N°02 lockable dowels supports/Foot	61,00
	ZXSUP#MU	Spare part for WALL bracket supports for IXSTEEL model (detached part) Available in all colors. The Kit includes: N°01 support to be fixed to the WALL brushed stainless steel finish N ° 01 foot to be screwed on the predisposition of the radiator or heated towel rail stainless steel N°02 lockable dowel supports/Foot	80,00
	ZEC#01	Chrome plated eccentric fitting pair 10 mm	28,00
	ZEC#02	Chrome plated eccentric fitting pair 20 mm	30,00
	ZEC#03	Chrome plated eccentric fitting pair 30 mm	35,00
	ZEC#05	Chrome plated eccentric fitting pair 50 mm	41,00
	ZCOD#38	3/8 ”Shank for all Valves and Lockshields except Stainless Steel	11,00
	ZCOD#12	1/2 ”Shank for all Valves and Lockshields except Stainless Steel	11,00
	ZCOD#1T	Chrome tang complete with telescopic 1/2” cap	18,00
	ZCOD#M1	Chrome tang complete with 1/2” cap for single pipe valve with thread for probe	18,00
	ZRCF3#...	Hole-covering washer pair for coloured heated towel rails	30,00
	ZRCF3#9010	Pair of hole caps for white towel warmers	30,00
	ZRCF3G#...	Hole-covering washer pair for galvanic heated towel rails (chrome...)	36,00
	ZRCF2	Chromed hole-covering washer pair for radiators hole 10, 12, 14, 15, 16, 18 m	18,00
	ZRCFMG	CHROME hole-covering washer for single-pipe valves	69,00
	ZRCF5G	NEW hole-covering washer for 5 cm INTERAXIS valves	72,00
	ZRCF12G	Chrome 1/2” connector with pipe diam 15mm x L.15 cm	19,00

Drawing	Code	Description	Price (€)
	6CONF#01	Set of bezels and 1/8” vent valve for vertical radiators	16,00
	6CONF#02	Pack of fixing screws for horizontal radiators.(8 small shelf covers + 1 vent valve)	16,00
	6CONF#03	Pack of fixing screws for vert. radiators 3 (6 large shelf covers + 1 vent valve)	16,00
	6CONF#04	Pack of fixing screws for vert. radiators 4 (8 large shelf covers + 1 vent valve)	16,00
	6CONF#07	Pack of fixing screws for Kubik radiators (8 shelf covers + 1 1/4” valve)	16,00
	6CONF#08	Pack of fixing screws for Kubik radiators (6 shelf covers + 1 1/4” valve)	16,00
	6CONF#09	Pack of fixing screws for AD_F	16,00
	ZKR#F5	Kit for mixed version 300W CL-2 (220V) with White ECOdesign Room Thermostat and no plug	326,00
	ZKR#F7	Kit for mixed version 300W CL-2 (220V) with Chrome ECOdesign Room Thermostat and no plug	339,00
	ZKR#G5	Kit for mixed version 600W CL-2 (220V) with White ECOdesign Room Thermostat and no plug	334,00
	ZKR#G7	Kit for mixed version 600W CL-2 (220V) with Chrome ECOdesign Room Thermostat and no plug	349,00
	ZKR#H5	Kit for mixed version 900W CL-2 (220V) with White ECOdesign Room Thermostat and no plug	341,00
	ZKR#H7	Kit for mixed version 900W CL-2 (220V) with Chrome ECOdesign Room Thermostat and no plug	355,00
	ZKR#I5	Kit for mixed version 1200W CL-2 (220V) with White ECOdesign Room Thermostat and no plug	337,00
	ZKR#I7	Kit for mixed version 1200W CL-2 (220V) with Chrome ECOdesign Room Thermostat and no plug	351,00
	ZKR#U1	Kit for mixed version 300W CL-2 (220V) with external White Edge Cap	158,00
	ZKR#U2	Kit for mixed version 600W CL-2 (220V) with external White Edge Cap	167,00
	ZKR#U3	Kit for mixed version 900W CL-2 (220V) with external White Edge Cap	172,00
	ZKR#U4	Kit for mixed version 1200W CL-2 (220V) with external White Edge Cap	168,00
	ZKR#U5	Kit for mixed version 200W CL-2 (220V) with external White Edge Cap	168,00
	ZKR#U6	Kit for mixed version 400W CL-2 (220V) with external White Edge Cap	174,00
	ZKR#V1	Kit for mixed version 300W CL-2 (220V) with external Grey Edge Cap	157,00
	ZKR#V2	Kit for mixed version 600W CL-2 (220V) with external Grey Edge Cap	164,00
	ZKR#V3	Kit for mixed version 900W CL-2 (220V) with external Grey Edge Cap	169,00
	ZKR#V4	Kit for mixed version 1200W CL-2 (220V) with external Grey Edge Cap	166,00
	ZKR#V5	Kit for mixed version 200W CL-2 (220V) with external Grey Edge Cap	167,00
	ZKR#V6	Kit for mixed version 400W CL-2 (220V) with external Grey Edge Cap	173,00
	ZKR#Z1	Kit for mixed version 300W CL-2 (220V) with external Chrome Edge Cap	178,00
	ZKR#Z2	Kit for mixed version 600W CL-2 (220V) with external Chrome Edge Cap	186,00
	ZKR#Z3	Kit for mixed version 900W CL-2 (220V) with external Chrome Edge Cap	193,00
	ZKR#Z4	Kit for mixed version 1200W CL-2 (220V) with external Chrome Edge Cap	188,00
	ZKR#Z5	Kit for mixed version 200W CL-2 (220V) with external Chrome Edge Cap	189,00
	ZKR#Z6	Kit for mixed version 400W CL-2 (220V) with external Chrome Edge Cap	196,00
	ZRES#F5	300W CL-2 (220V) resistor with White ECOdesign Room Thermostat and no plug	319,00
	ZRES#F7	300W CL-2 (220V) resistor with Chrome ECOdesign Room Thermostat and no plug	336,00
	ZRES#G5	600W CL-2 (220V) resistor with White ECOdesign Room Thermostat and no plug	330,00
	ZRES#G7	600W CL-2 (220V) resistor with Chrome ECOdesign Room Thermostat and no plug	348,00
	ZRES#H5	900W CL-2 (220V) resistor with White ECOdesign Room Thermostat and no plug	338,00
	ZRES#H7	900W CL-2 (220V) resistor with Chrome ECOdesign Room Thermostat and no plug	354,00
	ZRES#I5	1200W CL-2 (220V) resistor with White ECOdesign Room Thermostat and no plug	333,00
	ZRES#I7	1200W CL-2 (220V) resistor with Chrome ECOdesign Room Thermostat and no plug	350,00
	ZRES#J5	200W CL-2 (220V) resistor with White ECOdesign Room Thermostat and no plug	334,00
	ZRES#J6	400W CL-2 (220V) resistor with White ECOdesign Room Thermostat and no plug	345,00
	ZRES#J7	200W CL-2 (220V) resistor with Chrome ECOdesign Room Thermostat and no plug	351,00
	ZRES#J8	400W CL-2 (220V) resistor with Chrome ECOdesign Room Thermostat and no plug	361,00
	ZRES#L1	300W CL-2 NTC pin output resistor	133,00
	ZRES#L2	600W CL-2 NTC pin output resistor	143,00
	ZRES#L3	900W CL-2 NTC pin output resistor	152,00
	ZRES#L4	1200W CL-2 NTC pin output resistor	154,00
	ZRES#L5	RAD TEMP control thermostat CL2, WHITE * TUBES LOGO	186,00
	ZRES#L6	RAD TEMP control thermostat CL2, CHROME * TUBES LOGO	163,00
	ZRES#L7	200W CL-2 NTC pin output resistor	119,00
	ZRES#L8	400W CL-2 NTC pin output resistor	131,00
	ZRES#N0	200W CL-2 (220V) resistor with White Radiator Thermostat	300,00
	ZRES#N1	300W CL-2 (220V) resistor with White Radiator Thermostat	303,00
	ZRES#N2	600W CL-2 (220V) resistor with White Radiator Thermostat	314,00
	ZRES#N3	900W CL-2 (220V) resistor with White Radiator Thermostat	319,00
	ZRES#N4	1200W CL-2 (220V) resistor with White Radiator Thermostat	331,00
	ZRES#N5	300W CL-2 (220V) resistor with Chrome Radiator Thermostat	303,00
	ZRES#N6	600W CL-2 (220V) resistor with Chrome Radiator Thermostat	314,00
	ZRES#N7	900W CL-2 (220V) resistor with Chrome Radiator Thermostat	319,00
	ZRES#N8	1200W CL-2 (220V) resistor with Chrome Radiator Thermostat	331,00
	ZRES#N9	200W CL-2 (220V) resistor with Chrome Radiator Thermostat	278,00
	ZRES#NA	400W CL-2 (220V) resistor with Chrome Radiator Thermostat	290,00
	ZRES#NB	400W CL-2 (220V) resistor with White Radiator Thermostat	312,00
	ZRES#R5	300W CL-2 (220V) resistor with faston connectors for ROOM CHRONOTHERMOSTAT without plug	136,00
	ZRES#R6	600W CL-2 (220V) resistor with faston connectors for ROOM CHRONOTHERMOSTAT without plug	144,00
	ZRES#R7	900W CL-2 (220V) resistor with faston connectors for ROOM CHRONOTHERMOSTAT without plug	152,00
	ZRES#R8	1200W CL-2 (220V) resistor with faston connectors for ROOM CHRONOTHERMOSTAT without plug	146,00
	ZRES#S3	200W CL-2 (220V) resistor with faston connectors for ROOM CHRONOTHERMOSTAT without plug	152,00
	ZRES#S4	400W CL-2 (220V) resistor with faston connectors for ROOM CHRONOTHERMOSTAT without plug	161,00

Drawing	Code	Description	Price (€)
	ZRES#S6	Digital CHROME ROOM THERM -ecoDesign- faston connect. CL2 no plug	186,00
	ZRES#S7	White ECOdesign ROOM CHRONOTHERMOSTAT with CL-2 faston connectors without plug	167,00
	ZRES#S5	Digital ROOM THERMOSTAT in Matt Black -ecoDesign- for faston connection no plug	185,00
	ZRES#U1	300W CL-2 (220V) resistor with external White Edge Cap	133,00
	ZRES#U2	600W CL-2 (220V) resistor with external White Edge Cap	142,00
	ZRES#U3	900W CL-2 (220V) resistor with external White Edge Cap	147,00
	ZRES#U4	1200W CL-2 (220V) resistor with external White Edge Cap	144,00
	ZRES#U5	200W CL-2 (220V) resistor with external White Edge Cap	144,00
	ZRES#U6	400W CL-2 (220V) resistor with external White Edge Cap	152,00
	ZRES#V1	300W CL-2 (220V) resistor with external Grey Edge Cap	131,00
	ZRES#V2	600W CL-2 (220V) resistor with external Grey Edge Cap	141,00
	ZRES#V3	900W CL-2 (220V) resistor with external Grey Edge Cap	145,00
	ZRES#V4	1200W CL-2 (220V) resistor with external Grey Edge Cap	142,00
	ZRES#V5	200W CL-2 (220V) resistor with external Grey Edge Cap	143,00
	ZRES#V6	400W CL-2 (220V) resistor with external Grey Edge Cap	149,00
	ZRES#Z1	300W CL-2 (220V) resistor with external Chrome Edge Cap	147,00
	ZRES#Z2	600W CL-2 (220V) resistor with external Chrome Edge Cap	156,00
	ZRES#Z3	900W CL-2 (220V) resistor with external Chrome Edge Cap	162,00
	ZRES#Z4	1200W CL-2 (220V) resistor with external Chrome Edge Cap	158,00
	ZRES#Z5	200W CL-2 (220V) resistor with external Chrome Edge Cap	160,00
	ZRES#Z6	400W CL-2 (220V) resistor with external Chrome Edge Cap	168,00
	ZTRES#BCO	Plastic terminal for resistors - with 18 mm hole (assembled and equipped with cable) - White	33,00
	ZTRES#CRO	Plastic terminal for resistors - with 18 mm hole (assembled and equipped with cable) - Chrome	36,00
	ZTRES#GRI	Plastic terminal for resistors - with 18 mm hole (assembled and equipped with cable) - Dark Grey	33,00
	ZTRES#NNE	Plastic terminal for resistors - with 18 mm hole (assembled and equipped with cable) - Black Nickel	42,00
	ZRF003	Radiofrequency receiver for wall box (REA 1CIMH A) - MCT8600	85,00
	ZRF006		214,00
	ZRF007	Wireless digital chronothermostat kit including receiver	299,00
	PROGVRG#1	Chrome GVR 1.7 cm extension kit	56,00
	PROGVRG#2	Chrome GVR 3.4 cm extension kit	96,00
	PROGVRG#3	Chrome GVR 5.1 cm extension kit	138,00
	PROGVRC#1	Coloured GVR 1.7 cm extension kit	70,00
	PROGVRC#2	Coloured GVR 3.4 cm extension kit	105,00
	PROGVRC#3	Coloured GVR 5.1 cm extension kit	142,00
	9TBTCOMP#006	ST0010009-06 UNREFINED brass Half External Cover (HYDR - MIX - ELEC vers.)	33,00
	9MLNSL1#010	Tip for Milano with hole AISI303 ***BRUSH+PAINT*** COMP311	36,00
	6CHIAVE	Tool to open and close the vent valve	2,00
	DIMTBTZINC#0860	120 GALVANISED template for TBT	30,00
	DIMTBTZINC#1160	150 GALVANISED template for TBT	32,00
	DIMTBTZINC#1460	180 GALVANISED template for TBT	35,00
	DIMTBTZINC#1660	200 GALVANISED template for TBT	40,00
	6LEG#AN	Ring in coloured wood (COMP067)	20,00
	6LEG#CO	Cone in coloured wood (COMP066)	12,00
	6STILO9010	RAL 9010 touch-up pot	13,00
	COPSHE#...	PAINTED aesthetic covering for vert/horiz SOHO, from 3 to 12 elements	100,00
	COPSHEG#...	GALVANIC aesthetic covering for vert/horiz SOHO, from 3 to 12 elements	125,00
	9SPINCTBT#02	Shaped galvanised iron shim for recessed part TBT, thickness 2 mm (COMP234)	2,00
	ZSUP#SO...	Replacement for ceiling flag support excluding IXSTEEL (detached part)	72,00
	ZRCFMG#207...	Rectangular hole cover for single pipe valves Ø 18 and 20 mm Pipe cover L = 7 cm Chrome plated	69,00
	ZRES#P1	Electrical resistance PTC CL2 300W 230V white cable no plug	145,00
	ZRES#P2	Electrical resistance PTC CL2 500W 230V white cable no plug	152,00
	ZRES#P3	Electrical resistance PTC CL2 600W 230V white cable no plug	154,00
	ZRES#P4	Electrical resistance PTC CL2 900W 230V white cable no plug	169,00
	ZRES#P5	Electrical resistance PTC CL2 300W 230V gray cable no plug	145,00
	ZRES#P6	Electrical resistance PTC CL2 500W 230V gray cable no plug	154,00
	ZRES#P7	Electrical resistance PTC CL2 600W 230V gray cable no plug	158,00
	ZRES#P8	Electrical resistance PTC CL2 900W 230V gray cable no plug	176,00
	ZSUP#MD...	Kit for Bracket Supports, Right wall-mounted version in C0 (Cod. 9010) Tubes Standard White	94,00
	ZTDES#...	Coloured DESIGN edge cap	80,00
	ZTDESG#...	Galvanic DESIGN edge cap	90,00

technical features

TECHNICAL NOTES

BRACKET SUPPORTS AND FIXING DIAGRAMS page. 328
- BATHROOM BASICS BRACKET SUPPORTS
- HOME BASICS BRACKET SUPPORTS

ELECTRIC CONTROLS 330
- ROOM THERMOSTATS, ECODESIGN AND WIRELESS
- INSTALLATION DIAGRAMS

TECHNICAL NOTES
- BASICS FIXING DIAGRAMS 333
- “N” WEIGHTS AND EXPONENTS 334
- CORRECTION FACTORS 340
- WATER CONTENT 341

CERTIFICATIONS
- ELECTRICAL CERTIFICATIONS 343
- HYDRAULIC CERTIFICATIONS 344



WALL-mounted bracket support for TOWEL RAIL



Limitations and price

Limitations of width valid for all heated towel rails

SINGLE column version	MAX width 60 cm	Code MD/MS
DOUBLE column version	MAX width 40 cm	Code MD/MS

The bracket supports are permanently welded on the product so they must be ordered together with the radiator with the following price supplement:
cod. MS / MD supplement 96,00€ for IXSTEEL Model 153,00€
Supports not available in chrome-plated version.



CEILING-mounted bracket support for TOWEL RAIL



Limitations and price

Limitations of width valid for all heated towel rails

SINGLE column version	MAX width 80 cm	Code SO
DOUBLE column version	MAX width 60 cm	Code SO

The bracket supports are permanently welded on the product so they must be ordered together with the radiator with the following price supplement:
cod. SO supplement 121,00€ for IXSTEEL model 250,00€
Supports not available in chrome-plated version.



WALL BRACKET SUPPORT for Vertical RADIATORS *



Limitations and Price

Limitations Left and Right wall bracket support

mod.	L. max	d	mod.	L. max	d	mod.	L. max	d	mod.	L. max	d	mod.	L. max	d
XV10	59,4 (39el)	9,7 cm	CV10	59,4 (39el)	9,7 cm	CV14	59,4 (24el)	10,7 cm	KV15	60,4 (24el)	10,5 cm	CV25	60,0 (17el)	11,3 cm
			CV10D	38,4 (25el)	9,7 cm	CV14D	38,4 (16el)	10,7 cm	KV15D	40,4 (16el)	10,5 cm	CV25D	39,0 (11el)	11,3 cm

The bracket supports are permanently welded on the product so they must be ordered together with the radiator with the following price supplement:
cod. MS / MD supplement 96,00€ for IXSTEEL Model 153,00€
Supports not available in chrome-plated version.



CEILING bracket support for vertical RADIATORS*



Limitations and Price

Limitations Left and Right wall bracket support

mod.	L. max	mod.	L. max	mod.	L. max	mod.	L. max	mod.	L. max
XV10	75,9 (50el)	CV10	75,9 (50el)	CV14	77,8 (32el)	KV15	80,4 (32el)	CV25	77,5 (22el)
		CV10D	51,9 (34el)	CV14D	58,6 (24el)	KV15D	60,4 (24el)	CV25D	60,0 (17el)

The bracket supports are permanently welded on the product so they must be ordered together with the radiator with the following price supplement:
cod.SO supplement 121,00€ for Model IXSTEEL 250,00€
Supports not available in chrome-plated version.

ON DEMAND

The version of the bracket supports for the HORIZONTAL radiators is made on request and on feasibility with the same supplements as for the Vertical version.

ELECTRIC VERSION WITH EDGE CAP



Electric version with edge cap or DESIGN edge cap

The electric version with EDGE CAP or DESIGN edge cap allows the connection of the heated towel rail to the electrical system of the house in two ways:

- Directly to the system without on and off controls, therefore we recommend the installation by a qualified technician of a switch with LED that shows when the heated towel rail is on or off.
- Directly to the home electrical system managed in home automation with the possibility of use in compliance with the ECOdesign Directive, this type of management is particularly suitable in hotels and / or boutique hotels where a remote management of the product is necessary.

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS



Electric version with WIRELESS ECOdesign controls

The electric version with WIRELESS ECOdesign controls allows the connection of the heated towel rail to the house's electrical system and its regulation by WIRELESS CHRONOTHERMOSTAT with the following characteristics:

- Battery-operated wireless chronothermostat that does not require any electrical set-up
- The heated towel rail must be connected to the home mains electricity through a wireless receiver positioned inside a 503 mod. electrical box built in the wall, behind the edge cap or at a maximum distance of 100 cm from the edge cap itself.
- The wireless chronothermostat and its receiver can control up to 5 heated towel rails or radiators in the same environment. Moreover it can be positioned at will but at a distance of no more than 6 meters from the recessed wireless receiver to the wall
- The wireless programmable thermostat complies with the European ECOdesign Directive in terms of energy saving.

ELECTRIC VERSION WITH ECODesign THERMOSTAT



Electric version with ECOdesign room thermostat

The electric version with ECOdesign Room Thermostat allows the connection of the heated towel rail to the electrical system of the house and its control via a device directly installed in the heated towel rail itself.

- The Ecodesign Room Thermostat is a digital device that complies with the European Ecodesign Directive, and is available in three different finishes; White, Chrome and in the new Black ral 9005 Matt finish.
- This device, in addition to the on / off function, allows the weekly programming of the ignitions, and also the Boost 2h function and the forced shut-down when a window is opened by means of an open window sensor.
- This Room Thermostat can be controlled by a remote control that can be ordered on request.



STANDARD edge cap
(supplied as standard)



DESIGN edge cap painted in the same colour
(supplied with an extra charge)





ECOdesign Thermostat



WIRELESS ECOdesign Thermostat



POSITIONING OF ELECTRIC OR MIXED HEATED TOWEL RAILS

Volume 1 No electrical appliance
Volume 2 Electrical equipment operating with Class 2 heating element

CO14 Model



CO25 Model



CV14 - JOBA - REFLEX14 - HOLA Models



Central
reinforcement
from 250 to 280

CV25 - REFLEX25 Models



Central
reinforcement
from 250 to 280

PO70 - PO70D Models



KUBIK Model



R = half reinforcement from 150

IXSTEEL Model



R = half reinforcement from 140

RADIATOR WEIGHTS AND COEFFICIENT “N”

Coefficient n

H (cm)	CV 25	CV 25D	CV 14	CV 14D
40	1,25503	1,28701	1,25240	1,28499
50	1,27363	1,29130	1,25773	1,33465
60	1,27162	1,31510	1,27272	1,33167
70	1,26961	1,31433	1,27216	1,32870
80	1,26760	1,31356	1,27161	1,32573
90	1,25782	1,31280	1,27105	1,33112
100	1,26359	1,31203	1,27049	1,31978
110	1,26158	1,31126	1,26993	1,31681
120	1,25957	1,31050	1,26937	1,31383
130	1,26324	1,31478	1,26880	1,32412
140	1,25556	1,30896	1,26826	1,30788
150	1,25355	1,30896	1,26826	1,30491
160	1,25155	1,30743	1,26714	1,30194
170	1,24954	1,30666	1,26658	1,29896
180	1,26854	1,30589	1,26603	1,32638
190	1,27333	1,30513	1,26547	1,33003
200	1,27896	1,30782	1,26900	1,34228
210	1,27795	1,30359	1,26435	1,33845
220	1,27695	1,30283	1,26379	1,33462
230	1,27594	1,30206	1,26324	1,33079
240	1,27601	1,30229	1,26268	1,32744
250	1,27393	1,30053	1,26212	1,32313
260	1,27292	1,29977	1,26156	1,31930
270	1,27192	1,29599	1,26100	1,31547
280	1,27782	1,31515	1,27259	1,32750

H (cm)	BATH 14
82,6	1,15063
116,2	1,15665
149,8	1,15914
195,4	1,17495

Weight per element (kg/l)

L (cm) H (cm)	CV 25 CO 25	CV 25D CO 25D	CV 14 CO 14	CV 14D CO 14D
40	0,385	0,684	0,216	0,383
50	0,422	0,825	0,254	0,418
60	0,506	0,934	0,281	0,501
70	0,590	1,090	0,301	0,585
80	0,675	1,246	0,344	0,668
90	0,759	1,401	0,387	0,752
100	0,782	1,557	0,430	0,815
110	0,861	1,713	0,473	0,896
120	0,939	1,868	0,516	0,978
130	1,017	2,024	0,559	1,059
140	1,079	2,104	0,608	1,131
150	1,156	2,254	0,651	1,212
160	1,233	2,316	0,694	1,292
170	1,310	2,461	0,738	1,373
180	1,387	2,606	0,781	1,454
190	1,544	2,750	0,825	1,666
200	1,593	2,895	0,868	1,711
210	1,672	3,184	0,890	1,750
220	1,752	3,335	0,932	1,801
230	1,831	3,487	0,974	1,855
240	1,911	3,639	1,017	1,936
250	1,979	3,790	1,059	2,091
260	2,058	3,942	1,101	2,175
270	2,137	4,093	1,144	2,258
280	2,216	4,245	1,186	2,342

weight per heated towel rails (kg/m)

H (cm)	BATH 14
82,6	13,85900
116,2	18,60700
149,8	23,19700
195,4	30,29500

Water content per element (kg/l)

L (cm) H (cm)	CV25 CO25	CV25D CO25D	CV14 CO14	CV14D CO14D
40	0,197	0,335	0,076	0,113
50	0,209	0,438	0,086	0,126
60	0,251	0,502	0,089	0,151
70	0,292	0,585	0,093	0,176
80	0,334	0,669	0,106	0,201
90	0,376	0,753	0,119	0,226
100	0,445	0,836	0,132	0,237
110	0,489	0,920	0,146	0,261
120	0,534	1,003	0,159	0,284
130	0,578	1,087	0,172	0,308
140	0,611	1,147	0,175	0,323
150	0,654	1,229	0,177	0,346
160	0,698	1,311	0,181	0,369
170	0,741	1,393	0,185	0,392
180	0,785	1,475	0,192	0,415
190	0,791	1,557	0,202	0,432
200	0,815	1,639	0,213	0,450
210	0,856	1,783	0,228	0,473
220	0,897	1,868	0,239	0,495
230	0,937	1,953	0,250	0,518
240	0,978	2,037	0,261	0,540
250	1,026	2,122	0,271	0,580
260	1,067	2,207	0,282	0,604
270	1,108	2,292	0,293	0,627
280	1,149	2,377	0,304	0,650

Heat output (DT=30°) = heat output DT=50°C x (30/50)^n

Coefficient n

H (cm)	KV15	KV15D	XV10	XV10D	CV10	CV10D
40	1,30446	1,30467	1,23004	1,29987	1,26710	1,29057
50	1,30701	1,31263	1,25084	1,31446	1,27799	1,29976
60	1,30958	1,32066	1,27186	1,32920	1,28900	1,30904
70	1,31216	1,32870	1,29287	1,34393	1,30000	1,31833
80	1,31473	1,33674	1,31389	1,35867	1,31100	1,32761
90	1,31731	1,34477	1,33490	1,37341	1,32201	1,33689
100	1,31991	1,35289	1,35613	1,38829	1,33312	1,34627
110	1,31880	1,35526	1,35069	1,38644	1,33225	1,34963
120	1,31768	1,35766	1,34520	1,38458	1,33137	1,35303
130	1,31656	1,36006	1,33971	1,38272	1,33048	1,35642
140	1,31544	1,36246	1,33422	1,38085	1,32960	1,35982
150	1,31431	1,36485	1,32868	1,37897	1,32872	1,36321
160	1,31319	1,36725	1,33436	1,38320	1,32783	1,36664
170	1,31207	1,36965	1,34010	1,38748	1,33149	1,36254
180	1,31094	1,37207	1,34584	1,39176	1,33518	1,35839
190	1,30979	1,36650	1,35158	1,39604	1,33888	1,35425
200	1,30864	1,36087	1,35732	1,40031	1,34257	1,35010
210	1,30748	1,35524	1,36309	1,40461	1,34629	1,34594
220	1,30632	1,34961	1,36886	1,40891	1,35000	1,34177
230	1,30517	1,34398				
240	1,30401	1,33835				
250	1,30284	1,33267				
260	1,36152	1,37688				
270	1,36601	1,38000				
280	1,37051	1,38312				

Weight per element (kg/l)

L (cm) H (cm)	KV15 KO15	KV15D KO15D	XV10 XO10	XV10D XO10D	CV10 CO10	CV10D CO10D
40	0,260	0,480	0,130	0,230	0,140	0,240
50	0,296	0,561	0,143	0,268	0,161	0,296
60	0,356	0,673	0,171	0,321	0,193	0,356
70	0,415	0,785	0,200	0,375	0,225	0,415
80	0,474	0,897	0,229	0,429	0,257	0,474
90	0,534	1,009	0,257	0,482	0,289	0,534
100	0,570	1,090	0,270	0,520	0,310	0,590
110	0,639	1,234	0,314	0,589	0,330	0,652
120	0,698	1,346	0,343	0,643	0,360	0,711
130	0,756	1,458	0,371	0,696	0,390	0,771
140	0,788	1,570	0,400	0,750	0,420	0,830
150	0,789	1,682	0,430	0,820	0,450	0,889
160	0,841	1,794	0,457	0,857	0,470	0,910
170	0,894	1,906	0,486	0,911	0,510	1,008
180	0,980	1,990	0,514	0,964	0,540	1,067
190	0,999	2,131	0,543	1,018	0,570	1,126
200	1,052	2,243	0,571	1,071	0,600	1,186
210	1,104	2,355	0,600	1,125	0,630	1,245
220	1,157	2,467	0,580	1,130	0,640	1,250
230	1,210	2,579				
240	1,262	2,691				
250	1,400	2,730				
260	1,439	2,916				
270	1,495	3,028				
280	1,550	3,140				

Water content per element (kg/l)

L (cm) H (cm)	KV15 KO15	KV15D KO15D	XV10 XO10	XV10D XO10D	CV10 CO10	CV10D CO10D
40	0,090	0,140	0,030	0,050	0,040	0,060
50	0,096	0,168	0,032	0,057	0,041	0,061
60	0,116	0,201	0,039	0,069	0,049	0,070
70	0,135	0,235	0,045	0,080	0,053	0,085
80	0,154	0,269	0,051	0,091	0,057	0,095
90	0,174	0,302	0,058	0,103	0,059	0,105
100	0,180	0,330	0,060	0,110	0,060	0,110
110	0,186	0,341	0,067	0,119	0,062	0,114
120	0,203	0,372	0,069	0,123	0,068	0,125
130	0,219	0,385	0,075	0,134	0,070	0,135
140	0,221	0,395	0,077	0,136	0,075	0,145
150	0,229	0,402	0,080	0,150	0,077	0,156
160	0,244	0,415	0,087	0,155	0,080	0,160
170	0,260	0,446	0,093	0,165	0,087	0,168
180	0,270	0,460	0,098	0,175	0,092	0,178
190	0,290	0,574	0,104	0,185	0,097	0,187
200	0,305	0,604	0,109	0,194	0,102	0,197
210	0,321	0,635	0,115	0,204	0,107	0,207
220	0,336	0,665	0,120	0,220	0,110	0,210
230	0,351	0,695				
240	0,366	0,725				
250	0,400	0,770				
260	0,418	0,873				
270	0,434	0,906				
280	0,450	0,940				

RADIATOR WEIGHTS AND COEFFICIENT “N”

BA15K Model

Models	Coefficient n	Weight (kg)
BA15K#070040	1,24145	7,20
BA15K#070050	1,21879	8,60
BA15K#070060	1,19567	10,00
BA15K#120040	1,22524	10,80
BA15K#120050	1,20974	12,90
BA15K#120060	1,19392	15,00
BA15K#150040	1,22877	14,50
BA15K#150050	1,21682	16,95
BA15K#150060	1,20463	19,40
BA15K#190040	1,23367	17,80
BA15K#190050	1,20934	21,55
BA15K#190060	1,18452	25,30

BA15KG Model

Models	Coefficient n	Weight (kg)
BA15KG#070040	1,22854	7,30
BA15KG#070050	1,23326	8,65
BA15KG#070060	1,23807	10,00
BA15KG#120040	1,28727	11,00
BA15KG#120050	1,27349	13,00
BA15KG#120060	1,25944	15,00
BA15KG#150040	1,27022	14,70
BA15KG#150050	1,25260	17,20
BA15KG#150060	1,23463	19,70
BA15KG#190040	1,27017	18,30
BA15KG#190050	1,26509	21,80
BA15KG#190060	1,25990	25,30

BA10X Model

Models	Coefficient n	Weight (kg)
BA10X#080040	1,27361	6,70
BA10X#080050	1,27120	7,95
BA10X#080060	1,26875	9,20
BA10X#120040	1,28420	9,60
BA10X#120050	1,26899	11,55
BA10X#120060	1,25348	13,50
BA10X#150040	1,29218	11,80
BA10X#150050	1,27041	14,00
BA10X#150060	1,24821	16,20
BA10X#180040	1,29408	14,10
BA10X#180050	1,27510	17,10
BA10X#180060	1,25574	20,10

BA20 Model

Models	Coefficient n	Weight (kg)
BA20#080040	1,19484	7,00
BA20#080435	1,19360	7,61
BA20#080050	1,19129	8,75
BA20#080535	1,19004	9,36
BA20#080060	1,18773	10,50
BA20#080635	1,18649	11,11
BA20#120040	1,22489	9,40
BA20#120435	1,22012	10,22
BA20#120050	1,21128	11,75
BA20#120535	1,20652	12,57
BA20#120060	1,19767	14,10
BA20#120635	1,19291	14,92
BA20#150040	1,23252	12,00
BA20#150435	1,22789	13,05
BA20#150050	1,21929	15,00
BA20#150535	1,21466	16,05
BA20#150060	1,20606	18,00
BA20#150635	1,20143	19,05
BA20#190040	1,24996	15,60
BA20#190435	1,24481	16,97
BA20#190050	1,23525	19,50
BA20#190535	1,23010	20,87
BA20#190060	1,22054	23,40
BA20#190635	1,21540	24,77

BA10 Model

Models	Coefficient n	Weight (kg)
BA10#080040	1,27064	6,80
BA10#080050	1,25245	8,10
BA10#080060	1,23389	9,40
BA10#120040	1,24349	9,80
BA10#120050	1,21661	11,75
BA10#120060	1,18918	13,70
BA10#150040	1,26958	12,00
BA10#150050	1,25253	14,30
BA10#150060	1,23513	16,60
BA10#180040	1,24597	14,90
BA10#180050	1,22626	17,85
BA10#180060	1,20615	20,80

BA10G Model

Models	Coefficient n	Weight (kg)
BA10G#080040	1,27401	6,90
BA10G#080050	1,26384	8,15
BA10G#080060	1,25346	9,40
BA10G#120040	1,28786	9,80
BA10G#120050	1,27487	11,75
BA10G#120060	1,26162	13,70
BA10G#150040	1,31259	12,00
BA10G#150050	1,29494	14,30
BA10G#150060	1,27693	16,60
BA10G#180040	1,29077	14,90
BA10G#180050	1,28754	17,85
BA10G#180060	1,28425	20,80

RADIATOR WEIGHTS AND COEFFICIENT “N”

SQUARE VERTICAL Model

Models	Coefficient n	Weight (kg)
SQV2#IDR056	1,27311	10,30
SQV2#IDR071	1,28555	13,73
SQV2#IDR080	1,28724	24,70
SQV2#IDR140	1,32967	28,23
SQV2#IDR160	1,32613	31,95
SQV2#IDR180	1,32258	35,50
SQV2#IDR200	1,31508	39,88
SQV2#IDR220	1,30759	43,50
SQV2#IDR240	1,30009	

SQUARE HORIZONTAL Model

Models	Coefficient n	Weight (kg)
SQO2#IDR...031	1,31079	5,40
SQO2#IDR...046	1,27652	8,00
SQO2#IDR...056	1,27596	9,80
SQO2#IDR...071	1,28081	12,40
SQO2#IDR...081	1,28963	14,20

MONTECARLO CHROMED Model

Models	Coefficient n	Weight (kg)
MQ#050	1,24215	14,21
MV#140	1,32208	25,10
MV#170	1,32063	29,45
MO#080	1,14215	16,70
MO#100	1,13419	20,75
MO#120	1,15772	23,05

MONTECARLO COLOURED Model

Models	Coefficient n	Weight (kg)
MQC#050	1,28426	14,00
MVC#140	1,31105	24,80
MVC#170	1,28937	28,70
MOC#080	1,23129	16,20
MOC#100	1,25588	19,50
MOC#120	1,23920	22,20

T.B.T. CHROMED Model

Models	Coefficient n	Weight (kg)
TBT ORIZ 120	1,30290	9,37
TBT ORIZ 150	1,30339	11,71
TBT ORIZ 180	1,30612	14,05
TBT ORIZ 200	1,30991	15,61
TBT VERT 120	1,22110	9,37
TBT VERT 150	1,22260	11,71
TBT VERT 180	1,22340	14,05
TBT VERT 200	1,22440	15,61

T.B.T. COLOURED Model

Models	Coefficient n	Weight (kg)
TBT ORIZ 120	1,16319	9,45
TBT ORIZ 150	1,17534	11,81
TBT ORIZ 180	1,18553	13,88
TBT ORIZ 200	1,16919	15,42
TBT VERT 120	1,19174	9,45
TBT VERT 150	1,21957	11,81
TBT VERT 180	1,22412	13,88
TBT VERT 200	1,22247	15,42

ADD_ON Model

Models	Coefficient n	Weight (kg)
AD_R#120	1,26826	30,05
AD_R#144	1,23622	35,88
AD_R#168	1,20431	41,71
AD_R#192	1,21890	50,59
AD_R#216	1,19633	54,90
AD_R#240	1,17437	59,21

MILANO Model

Models	Coefficient n	Weight (kg)
MLN#170	1,25292	23,40
MLN#200	1,24595	27,55
MLN#230	1,26751	31,20

SOHO VERTICAL Model

Models	Coefficient n	Weight (kg/el)
SHV#060	1,30294	1,60
SHV#080	1,31058	2,10
SHV#100	1,31822	2,60
SHV#140	1,33716	3,35
SHV#160	1,34663	4,10
SHV#180	1,34401	4,60
SHV#200	1,34139	5,10
SHV#220	1,33877	5,60
SHV#240	1,33615	6,10
SHV#280	1,33353	7,12

SOHO HORIZONTAL Model

Models	Coefficient n	Weight (kg/m)
SHO#...003	1,19840	7,93
SHO#...004	1,20871	10,57
SHO#...005	1,21902	13,21
SHO#...006	1,22934	15,86
SHO#...007	1,27246	18,50
SHO#...008	1,27887	21,30
SHO#...009	1,28528	24,10
SHO#...010	1,27142	28,00
SHO#...011	1,25197	31,80
SHO#...012	1,23252	35,60

HORIZONTAL and VERTICAL RIFT model

Models	Coefficient n
RFTV24SI#	1,27144
RFTO24SI#	1,2103
RFTVDDI2#	1,2756
RFTODDI2#	1,23692
RFTVDAI2#	1,24905
RFTV24DAI2#	1,24905
RFTV15MDI3#	1,24905
RFTO15MDI3#	1,23692

PLATFORM model

Models	Coefficient n
PFV#149045	1,31100
PFV#149055	1,30200
PFV#189045	1,28600
PFV#189055	1,32500
PFV#209045	1,33800
PFV#209055	1,28800

Coefficient n

H (cm)	KO15	KO15D
15,4	1,27345	1,21767
17,9	1,27198	1,21756
20,4	1,21941	1,21745
22,9	1,22298	1,21734
25,4	1,22655	1,21723
27,9	1,23013	1,21712
30,4	1,23370	1,21701
32,9	1,23727	1,21690
35,4	1,24084	1,21679
37,9	1,24441	1,21668
40,4	1,24799	1,21657
42,9	1,25156	1,21646
45,4	1,25513	1,18912
47,9	1,25284	1,19027
50,4	1,25055	1,19143
52,9	1,24827	1,19258
55,4	1,24598	1,19374
57,9	1,24369	1,19489
60,4	1,24140	1,19604
62,9	1,23911	1,19720
65,4	1,23682	1,19835
67,9	1,23454	1,19951
70,4	1,23225	1,20066
72,9	1,22996	1,20182
75,4	1,22767	1,20297
77,9	1,22538	1,20412
80,4	1,22310	1,20528
82,9	1,22081	1,20643
85,4	1,21852	1,20759
87,9	1,21623	1,20874
90,4	1,21394	1,20989
92,9	1,21165	1,21105
95,4	1,20937	1,21220
97,9	1,20708	1,21336
100,4	1,20479	1,21451
102,9	1,20627	1,21530
105,4	1,20776	1,21609
107,9	1,20924	1,21688
110,4	1,21073	1,21767
112,9	1,21221	1,21846
115,4	1,21370	1,21925
117,9	1,21518	1,22005
120,4	1,21667	1,22084
122,9	1,21815	1,22163
125,4	1,21964	1,22242
127,9	1,22112	1,22321
130,4	1,22261	1,22400
132,9	1,22409	1,22479
135,4	1,22558	1,22558
137,9	1,22706	1,22637
140,4	1,22854	1,22716
142,9	1,23003	1,22795
145,4	1,23151	1,22874
147,9	1,23300	1,22953
150,4	1,23448	1,23033
152,9	1,23597	1,23112
155,4	1,23745	1,23191
157,9	1,23894	1,23270
160,4	1,24042	1,23349
162,9	1,24191	1,23428
165,4	1,24339	1,23507
167,9	1,24488	1,23586
170,4	1,24636	1,23665
172,9	1,24785	1,23744
175,4	1,24933	1,23817

Coefficient n

H (cm)	XO10	XO10D
9,9	1,23796	1,26146
11,4	1,23818	1,26316
12,9	1,23840	1,26486
14,4	1,23862	1,26656
15,9	1,23885	1,26827
17,4	1,23907	1,26997
18,9	1,23929	1,27167
20,4	1,23951	1,27338
21,9	1,23974	1,24229
23,4	1,23996	1,25776
24,9	1,24018	1,27322
26,4	1,24040	1,28869
27,9	1,24062	1,30415
29,4	1,24085	1,31962
30,9	1,24107	1,33508
32,4	1,24129	1,33208
33,9	1,22334	1,32907
35,4	1,22597	1,32607
36,9	1,22860	1,32306
38,4	1,23123	1,32006
39,9	1,23386	1,31705
41,4	1,23649	1,31405
42,9	1,23912	1,31105
44,4	1,24175	1,30804
45,9	1,24438	1,30504
47,4	1,24701	1,30203
48,9	1,24964	1,29903
50,4	1,25227	1,29602
51,9	1,25508	1,29302
53,4	1,25510	
54,9	1,25511	
56,4	1,25513	
57,9	1,25515	
59,4	1,25516	
60,9	1,25518	
62,4	1,25520	
63,9	1,25521	
65,4	1,25523	
66,9	1,25525	
68,4	1,25527	
69,9	1,25528	
71,4	1,25530	
72,9	1,25532	
74,4	1,25533	
75,9	1,25535	

Coefficient n

H (cm)	CO10	CO10D
9,9	1,22662	1,24230
11,4	1,22636	1,24003
12,9	1,22609	1,23760
14,4	1,22581	1,23518
15,9	1,22554	1,23275
17,4	1,22526	1,23032
18,9	1,22499	1,22789
20,4	1,22471	1,22546
21,9	1,22444	1,22303
23,4	1,22416	1,22060
24,9	1,22389	1,21817
26,4	1,22361	1,21574
27,9	1,22334	1,21332
29,4	1,22306	1,21089
30,9	1,22279	1,20862
32,4	1,22251	1,20855
33,9	1,22224	1,20848
35,4	1,22196	1,20842
36,9	1,22169	1,20835
38,4	1,22141	1,20828
39,9	1,22114	1,20822
41,4	1,22086	1,20815
42,9	1,22059	1,20808
44,4	1,21751	1,20802
45,9	1,21443	1,20795
47,4	1,21135	1,20788
48,9	1,20827	1,20782
50,4	1,20519	1,20775
51,9	1,20211	1,20768
53,4	1,19903	1,20762
54,9	1,19596	
56,4	1,19288	
57,9	1,18980	
59,4	1,18672	
60,9	1,18364	
62,4	1,18056	
63,9	1,17748	
65,4	1,17440	
66,9	1,17132	
68,4	1,16824	
69,9	1,16516	
71,4	1,16208	
72,9	1,15900	
74,4	1,15592	
75,9	1,15305	

RADIATOR WEIGHTS AND COEFFICIENT “N”

BA25 Model

Models	Coefficient n	Weight (kg)
BA25#070040	1,21567	7,60
BA25#070050	1,20641	8,65
BA25#070060	1,19715	9,06
BA25#070070	1,18789	10,57
BA25#070080	1,17863	12,08
BA25#070090	1,16937	13,59
BA25#070100	1,16011	15,10
BA25#120040	1,24614	10,80
BA25#120050	1,23229	11,70
BA25#120060	1,21843	14,04
BA25#120070	1,20458	16,38
BA25#120080	1,19073	18,72
BA25#120090	1,17687	21,06
BA25#120100	1,16302	23,40
BA25#150040	1,22657	13,30
BA25#150050	1,21843	13,85
BA25#150060	1,21028	16,62
BA25#150070	1,20214	19,39
BA25#150080	1,19400	22,16
BA25#150090	1,18585	24,93
BA25#150100	1,17771	27,70
BA25#190040	1,22627	17,50
BA25#190050	1,22399	18,15
BA25#190060	1,22170	21,78
BA25#190070	1,21942	25,41
BA25#190080	1,21714	29,04
BA25#190090	1,21485	32,67
BA25#190100	1,21257	36,30

BA25G Model

Models	Coefficient n	Weight (kg)
BA25G#070040	1,24581	6,56
BA25G#070050	1,23655	8,20
BA25G#070060	1,22729	9,84
BA25G#120040	1,25465	9,44
BA25G#120050	1,24080	11,80
BA25G#120060	1,22694	14,16
BA25G#150040	1,26756	11,84
BA25G#150050	1,25942	14,80
BA25G#150060	1,25127	17,76
BA25G#190040	1,24475	14,80
BA25G#190050	1,24247	18,50
BA25G#190060	1,24018	22,20

BA14G Model

Models	Coefficient n	Weight (kg)
BA14G#080040	1,25865	6,80
BA14G#080050	1,24663	8,50
BA14G#080060	1,23460	9,69
BA14G#080070	1,22258	10,74
BA14G#080080	1,21055	11,40
BA14G#120040	1,24761	9,40
BA14G#120050	1,23827	11,75
BA14G#120060	1,22893	13,40
BA14G#120070	1,21960	14,85
BA14G#120080	1,21026	15,10
BA14G#150040	1,28543	11,50
BA14G#150050	1,26938	14,38
BA14G#150060	1,25334	17,25
BA14G#150070	1,23730	18,11
BA14G#150080	1,22125	19,10
BA14G#190040	1,29078	15,30
BA14G#190050	1,28272	19,13
BA14G#190060	1,27467	22,95
BA14G#190070	1,26661	23,29
BA14G#190080	1,25855	24,80

BACUG Model

Models	Coefficient n	Weight (kg)
BACUG#080485	1,25865	8,50
BACUG#080585	1,24663	9,69
BACUG#120485	1,22702	11,75
BACUG#120585	1,22258	13,40
BACUG#150485	1,21055	14,38
BACUG#150585	1,24761	17,25
BACUG#190485	1,23827	19,13
BACUG#190585	1,22893	22,95

KEY Model

Models	Coefficient n	Weight (kg)
KEY#070	1,11955	7,40
KEY#110	1,17956	10,80
KEY#140	1,21453	14,30
KEY#180	1,13758	17,90

TOTEM Model

Models	Coefficient n	Weight (kg)
TOTEM#080	1,15983	10,20
TOTEM#120	1,17469	13,10
TOTEM#150	1,11253	16,10
TOTEM#170	1,05078	19,10

HOTEL 14 Model

Models	Coefficient n	Weight (kg)
HL14#090040	1,23134	8,16
HL14#090050	1,21932	10,20
HL14#090060	1,20730	12,24
HL14#130040	1,20352	10,64
HL14#130050	1,19150	13,30
HL14#130060	1,17948	15,96
HL14#160040	1,24775	12,88
HL14#160050	1,23573	16,10
HL14#160060	1,22371	19,32
HL14#195040	1,25191	15,12
HL14#195050	1,23989	18,90
HL14#195060	1,22787	22,68

The correction factors allow to convert the thermal yields with ΔT different from 50°.

TUBULAR Radiators

For models:
CO14 - CO14D - CV14G - CO14G - ALBATROS
REFLEX 14 - JOBA - HOLA - TEKNO - BATH14D

ΔT	Conversion coefficient
20°	0,310
30°	0,521
40°	0,752
50°	1,000
60°	1,329

For models:
CO25 - CO25D - REFLEX 25 - ARKOS
MATITONE - PALLOTTOLIERE

ΔT	Conversion coefficient
20°	0,307
30°	0,518
40°	0,749
50°	1,000
60°	1,335

The transformation is obtained as follows:

Watt ΔT 40 ° C = Watt ΔT 50 ° C for the correction factor of the chosen product.

e.g. CO14 200/20 elements Watt ΔT 50° C = 1370
CO14 200/20 elements Watt ΔT 40° C = 1370 x 0,752 = 1030

PLATE radiators

For the modelsi:
TPV70

ΔT	Conversion coefficient
20°	0,317
30°	0,527
40°	0,757
50°	1,000
60°	1,256

For models:
TPV70D

ΔT	Conversion coefficient
20°	0,311
30°	0,522
40°	0,753
50°	1,000
60°	1,261

For models:
TPO70 - TPO70D

ΔT	Conversion coefficient
20°	0,319
30°	0,528
40°	0,757
50°	1,000
60°	1,321

WATER CONTENT (LITRES PER ELEMENT)

H (cm)	SHVD e SHVDF	
	Coefficient n	Weight [kg /el]
60	1,29249	2,7
80	1,29505	3,6
100	1,29760	4,4
140	1,31175	6,1
160	1,31882	7,0
180	1,31652	7,9
200	1,31421	8,7
220	1,31191	9,6
240	1,30961	10,5

L (cm)	SHODF	
	Coefficient n	Weight [kg /el]
100	1,25046	5,6
140	1,25932	7,8
160	1,25669	8,8
180	1,25407	9,9
200	1,25144	10,9
220	1,24881	12,0
240	1,24618	13,1
280	1,24355	15,3

H (cm)	AGST – AGDS - AGDD	
	Coefficient n	Weight [kg /el]
40	1,28959	1,8
50	1,29876	2,2
60	1,30793	2,6
70	1,31710	3,0
80	1,32626	3,5
90	1,33543	3,9
100	1,34460	4,3
110	1,34947	4,7
120	1,35434	5,1
130	1,35921	5,5
140	1,36407	6,0
150	1,36864	6,4
160	1,37381	6,8
170	1,37216	7,2
180	1,37051	7,6
190	1,36886	8,0
200	1,36720	8,5
210	1,36555	8,9
220	1,36390	9,3

No. of El.	TRO14		TRO20		TRO28	
	Coefficient n	Weight [kg x m/el]	Coefficient n	Weight [kg x m/el]	Coefficient n	Weight [kg x m/el]
9	-	-	-	-	1,19964	8,0
11	-	-	1,19764	7,5	1,20078	9,8
13	-	-	1,19740	8,9	1,20192	11,5
15	1,15796	6,4	1,19338	10,3	1,25503	13,3
17	1,15947	7,2	1,19379	11,7	1,24003	15,1
19	1,20067	8,1	1,19420	13,0	1,22503	17,3
21	1,19623	9,0	1,19461	14,4	1,21003	19,1
23	1,19178	9,8	1,19502	15,8	1,19503	21,4
25	1,18734	10,7	1,19543	17,1	1,19142	23,3
27	1,18290	11,5	1,19584	18,5	1,18781	25,1
29	1,17846	12,4	1,19625	19,9	1,18420	27,0
31	1,17401	13,2	1,19666	21,3	1,18059	29,0
33	1,16957	14,1	1,19263	22,6	1,17698	30,9
35	1,16513	15,1	1,18860	24,0	1,17337	32,7
37	1,16068	15,9	1,18457	25,4	1,16976	34,8
39	1,15624	16,8	1,18054	26,7	1,17593	37,1
41	1,15669	17,7	1,17650	28,1	1,18211	39,0
43	1,15715	18,5	1,17247	29,5	1,18828	41,6
45	1,15760	19,4	1,16844	30,9	1,19445	43,7
47	1,15805	20,3	1,16441	32,2	1,20063	46,1
49	1,15851	21,1	1,16038	33,6	1,20680	48,8
51	1,15896	22,0	1,16518	35,0	1,21297	50,9
53	1,15942	22,8	1,16998	36,3	1,21914	53,0
55	1,15987	24,1	1,17478	37,7	1,22532	55,3
57	1,16032	25,0	1,17957	39,1	1,23149	58,7
59	1,16078	25,9	1,18437	40,5	1,23757	62,1
61	1,16123	26,8	1,18917	41,8	-	-
63	1,16168	27,6	1,19397	43,2	-	-
65	1,16215	28,5	1,19877	44,6	-	-
67	1,16610	29,4	1,20357	45,9	-	-
69	1,17015	30,3	1,20837	47,3	-	-
71	1,17421	31,1	1,21316	48,7	-	-
73	1,17826	32,0	1,21796	50,1	-	-
75	1,18231	32,9	1,22276	51,4	-	-
77	1,18637	33,8	1,22756	52,8	-	-
79	1,19042	34,6	-	-	-	-
81	1,19448	35,5	-	-	-	-
83	1,19853	36,4	-	-	-	-
85	1,20258	39,2	-	-	-	-
87	1,20664	40,1	-	-	-	-
89	1,21069	41,1	-	-	-	-
91	1,21475	42,0	-	-	-	-
93	1,21880	42,9	-	-	-	-
95	1,22285	43,8	-	-	-	-
97	1,22691	46,1	-	-	-	-
99	1,23096	47,1	-	-	-	-
101	1,23502	48,1	-	-	-	-
103	1,23907	49,0	-	-	-	-

H (cm)	TRV20		TRV28	
	Coefficient n	Weight [kg /el]	Coefficient n	Weight [kg /el]
96,0	1,32370	0,6	1,28959	0,9
125,0	1,30620	0,8	1,29876	1,2
154,0	1,30825	0,9	1,30793	1,4
183,0	1,31029	1,1	1,31710	1,6
197,5	1,31233	1,2	1,32626	1,7

No. of El.	TPV70 - TPO70	TPV70D - TPO70D
	Weight [kg x m/el]	Weight [kg x m/el]
3	6,9	12,8
4	9,2	17,0
5	11,6	21,3
6	13,9	25,5
7	16,2	29,8
8	18,5	34,1
9	20,8	38,4
10	23,1	42,6
11	25,4	46,8
12	27,7	51,1

WATER CONTENT (LITRES PER ELEMENT)

H (cm) **L** (cm)	**SHV e SHO** **Water content[kg/l]**	**SHVD - SHVDF - SHODF** **Water content[kg/l]**
60	0,20	0,20
80	0,25	0,25
100	0,30	0,30
140	0,43	0,43
160	0,50	0,50
180	0,57	0,57
200	0,65	0,65
220	0,72	0,70
240	0,80	0,80
280	0,93	0,93

H (cm)	**AGST - AGDS - AGDD** **Water content[kg/l]**
40	0,10
50	0,15
60	0,20
70	0,25
80	0,30
90	0,35
100	0,40
110	0,43
120	0,47
130	0,50
140	0,53
150	0,57
160	0,60
170	0,62
180	0,64
190	0,65
200	0,66
210	0,68
220	0,70

H (cm) **L** (cm)	**TRO20 - TRV20** **Water content[kg/l]**	**TRO28 - TRV28** **Water content[kg/l]**	**TRO14** **Water content[kg/l]**
52,5	0,16	0,28	0,08
67	0,19	0,36	0,10
96	0,25	0,51	0,12
125	0,27	0,65	0,16
154	0,33	0,80	0,19
183	0,39	0,95	0,22
197,5	0,42	1,03	0,24

H (cm) **L** (cm)	**TPO70**	**TPO70D**	**TPV70**	**TPV70D**
50	0,261	0,589	-	-
60	0,337	0,583	-	-
70	0,394	0,796	-	-
80	0,450	0,910	-	-
90	0,506	1,024	-	-
100	0,562	1,138	-	-
110	0,619	1,251	-	-
120	0,675	1,365	0,840	1,440
130	0,731	1,479	0,910	1,560
140	0,787	1,593	0,980	1,680
150	0,844	1,706	1,050	1,800
160	0,900	1,820	1,190	1,920
170	0,958	1,934	1,191	2,040
180	1,012	2,048	1,260	2,160
190	1,069	2,161	1,330	2,280
200	1,125	2,275	1,400	2,400
220	1,237	2,503	1,540	2,640
240	1,350	2,730	1,880	2,880
260	1,462	2,958	1,820	3,120
280	1,575	3,185	1,960	3,336
300	1,687	3,413	2,100	3,600
320	1,800	3,640	-	-
340	1,912	3,868	-	-
360	2,025	4,095	-	-
380	2,137	4,323	-	-
400	2,250	4,550	-	-
420	2,362	4,778	-	-
440	2,475	5,006	-	-
460	2,587	5,233	-	-



Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
R 60108244

Blatt *Page*
0001

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Ausstellungsdatum *Date of Issue (day/mo/yr)*
	--28108637 001	28.01.2016

Genehmigungsinhaber *License Holder*
Tubes Radiatori s.r.l
via Boascalto 32
31023 Resana TV
Italia

Fertigungsstätte *Manufacturing Plant*
Tubes Radiatori s.r.l
via Boascalto 32
31023 Resana TV
Italia

Prüfzeichen *Test Mark*
Regular Production Surveillance Safety Type Approved
TÜVRheinland CERTIFIED
www.tuv.com ID 1111208674

Geprüft nach *Tested acc. to*
EN 60335-1:2012+A11
EN 60335-2-30:2009+A11
EN 62233:2008

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

Heat Radiator (Room heaters)

Model : Type RIFT — 15

Designation:
RFTO24SE#(horizontal oriented); RFTV24SE#(vertical oriented)
RFTVDDE2# (double misaligned vertical oriented)
RFTODDE2# (double misaligned horizontal oriented)

Next to #: code xxxyy(y)zzww
xxx refers to height
yy(y) refers to width
yy(y) refers to width
ww refers to rated power in watt
(01=210;02=280;03=350;04=500;05=560;06=490;07=630;08=780)

Rated voltage: 230 V
Rated frequency: 50 Hz
Protection class: II
Kind of protection: IP X4

Trademark : TUBES

15

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
Tel +49 221 806-1371 e-mail cert-validity@de.tuv.com
Fax +49 221 806-3935 http://www.tuv.com/safety

F. Ceriani



Zertifikat *Certificate*

TÜVRheinland®

Zertifikat Nr. *Certificate No.*
R 60109493

Blatt *Page*
0001

Ihr Zeichen *Client Reference*	Unser Zeichen *Our Reference*	Ausstellungsdatum *Date of Issue (day/mo/yr)*
	--28108978 001	18.03.2016

Genehmigungsinhaber *License Holder*
Tubes Radiatori s.r.l
via Boascalto 32
31023 Resana TV
Italia

Fertigungsstätte *Manufacturing Plant*
Tubes Radiatori s.r.l
via Boascalto 32
31023 Resana TV
Italia

Prüfzeichen *Test Mark*
Regular Production Surveillance Safety Type Approved
TÜVRheinland CERTIFIED
www.tuv.com ID 1111209128

Geprüft nach *Tested acc. to*
EN 60335-1:2012+A11
EN 60335-2-30:2009+A11
EN 62233:2008

Zertifiziertes Produkt (Geräteidentifikation) *Certified Product (Product Identification)*

Lizenzentgelte - Einheit *License Fee - Unit*

Heat Radiator (Room heaters)

Type : SQUARE — 15

Model: a # b c d e
a = SQV : Square Vertical ; SQO : Square Horizontal
# = blank
b = ELE : Electric
c = Height (for models SQV) : 080-140-160-180-200-240 (cm) or
Width (for models SQO): 080-140-160-180-200-220-240 (cm)
d = Width (for models SQV) : 031-056-081 (cm)
Height (for models SQO) : 031-056-081 (cm)
e = Colour (see RAL colour table TUBES)

Rated power(watt) 490/560/630/840/980/1120/1260/1400/1540
Rated voltage: 220-230 V
Rated frequency: 50 Hz
Protection class: II
Kind of protection: IP X4

Trademark : TUBES

15

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

Zertifizierungsstelle

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
Tel +49 221 806-1371 e-mail cert-validity@de.tuv.com
Fax +49 221 806-3935 http://www.tuv.com/safety

F. Ceriani



ISTITUTO GIORDANO

RAPPORTO DI PROVA N. 241569/3144/CPD

emesso da Istituto Giordano in qualità di laboratorio di prova notificato (n. 0407) ai sensi della Direttiva 89/106/CEE (CPD)

Luogo e data di emissione: Bellaria-Igea Marina - Italia, 12/06/2008

Committente: TUBES RADIATORI S.r.l. - Via Boscalto, 32 - 31023 RESANA (TV) - Italia

Data della richiesta della prova: 11/03/2008

Numero e data della commessa: 40487, 12/03/2008

Data del ricevimento del campione: 04/03/2008

Data dell'esecuzione della prova: dal 07/03/2008 al 13/03/2008

Oggetto della prova: Determinazione della potenza termica nominale e prova di resistenza a pressione *(prova non accreditata SINAL)* di gamma di corpi scaldanti alimentati con acqua a temperatura minore di 100 °C secondo le norme UNI EN 442-1:2004 e UNI EN 442-2:2004

Luogo della prova: Istituto Giordano S.p.A. - Blocco 1 - Via Rossini, 2 - 47814 Bellaria-Igea Marina (RN) - Italia

Provenienza del campione: campionato e fornito dal Committente

Identificazione del campione in accettazione: n. 2008/0478/A

Il presente rapporto di prova è composto da n. 7 fogli e n. 1 allegato.

ISTITUTO GIORDANO s.p.a.

CENTRO POLITECNICO DI RICERCHE E CERTIFICAZIONI

RAPPORTO DI PROVA N. 173095

Luogo e data di emissione: Bellaria, 30/06/2003

Committente: TUBES RADIATORI S.r.l. - Via Boscalto, 32 - 31023 RESANA (TV)

Data della richiesta della prova: 27/01/2003

Numero e data della commessa: 21437, 29/01/2003

Data del ricevimento del campione: 14/03/2003

Data dell'esecuzione della prova: dal 09/05/2003 al 23/06/2003

Oggetto della prova: Determinazione della potenza termica della gamma di corpi scaldanti modello "CV25 Verticale singolo" secondo le norme UNI EN 442-1:1997 e UNI EN 442-2:2002

Luogo della prova: Istituto Giordano S.p.A. - Blocco 1 - Via Rossini, 2 - 47814 Bellaria (RN)

Provenienza del campione: fornito dal Committente

Identificazione del campione in accettazione: n. 2003/0358A-B-C-D-E-F-G

Il presente rapporto di prova è composto da n. 18 fogli.

POLITECNICO DI MILANO - DIPARTIMENTO DI ENERGIA

Laboratorio Misure Ricerche Termotecniche M.R.T. - *Notified body number: 1695*

Laboratorio abilitato ai sensi della direttiva 89/106/CE dal Ministero delle Attività Produttive,Prot. N. 19379, 04 Aprile 2005

Laboratory notified according 89/106/CE Directive by Italian Ministery in charge; Prot. N. 19379/ 04 April 2005

Laboratorio di riferimento conforme a EN 442/ *Reference Laboratory according EN 442*

Accreditamento n° / *Assessment report* No : **N° 104** Rilasciato da / *Issued by* : **SIT** data / *date*: **11 / 04 / 2002**

Indirizzo/ Address: Piazza Leonardo da Vinci, 32 – 20133 Milano – ITALY

Phone +39 02 2399 3834 or +39 02 2399 3840; fax +39 02 2399 3940 or +39 02 2399 3863; e-mail : mrt @polimi.it

NORMA/ REFERENCE/ REFERENCE/ REFERENZ/ REFERENCIA : EN 442-1 & EN 442-2

RAPPORTI DI PROVA/ RAPPORTS D'ESSAI/ TESTS REPORT/ PRÜFBERICHT/ INFORME DE PRUEBAS

Sommario/ Sommaire/ Summary/ Inhalt/ Resumen

1) ENE/MRT.RAP.08108
   Determinazione della potenza termica di un corpo scaldante/ Détermination de la puissance thermique d'un corp de chauffe/ Determination of the heat output of a heating emitter/ Bestimmung der Wärmeleistung eines Heizkörper/ Determinación de la salida de calor de un emisor de la calefacción.

2) ENE/MRT.RAP.08108/P
   Prove di tenuta a pressione/ Epreuve de tenue a la pression/ Pressure testing/ DruckPrüfung/ Prueba de presión.

3) ENE/MRT.RAP.08108/ΔP
   Prova perdita di carico/ Epreuve de chute de pression/ Drop pressure test/ TropfenDruckPrüfung/ Prueba de presión de la gota.

Il Responsabile delle Prove	Il Responsabile del Laboratorio	Il Direttore del Dipartimento
Operator	Laboratory Manager	Institut Director
P.I. Claudio Tarini	Prof. Ing. Renzo Marchesi	Prof. Ing. Ennio Macchi

POLITECNICO DI MILANO - DIPARTIMENTO DI ENERGIA

Laboratorio Misure Ricerche Termotecniche M.R.T. - *Notified body number: 1695*

Laboratorio abilitato ai sensi della direttiva 89/106/CE dal Ministero delle Attività Produttive,Prot. N. 19379, 04 Aprile 2005

Laboratory notified according 89/106/CE Directive by Italian Ministery in charge; Prot. N. 19379/ 04 April 2005

Laboratorio di riferimento conforme a EN 442/ *Reference Laboratory according EN 442*

Accreditamento n° / *Assessment report* No : **N° 104** Rilasciato da / *Issued by* : **SIT** data / *date*: **11 / 04 / 2002**

Indirizzo/ Address: Piazza Leonardo da Vinci, 32 – 20133 Milano – ITALY

Phone +39 02 2399 3834 or +39 02 2399 3840; fax +39 02 2399 3940 or +39 02 2399 3863; e-mail : mrt @polimi.it

Resoconto di una Gamma/ Rapport pour une gamme/ Type report/ Prüfbericht für eine reihe/ Expediente nº :	**ENE/MRT.RES.08010**
Gamma/ Gamme/ Type/ Modellreihe/ Gama :	**TUBES RADIATORI srl KUBIK VERTICALE SINGOLO (RAL 9006)**

- **NORMA EUROPEA EN 442**

RISULTATI DI PROVA - RESULTATS D'ESSAIS - TEST RESULTS - PRÜFUNGEN - RESULTADOS .

Data / date / datum / Fecha : **11 aprile 2008**

Richiedente/ Demandeur/Applicant/ Antragsteller/ Peticionario : **TUBES RADIATORI srl via Boscalto, 32 31023 - Resana (TV) Italy**

Marchio di fabbrica/ Appelation commerciale du constructeur/ Manufacturer trademark/ Handelsbezeichnung des Herstellers : **TUBES RADIATORI srl**

Gamma / Gamme / Type / Modellreihe/ Gama : **KUBIK VERTICALE SINGOLO (RAL 9006)**

Materiale/ Matériau/ Material/ Werkstoff/ Material: **Acciaio**

Equazione caratteristica della gamma/ Equation caractéristique de la gamme/ Characteristic equation of the type/ Gleichung der Kennlinie der Typreihe /Ecuacion caracteristica de la gama

$$\Phi = K_1 H^{b} \Delta T^{(c_0 + c_1 H)} q_m^{\ c}$$

H in metri: Potenza in W/elem.

Con / where	H (metri)	K_1 =	b =	c_0 =	c_1 =	c =	ΔT=
		0.22311	0.69473	1.24493	0.04495	0	50

Dimensione caratteristica/ Dimension caractéristique variable/ Characteristic variable dimension/ Veränderliches charakteristisches Maß/ Característica dimension : **- Altezza** / *Hauteur/ Height/ Höhe / Altura* -

La gamma è costituita dai modelli elencati nella tabella sotto riportata /

La gamme est constituée des modèles indiqués dans la tabelle / The type comprises the models indicated in table / Die Modellreihe enthält folgende Modelle sind in der Tabelle gezeigen/ El tipo abarca los modelos indicados en tabla

Il Responsabile delle Prove	Il Responsabile del Laboratorio	Il Direttore del Dipartimento
Operator	Laboratory Manager	Institut Director
P.I. Claudio Tarini	Prof. Ing. Renzo Marchesi	Prof. Ing. Ennio Macchi

Questo documento può essere riprodotto solo integralmente/ Ce document ne peut être reproduit que dans son intégralité/ This document can be reproduced only in its integral form/ Dieser Report kann nur in seiner integralen Form reproduziert werden/ Este informe se puede reproducir solamente en su integral forma

COLOURS AND FINISHES

COLOURS AND FINISHES

COLOURS (PAINTING ONLY) page. 346
- PAINTING CYCLE
- TUBES COLOUR TABLE

ANODISED FINISHES 351
- ANODIZING CYCLE
- ANODISED FINISHES TABLE

GALVANIC 352
- INFO ON GALVANIC FINISHES
- GALVANIC FINISHES TABLE FOR BASICS_HOME + ELEMENTS
- GALVANIC FINISHES TABLE FOR BASICS_BATH

COLOUR CHART

CATEGORIES C0 - C1 - C2

C0_COD. 9010

Bianco Standard Tubes / Tubes Standard White

C1_COD. 910L - RAL 9010

Bianco Puro Lucido / Glossy Pure White

C1_COD. 916P - RAL 9016

Bianco Opaco / Matt White

C2_COD. 9016 - RAL 9016

Bianco Traffico Lucido / Glossy Traffic White

C1_COD. 901P - RAL 9001

Bianco Crema Opaco / White Matt Cream

C1_COD. 902P - RAL 9002

Bianco Grigiastro Opaco / Matt Grey White

C1_COD. 113P - RAL 1013

Bianco Perla Opaco / Matt Oyster White

C2_COD. 9001 - RAL 9001

Bianco Crema Lucido / White Glossy Cream

C2_COD. 1013 - RAL 1013

Bianco Perla Lucido / Glossy Oyster White

C2_COD. 9002 - RAL 9002

Bianco Grigiastro Lucido / Glossy Grey White

C1_COD. 704P - RAL 7044

Grigio Seta Opaco / Matt Silk Grey

GENERAL INFORMATION

This colour chart has been created with the most sophisticated technology currently on the market.However, the shades and gloss levels shown in this chart are purely indicative. The variability of production processes and pigments does not always guarantee the exact correspondence. In addition to this there's the normal deterioration of the colour chart, due to its use over time.
To obtain an accurate match, it's recommended to refer to the charts of the RAL colour system. Tubes reserves the right to delete and/or modify the offer of colours shown in this colour chart without notice; the company will inform the customers of such changes.

RAL COLOURS

GLOSSY AND MATT

The RAL colours in this colour chart are divided into glossy and matt. To check the degree of gloss of the colours, it's advisable to refer to the International RAL Master scale.
For any disputes regarding the shade and surface appearance of the products, reference will be made to the European QUALICOAT standard.

NON RAL COLOURS

GLOSSY, WRINKLED, MICA, SATIN FINISH, METALLIC AND ANODIC

Special finishes, in other words all those colours without a RAL code in this chart, are specifically created for Tubes. Consequently, these finishes are not identified by international reference systems. The shades and the appearance of the special finishes illustrated herein are purely indicative as the inks used in this chart do not faithfully replicate the colour of the paints. Should you wish to see the actual effect of a particular finish, a colour sample will be sent upon request.

STANDARD COLOURS

The products in the Basics and Elements collections with a colored finish are supplied - as standard - in Tubes Standard White color (C0_cod. 9010) obtained with colored polyester powders. The products with galvanic finish of the Basics and Elements collections are, on the other hand, supplied - as standard - in the Polished Chrome finish (G0_cod. CRO) obtained by a particular processing of raw material.
To find out if it's possible to make a model in another colour present in the colour chart, it's advisable to consult the Tubes Price List at the page of the desired model.

COLOUR CATEGORIES

Tubes colors are identified by a category, which corresponds to a specific price surcharge. This surcharge can be checked in the Price List.

RAL / NON RAL COLOURS

Category C0 without surcharge
Category C1 with 15% surcharge
Category C2 with 15% surcharge
Category C3 with 25% surcharge
FT Out-of-gamut colors with a 35% surcharge subject to confirmation of feasibility and color availability.

C2_COD. 735P - RAL 7035

Grigio Luce Opaco / Matt Light Grey

C1_COD. 737P - RAL 7037

Grigio Polvere Opaco / Matt Dusty Grey

C2_COD. 747P - RAL 7047

Grigio Tele 4 Opaco / Matt Telegrey 4

C2_COD. BARG - BARG

Bianco Ral 9016 Raggrinzato / Wrinkled White Ral 9016

C2_COD. 7042 - RAL 7042

Grigio Traffico A Lucido / Glossy Traffic Grey A

C2_COD. GCST

Grigio Chiaro Satinato / Satin Light Grey

C2_COD. GGST

Grigio Grafite Satinato / Satin Graphite Grey

C2_COD. 739P - RAL 7039

Grigio Quarzo Opaco / Matt Quartz Grey

C2_COD. 119P - RAL 1019

Beige Grigiastro Opaco / Matt Grey Beige

C2_COD. 1019 - RAL 1019

Beige Grigiastro Lucido / Glossy Grey Beige

C2_COD. 706P - RAL 7006

Grigio Beige Opaco / Matt Beige Grey

C2_COD. 722P - RAL 7022

Grigio Ombra Opaco / Matt Umbra Grey

C2_COD. 7022 - RAL 7022

Grigio Ombra Lucido / Glossy Umbra Grey

C1_COD. 716P - RAL 7016

Grigio Antracite Opaco / Matt Anthracite Grey

C2_COD. ECOE

Marrone Terra Micalizzato / Mica Brown

C2_COD. 804R - 804 R

Marrone Rame Ral 8004 Raggrinzato / Wrinkled Copper Brown Ral 8004

C1_COD. 9005 - RAL 9005

Nero Opaco / Matt Jet Black

CATEGORY C3

C3_COD. 910P - RAL 9010

Bianco Puro Opaco / Matt Pure White

C3_COD. 113R - RAL 1013

Bianco Perla Raggrinzato / Wrinkled Oyster White

C3_COD. 9006 - RAL 9006

Bianco Alluminio / White Aluminium

C3_COD. 9007 - RAL 9007

Grigio Alluminio / Grey Aluminium

C3_COD. 1015 - RAL 1015

Avorio Chiaro Lucido / Glossy Light Ivory

C3_COD. 115P - RAL 1015

Avorio Chiaro Opaco / Matt Light Ivory

C3_COD. 1014 - RAL 1014

Avorio Lucido / Glossy Ivory

C3_COD. 114P - RAL 1014

Avorio Opaco / Matt Ivory

C3_COD. AVOR - AVOR

Avorio Raggrinzato / Wrinkled Ivory

C3_COD. 1035 - RAL 1035

Beige Perlato / Pearl Beige

C3_COD. 7047 - RAL 7047

Grigio Tele 4 Lucido / Glossy Telegrey 4

C3_COD. 7044 - RAL 7044

Grigio Seta Lucido / Glossy Silk Grey

C3_COD. 7038 - RAL 7038

Grigio Agata Lucido / Glossy Agate Grey

C3_COD. 738P - RAL 7038

Grigio Agata Opaco / Matt Agate Grey

C3_COD. 7035 - RAL 7035

Grigio Luce Lucido / Glossy Light Grey

C3_COD. 7032 - RAL 7032
Grigio Ghiaia Lucido / Glossy Pebble Grey

C2_COD. 732P - RAL 7032
Grigio Ghiaia Opaco / Matt Pebble Grey

C3_COD. 7023 - RAL 7023
Grigio Calcestruzzo Lucido / Glossy Concrete Grey

C3_COD. 723P - RAL 7023
Grigio Calcestruzzo Opaco / Matt Concrete Grey

C3_COD. 9022 - RAL 9022
Grigio Chiaro Perlato / Pearl Light Grey

C3_COD. 7030 - RAL 7030
Grigio Pietra Lucido / Glossy Stone Grey

C2_COD. 730P - RAL 7030
Grigio Pietra Opaco / Matt Stone Grey

C3_COD. 7037 - RAL 7037
Grigio Polvere Lucido / Glossy Dusty Grey

C3_COD. 9023 - RAL 9023
Grigio Scuro Perlato / Pearl Dark Grey

C3_COD. 7048 - RAL 7048
Grigio Topo Perlato / Pearl Mouse Grey

C3_COD. 7039 - RAL 7039
Grigio Quarzo Lucido / Glossy Quartz Grey

C3_COD. 907R - 907 R
Grigio Alluminio Ral 9007 Raggrinzato / Wrinkled Grey Aluminium Ral 9007

C3_COD. GRAN - GRAN
Grigio Antracite Metallizzato Raggrinzato / Wrinkled Charcoal Metallic Grey

C3_COD. GRCR
Grigio Cromo Lucido / Glossy Grey Chrome

C3_COD. GMCH
Grigio Chiaro Metallizzato / Metallic Grey

C3_COD. 7006 - RAL 7006
Grigio Beige Lucido / Glossy Beige Grey

C3_COD. GRPM
Grigio Piombo Metallizzato / Metallic Lead Grey

C3_COD. 7011 - RAL 7011
Grigio Ferro Lucido / Glossy Iron Grey

C3_COD. 7016 - RAL 7016
Grigio Antracite Lucido / Glossy Anthracite Grey

C3_COD. 8019 - RAL 8019
Marrone Grigiastro Lucido / Glossy Grey Brown

C3_COD. NELC
Nero Lucido / Glossy Black

C3_COD. NOMC
Nero Micalizzato / Mica Black

C3_COD. 1016 - RAL 1016
Giallo Zolfo Lucido / Glossy Sulfur Yellow

C3_COD. 1017 - RAL 1017
Giallo Zafferano Lucido / Glossy Saffron Yellow

C3_COD. 1018 - RAL 1018
Giallo Zinco Lucido / Glossy Zinc Yellow

C3_COD. 118P - RAL 1018
Giallo Zinco Opaco / Matt Zinc Yellow

C3_COD. 121P - RAL 1021
Giallo Navone Opaco / Matt Colza Yellow

C3_COD. 1021 - RAL 1021
Giallo Navone Lucido / Glossy Colza Yellow

C3_COD. 1028 - RAL 1028
Giallo Melone Lucido / Glossy Melon Yellow

C3_COD. 133R - RAL 1033
Giallo Dalia Raggrinzato / Wrinkled Dahlia Yellow

C3_COD. AORC
Anodic Oro Chiaro / Anodic Light Gold

C3_COD. AORO
Anodic Oro / Anodic Gold

C3_COD. ABRZ
Anodic Bronzo / Anodic Bronze

C3_COD. ABRS
Anodic Bronzo Scuro / Anodic Dark Bronze

C3_COD. 2003 - RAL 2003

Arancio Pastello Lucido / Glossy Pastel Orange

C3_COD. 2004 - RAL 2004

Arancio Puro Lucido / Glossy Pure Orange

C3_COD. 823P - RAL 8023

Marrone Arancio Opaco / Matt Orange Brown

C3_COD. 1036 - RAL 1036

Oro Perlato / Pearl Gold

C3_COD. 8025 - RAL 8025

Marrone Pallido Lucido / Glossy Beige Grey

C3_COD. 825P - RAL 8025

Marrone Pallido Opaco / Matt Pale Brown

C3_COD. 8011 - RAL 8011

Marrone Noce Lucido / Glossy Nut Brown

C3_COD. 8028 - RAL 8028

Marrone Terra Lucido / Glossy Terra Brown

C3_COD. 828P - RAL 8028

Marrone Terra Opaco / Matt Terra Brown

C3_COD. LILL - LILL

Lilla Lucido / Glossy Lilac

C3_COD. ROS2 - ROS2

Rosa Chiaro Lucido / Glossy Light Pink

C3_COD. 3015 - RAL 3015

Rosa Lucido / Glossy Pink

C3_COD. 4009 - RAL 4009

Violetto Pastello Lucido / Glossy Pastel Violet

C3_COD. 4005 - RAL 4005

Lilla Blu Lucido / Glossy Blue Lilac

C3_COD. 4012 - RAL 4012

Mora Perlato / Pearl Blackberry

C3_COD. 3017 - RAL 3017

Rosato Lucido / Glossy Rose

C3_COD. 3020 - RAL 3020

Rosso Traffico Lucido / Glossy Traffic Red

C3_COD. 3000 - RAL 3000

Rosso Fuoco Lucido / Glossy Flame Red

C3_COD. 300P - RAL 3000

Rosso Fuoco Opaco / Matt Flame Red

C3_COD. 3003 - RAL 3003

Rosso Rubino Lucido / Glossy Ruby Red

C3_COD. 303P - RAL 3003

Rosso Rubino Opaco / Matt Ruby Red

C3_COD. 3009 - RAL 3009

Rosso Ossido Lucido / Glossy Oxide Red

C3_COD. 3005 - RAL 3005

Rosso Vino Lucido / Glossy Wine Red

C3_COD. 4002 - RAL 4002

Viola Rossastro Lucido / Glossy Red Violet

C3_COD. 402P - RAL 4002

Viola Rossastro Opaco / Matt Red Violet

C3_COD. 3032 - RAL 3032

Rosso Rubino Perlato / Pearl Ruby Red

C3_COD. 304R - RAL 3004

Rosso Porpora Raggrinzato / Wrinkled Purple Red

C3_COD. 4004 - RAL 4004

Viola Bordeaux Lucido / Glossy Claret Violet

C3_COD. 404P - RAL 4004

Viola Bordeaux Opaco / Matt Claret Violet

C3_COD. CEL2 - CEL2
Celeste Chiaro Lucido / Glossy Light Blue

C3_COD. 5002 - RAL 5002
Blu Oltremare Lucido / Glossy Ultramarine Blue

C3_COD. 6018 - RAL 6018
Verde Giallo Lucido / Glossy Yellow Green

C3_COD. 6034 - RAL 6034
Turchese Pastello Lucido / Glossy Pastel Turquoise

C3_COD. 5026 - RAL 5026
Blu Notte Perlato / Pearl Night Blue

C3_COD. 6029 - RAL 6029
Verde Menta Lucido / Glossy Mint Green

C3_COD. 634P - RAL 6034
Turchese Pastello Opaco / Matt Pastel Turquoise

C3_COD. 5013 - RAL 5013
Blu Cobalto Lucido / Glossy Cobalt Blue

C3_COD. 6035 - RAL 6035
Verde Perlato / Pearl Green

C3_COD. 5014 - RAL 5014
Blu Colomba Lucido / Glossy Pigeon Blue

C3_COD. 513P - RAL 5013
Blu Cobalto Opaco / Matt Cobalt Blue

C3_COD. 6000 - RAL 6000
Verde Patina Lucido / Glossy Patina Green

C3_COD. 514P - RAL 5014
Blu Colomba Opaco / Matt Pigeon Blue

C3_COD. 5020 - RAL 5020
Blu Oceano Lucido / Glossy Ocean Blue

C3_COD. 600P - RAL 6000
Verde Patina Opaco / Matt Patina Green

C3_COD. 5024 - RAL 5024
Blu Pastello Lucido / Glossy Pastel Blue

C3_COD. 520P - RAL 5020
Blu Oceano Opaco / Matt Ocean Blue

C3_COD. 6005 - RAL 6005
Verde Muschio Lucido / Glossy Moss Green

C3_COD. 524P - RAL 5024
Blu Pastello Opaco / Matt Pastel Blue

C3_COD. 6019 - RAL 6019
Verde Bianco Lucido / Glossy Pastel Green

C3_COD. 605P - RAL 6005
Verde Muschio Opaco / Matt Moss Green

C3_COD. 5012 - RAL 5012
Blu Luce Lucido / Glossy Light Blue

C3_COD. 619P - RAL 6019
Verde Bianco Opaco / Matt Pastel Green

C3_COD. 6020 - RAL 6020
Verde Cromo Lucido / Glossy Chrome Green

C3_COD. 5018 - RAL 5018
Blu Turchese Lucido / Glossy Turquoise Blue

C3_COD. 6021 - RAL 6021
Verde Pallido Lucido / Glossy Pale Green

C3_COD. 620P - RAL 6020
Verde Cromo Opaco / Matt Chrome Green

C3_COD. 518P - RAL 5018
Blu Turchese Opaco / Matt Turquoise Blue

C3_COD. 621P - RAL 6021
Verde Pallido Opaco / Matt Pale Green

C3_COD. 609R - RAL 6009
Verde Abete Raggrinzato / Wrinkled Fir Green

C3_COD. 5025 - RAL 5025
Blu Genziana Perlato / Pearl Gentian Blue

C3_COD. 6013 - RAL 6013
Verde Canna Lucido / Glossy Reed Green

C3_COD. 5017 - RAL 5017
Blu Traffico Lucido / Glossy Traffic Blue

C3_COD. 613P - RAL 6013
Verde Canna Opaco / Matt Reed Green

ANODISED SPECIAL FINISHES

The anodised finishes are obtained by anodising aluminium, applying a coat of artificial oxide onto the surface of the product, giving it greater resistance to corrosion and its distinctive appearance. The anodised finishes are created specifically for Tubes. Consequently, these finishes are not identified by international reference systems. The shades of the anodised finishes illustrated herein are purely indicative as the inks used in this chart do not faithfully replicate the visual appearance of the finishes. The anodised finishes are solely available for the Soho and Soho Bathroom models. To verify the actual shade of these finishes, we recommend you consult the Tubes Special Finishes Colour Chart.

SPECIAL FINISHES CATEGORIES

Tubes special finishes are identified by a category, which corresponds to a specific surcharge.
This surchargecan be checked in the Tubes Price List. This surcharge can be checked in the Tubes Price List on page 5.

ANODISED SPECIAL FINISHES

Category A0	without additional charge
Category A1	with 15% surcharge



Alluminio Anodizzato Argento /
Anodised Silver Aluminium



Alluminio Anodizzato Titanio /
Anodised Titanium Aluminium



Alluminio Anodizzato Bronzo /
Anodised Bronze Aluminium



Alluminio Anodizzato Nero /
Anodised Black Aluminium

SPECIAL ANODISED FINISHES only for SOHO model

ANODISED				
The anodised finishes are only available for the SOHO model				
Code Description	**A0_ANAR** Anodised SILVER Aluminium	**A1_ANGT** Anodised TITANIUM Aluminium	**A1_ANNE** Anodised BLACK Aluminium	**A1_ANBR** Anodised BRONZE Aluminium
Finish type	**ANODIZED ALUMINUM**			
ELEMENTS Collection				
Additional charges calculated on A0 basis (silver anodised aluminium) in %	**0%**	**15%**	**15%**	**15%**
SOHO				
SHVA - SHOA - SHVBA	**X**	**X**	**X**	**X**

GALVANIC SPECIAL FINISHES

The galvanic finishes are obtained through galvanic treatments which deposit a thin layer of metal or alloy onto the surface of the product, giving it greater resistance to corrosion and its distinctive appearance. The galvanic finishes are created specifically for Tubes. Consequently, these finishes are not identified by international reference systems. The shades of the galvanic finishes illustrated herein are purely indicative as the inks used in this chart do not faithfully replicate the visual appearance of the finishes.
To verify the actual shade of the galvanic finishes and the models on which they are available, we recommend you consult the Tubes Special Finishes Colour Chart. To find out the feasibility of a model in a special finish, we recommend you consult the dedicated special finishes table below.



Cromo Lucido / Polished Chrome



Cromo Satinato / Satin Chrome



Stagno Lucido / Polished Tin



Nichel Nero Lucido / Glossy Black Nickel



Nichel Nero Opaco / Matt Black Nickel



Nichel Satinato / Satin Nickel



Finitura Oro 14k / 14kt Gold Finish



Ottone Opaco / Matt Brass

GALVANIC SPECIAL FINISHES

Feasibility list and price supplements

GALVANIC

The galvanic finishes are only available for the following models

Code	GO_CRO	G1_CRS	G1_NIS	G2_BRP	G2_NIK	G2_NNE	G2_NNO	G2_NNS	G2_OSO	G2_SSO	G2_STL	G3_OTO	G3_RMO	G5_014
Description	Polished Chrome	Satin Chrome	Satin Nickel	Matt Brushed Bronze	Matt Brushed Nickel	Glossy Black Nickel	Matt Black Nickel	Matt Brushed Black Nickel	Matt Brushed Brass	Matt Brushed Tin (1)	Polished Tin	Matt Brass	Matt Brushed Copper (1)	14kt Gold Finish
Finish category	**G0**	**G1**		**G2**								**G3**		**G5**
Additional charges calculated on G0 basis (glossy chrome) in %	**0%**	**15%**	**15%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**40%**	**40%**	**50%**
MONTECARLO														
MO - MQ	**X**													
TBT														
TBT	**X**					**X**					**X**			**X**
BASICS Collection														
Additional charges on the price of CHROME in %	**0%**	**15%**	**15%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**40%**	**40%**	**50%**
HOLA														
HOLAG	**X**		**X**			**X**					**X**			**X**
JOBA														
JOG - JVG	**X**		**X**			**X**					**X**			**X**
ALBATROS														
ALG	**X**		**X**			**X**					**X**			**X**
BASICS collection models ON REQUEST	Models available ONLY ON REQUEST and the price will be estimated via a quotation.													
For the models shown below, the request must therefore be forwarded to the sales office who will process it as soon as possible. Feasibility is indicated with an X in the finish column next to the model														
COLOR_X Home														
CO10G - CV10G	**X**		**X**			**X**					**X**			**X**
BASICS 14 Home														
CO14G - CV14G	**X**		**X**			**X**					**X**			**X**
KUBIK Home														
KO15G - KV15G	**X**	**X**		**X**	**X**	**X**	**X**	**X**	**X**	**X**	**X**	**X**	**X**	**X**

(1) Manual finish subject to accentuated colour variations, making each product different from the other
X = Available for the selected finish

SPECIAL FINISHES CATEGORIES

Tubes special finishes are identified by a category, which corresponds to a specific surcharge. This surcharge can be checked in the Tubes Price List, on the page for the chosen product.

GALVANIC SPECIAL FINISHES

Category G0	without additional charge
Category G1	with 15% surcharge
Category G2	25% surcharge
Category G3	40% surcharge
Category G5	50% surcharge



Rame Spazzolato Opaco / Matt Brushed Copper



Ottone Spazzolato Opaco / Matt Brushed Brass



Stagno Spazzolato Opaco / Matt Brushed Tin



Nichel Spazzolato Opaco / Matt Brushed Nickel



Nichel Nero Spazzolato Opaco / Matt Brushed Black Nickel



Bronzo spazzolato Opaco / Matt Brushed Bronze

GALVANIC SPECIAL FINISHES

Feasibility list and price supplements

GALVANIC

The galvanic finishes are only available for the following models

Code Description	GO_CRO Polished Chrome	G1_CRS Satin Chrome	G1_NIS Satin Nickel	G2_BRP Matt Brushed Bronze	G2_NIK Matt Brushed Nickel	G2_NNE Glossy Black Nickel	G2_NNO Matt Black Nickel	G2_NNS Matt Brushed Black Nickel	G2_OSO Matt Brushed Brass	G2_SSO Matt Brushed Tin (1)	G2_STL Polished Tin	G3_OTO Matt Brass	G3_RMO Matt Brushed Copper (1)	G5_014 14kt Gold Finish
Finish category	**G0**	**G1**		**G2**								**G3**		**G5**
Additional charges calculated on G0 basis (glossy chrome) in %	**0%**	**15%**	**15%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**25%**	**40%**	**40%**	**50%**
BASICS 14 bathroom BA14ELG - BA14ETG - BA14EWG - BA14G - BA14I5G - BA14MSTG - BA14MSWG - BA14MSXG - BA14MTG - BA14MWG - BA14MXG - RO14SG	X	X	X			X	X				X	X		X
BASICS 25 Bathroom BA25ELG - BA25ETG - BA25EWG - BA25G - BA25I5G - BA25MSTG - BA25MSWG - BA25MSXG - BA25MTG - BA25MWG - BA25MXG	X	X	X			X	X				X	X		X
BASICS CURVO Bathroom BACUELG - BACUETG - BACUEWG - BACUG - BACUMSTG - BACUMSWG - BACUMSXG - BACUMTG - BACUMWG - BACUMXG	X		X			X	X				X	X		X
COLOR_X Bath BA10G - BA10I5G - BA10MSTG - BA10MSWG - BA10MSXG - BA10MTG - BA10MWG - BA10MXG - BA10ELG - BA10ETG - BA10EWG - RO10SG	X	X				X	X				X	X		X
KUBIK Bath BA15KELG - BA15KETG - BA15KEWG - BA15KG - BA15KI5G - BA15KMSTG - BA15KMSWG - BA15KMSXG - BA15KMTG - BA15KMWG - BA15KMXG - RKO15SG	X	X		X	X	X	X	X	X	X	X	X	X	X
SMART_25 SM25ELG - SM25ETG - SM25EWG - SM25G - SM25I5G - SM25MSTG - SM25MSWG - SM25MSXG - SM25MTG - SM25MWG - SM25MXG	X	X	X			X	X				X	X		X
SMART_K SM15KELG - SM15KETG - SM15KEWG - SM15KG - SM15KI5G - SM15KMSTG - SM15KMSWG - SM15KMSXG - SM15KMTG - SM15KMWG - SM15KMXG	X	X		X	X	X	X	X	X	X	X	X	X	X

(1) Manual finish subject to accentuated colour variations, making each product different from the other

X = Available for the selected finish

Tubes radiatori srl
Via Boscalto, 32 CP 27b
I - 31023 Resana (TV) Italy

Ph. +39 0423 7161
info@tubesradiatori.com
www.tubesradiatori.com

Technical Office Export
Ph. +39 0423 716 223
tecnico@tubesradiatori.com

Customer Service Export
Ph. +39 0423 716207
cs.ex@tubesradiatori.com

Sales Department Export
Ph. +39 0423 716200
sales@tubesradiatori.com

GENERAL CONDITIONS OF SALE

1. Conclusion of the contract
The sale of our Products, like the acceptance of these general conditions of sale, is considered perfected with the sending by Tubes Radiatori S.r.l. of the Order Confirmation.
The delivery of the Products is performed in compliance with the general conditions of sale and delivery listed herein below, which are considered to be known about and accepted by the customer at the time of Tubes Radiatori S.r.l. sending the Order Confirmation.

2. Description and indication of the Products
The descriptions and all the indications of our Products contained in the catalogues, price lists and sheets downloaded from the internet and/or from new communication tools such as social media, are indicative and not binding for the company which can, without any prior warning and at its own discretion, make changes thereto at any time.

3. Orders
The orders are only considered binding after Tubes Radiatori S.r.l. has sent the order confirmation. The delivery of the Products is performed according to the contents of our order confirmation which the customer is obliged to check upon receipt and confirm in writing. In the absence of the order confirmation counter-signed for acceptance, the conditions of sale in force, are to be considered approved by the other party once 48 hours have passed after the sending of our confirmation.
URGENT orders envisage immediate entry into the production cycle therefore they cannot be changed after the order confirmation has been sent, hence the 48 hour deadline mentioned above is cancelled and the general conditions of sale are considered to be accepted from the moment of receipt of the order confirmation by the customer. Any clear calculation or typing mistakes are not binding for Tubes Radiatori S.r.l.

4. Changes and orders
Any changes to the Order Confirmation must be notified to the customer within 48 hours of receipt thereof. After such deadline, the Products ordered enter the production cycle and therefore, where possible, the changes made will be subject to the charging of the following supplements:
- 30% of the cost of the Product for handling the change;
- 40% of the cost of the Product for changes once the processing phase has already started;
- 30% of the cost of the finished Product if the request is for changing the fittings (which are the only ones that can be made).
- If the change is requested on the finished Product, and it does not refer to changing the fittings (see above), it cannot be accepted as it is not possible. Therefore, you will be charged the full amount for the finished Product, according to the specifications contained in the order confirmation. URGENT orders cannot be changed.

It is not excluded that the modification request can affect the delivery date previously indicated in the order confirmation.

5. Order cancellation
The cancellation of an order is subject to the written agreement of Tubes Radiatori S.r.l. and can only take place by and no later than the final deadline specified in Art. 4 of these general conditions of sale. Any expenses resulting from cancellation shall be charged to the customer with the same indications as specified in Art. 4. Otherwise, the contract shall remain valid and effective between the parties, with all the legal implications.

6. Price
Unless otherwise specified in the Contract, the prices indicated in the order confirmation are fixed and not revisable, including all taxes and duties, exclusive of VAT. Such prices include all the costs and expenses sustained by TUBES for manufacturing the Product. Any variation to the aforesaid costs of any kind, which takes place following the conclusion of the contract, gives Tubes Radiatori S.r.l. the right to apply a consequent proportional variation to the sale prices. Tubes Radiatori S.r.l. shall notify the buyer of the above in a letter sent by registered post and the price variations shall have immediate effect, i.e. from the date of said notification. All of the above is by express agreement.

7. Payment terms
The confirmed payment terms must also be complied with in the event of delayed delivery. No deductions or payment delays shall be accepted for any complaint, for any credit notes not yet issued, or for any claims not acknowledged by Tubes Radiatori S.r.l. Payments must however by made, even if there are any missing accessories which do not jeopardize the use of the material; the same applies to the event in which the material requires negligible intervention. Payment delays, even of just one instalment, imply the immediate suspension of current deliveries, the charging of bank fees and default interest on the sums due, calculated in the amount of 3% higher than the primary bank rate (first instalments).

8. Despatch
Goods are despatched at the risk and liability of the addressee who, upon receiving the goods, must check - in the presence of the courier - that the packaging is intact and that there are no missing items or replacements. Any damage or loss noted must be immediately reported to the courier and the delivery note must be signed for reservation, such reservation also being confirmed by letter sent by registered post or certified email to the address tubesradiatori@legalmail.it within three days of receipt of the goods. Failure to comply with this clause releases the manufacturer and transport company from all liability.

9. Complaints
Any complaints are only taken into consideration if they are reported to Tubes Radiatori S.r.l. by letter sent by registered post with acknowledgement of receipt, or certified email to the address tubesradiatori@legalmail.it by the deadline specified in Art. 1495 of the Italian Civil Code starting from the delivery date, as long as such goods have not undergone any alterations by third parties.

10. Packaging
The type of packaging is at the exclusive discretion of Tubes Radiatori S.r.l. Its cost is generally included in the radiator sale price but, for bulky models, Tubes Radiatori S.r.l. reserves the right to request a contribution for the packaging costs. Packaging, even special packaging, cannot be returned.

11. Delivery terms
Tubes Radiatori S.r.l. makes differentiated deliveries for Products in stock and Products made to order. The delivery term is indicated on the order confirmation. For orders with a fixed term, it corresponds to the despatch date. For orders “on request”, it refers to the date on which the goods are ready to be despatched. Said terms are indicative and, in no case, binding. Failure to deliver the goods by the predefined dates does not imply the termination of the contract or the right to any compensation for damage. Any essential (or compulsory) delivery terms must be agreed in writing. In the event of force majeure (strikes, riots, wars, etc.) Tubes Radiatori S.r.l. reserves the right to choose the measures to adopt.

12. Product returns
The return of Products will only be accepted exclusively subject to written agreement with Tubes Radiatori S.r.l. and however under the following conditions:
- That the Products are listed in the catalogue and are not non-standard and/or customized items;
- That they are brand new, not tampered with and perfectly packaged.
- In the event of collecting Products for operating checks and/or for any repainting, the product must be packaged in the original packaging which can be requested if necessary and charged for at a variable cost according to the model and dimensions.
- If the Product arrives in non-original or insufficient packaging Tubes will in any case charge for the entire cost of the product.
- Returns are only accepted subject to written agreement by Tubes Radiatori S.r.l. and carriage paid to the Tubes Radiatori S.r.l. site.

13. Drawings, dimensions and weights
Drawings, dimensions, weights and all other technical indications related to Products, accessories and spare parts according to the documentation provided by Tubes including price lists, catalogues, sheets downloaded from the internet and/or new communication tools such as social networks are indicative. Tubes Radiatori S.r.l. reserves the right to make changes at any time without prior notice. Furthermore, Tubes Radiatori S.r.l. cannot guarantee that the Products will be made exactly in compliance with the samples provided. The customer is also obliged to keep all the above information confidential and to use it exclusively for the performance of the concluded contract.

14. Guarantees
Tubes Radiatori S.r.l., referred to hereinafter as Tubes, guarantees new Products for a period of ten (10) years against loss due to perforation corrosion, three (3) years on paint and all the electroplated and anodized finishes and two (2) years for all the electric/electronic parts for electrically operated products. The guarantee is valid as of the date on which the products leave the Tubes warehouse. Radiators that have become unusable during this period, because of clear material or manufacturing faults reported to Tubes by the deadline and according to the procedures specified in Art. 4 above shall by replaced free of charge, despatch paid to the customer’s address. Faulty products become our property and must be sent carriage paid to our site. The guarantee does not extend to faults that could occur following abnormal strain, insufficient care, incorrect handling and any changes that have not been authorized in writing by Tubes. Repairs carried out by third parties without our written consent exonerate Tubes from any claim arising from the guarantee obligation described above and from any compensation for assembly or disassembly costs or resulting from other faults. Our Products are guaranteed with the following reserves:
- that the Products have been correctly paid for and there are no outstanding amounts to pay.
- that the heating elements are in good condition and that they have been stored protected from bad weather before being installed in the site;
- that the installation was performed in compliance with the applicable standards;
- the guarantee related to painting, anodizing and/or galvanic finish is not recognized if the product has been installed near WCs, urinals and/or appliances can vaporize aggressive acidic micro particles;
- that the Products were not installed in particularly wet environments such as steam rooms, saunas, inside showers, swimming pools or mini pools or outdoors;
- that the water used to supply the heating circuit is not corrosive and the hardness is within standard limits;
- that the product has not been cleaned with acidic, abrasive and corrosive detergents and/or cleaning products.
- that the circuit is free from any metal residues, calamine, grease any gas;
- after the first filling, the heating elements have not been left without any water and that they have not been periodically emptied;
- that a corrosion inhibitor compatible with all the materials present in the heating elements has not been used; on this point, we recommend carefully reading the advice provided in the official Tubes price list;
- that, in the event of using antifreeze, it must be compatible with all the materials of the radiators and must never be used in pure solution, but diluted before being introduced into the circuit;
- that the working pressure of the heating elements is no greater than 5.0 Bar, as this corresponds to the maximum current use pressure, unless otherwise requested in writing and approved by Tubes;
- that the working temperature of the system is not greater than the maximum temperature guaranteed and indicated in the official Tubes documentation;
- that the product has not been repainted, except by Tubes.

15. Court and jurisdiction
These general conditions of sale and delivery are subject to Italian law in force at the time of signing the order confirmation. For any action or dispute and for all legal purposes, the registered office of Tubes Radiatori S.r.l. is considered to be elected by the parties, also in the event of being called to account for intervention or guarantee; the issue of drafts or cheques by the seller does not constitute any derogation. It is to be understood that for any and all disputes the parties acknowledge the Justice of the Peace and District Court of Castelfranco Veneto (TV) and the Court of Treviso have jurisdiction, on the basis of their respective powers.

note

TUBES

THE WARM SIDE OF DESIGN